


VICTORIA UNIVERSITY



3 1761 03714 8855





THE LIBRARY
of
VICTORIA UNIVERSITY
Toronto





THE LOEB CLASSICAL LIBRARY

FOUNDED BY JAMES LOEB

EDITED BY

G. P. GOOLD

PREVIOUS EDITORS

T. E. PAGE

E. CAPPS

W. H. D. ROUSE


L. A. POST

E. H. WARMINGTON

HIPPOCRATES

VII

LCL 477



Digitized by the Internet Archive
in 2008 with funding from
Andrew W. Mellon Foundation

HIPPOCRATES

VOLUME VII

EDITED AND TRANSLATED BY

WESLEY D. SMITH



HARVARD UNIVERSITY PRESS

CAMBRIDGE, MASSACHUSETTS

LONDON, ENGLAND

1994

R
126
H54
1923
V.7
Copyright © 1994 by the President and Fellows
of Harvard College
All rights reserved

Library of Congress Cataloging-in-Publication Data

Hippocrates.

[Epidemics. Book 2, 4-7. English]

Hippocrates. Volume VII. Epidemics 2, 4-7 / edited and
translated by Wesley D. Smith.

p. cm. — (Loeb classical library : L477)

Includes bibliographical references and index.

ISBN 0-674-99526-0

1. Hippocrates. Epidemics. 2. Medicine, Greek and Roman.

I. Smith, Wesley D., 1930- . II. Title.

III. Series: Loeb classical library : 477.

R126.H6E62513 1994 93-19601

616—dc20

CIP

AJP-6224

*Typeset by Chiron, Inc, Cambridge, Massachusetts.
Printed in Great Britain by St Edmundsbury Press Ltd,
Bury St Edmunds, Suffolk, on acid-free paper.
Bound by Hunter & Foulis Ltd, Edinburgh, Scotland.*

CONTENTS

INTRODUCTION	1
MAP	16
EPIDEMICS	
BOOK 2	18
BOOK 4	92
BOOK 5	152
BOOK 6	218
BOOK 7	292
INDEX	417

EPIDEMICS

2, 4-7

INTRODUCTION

The five books of *Epidemics*¹ presented here have generally been less well known and studied than books 1 and 3. In Roman imperial times they were judged by Galen and his predecessors to be "less genuine" than books 1 and 3. Since then they have been less frequently copied, edited, translated and interpreted. W. H. S. Jones was following that tradition in volume I of the Loeb Hippocrates when he printed 1 and 3 only, and praised them as "the most remarkable product of Greek science." I hope to make some amends for that here, and, by making all seven books of *Epidemics* available, to help to restore these unique and interesting works to their proper place.

Books 1 and 3 were distinguished from the others at the time of the formal publication of the Corpus, in the first or second century A.D., about five centuries after the time when the works were probably composed. The editors who made the judgments were ignorant of the origin and authorship of the miscellany of works attributed to Hippocrates, as we still are, but from reading the seven books of *Epidemics* they easily judged that 1 and 3 were better, more finished, more ready for publication than the

¹ The word *epidemics* means "visits," and may refer to the itinerant physician's visits to the towns in which he practices, or more likely to the visitations of diseases in those communities. (This latter was Galen's interpretation.)

INTRODUCTION

others, and more unified in style. Further judgments and conjectures followed: that *Epid.* 2 and 6 are notes made in preparation for revising them for publication, and that either 4 is such notes or 4 was composed by the grandson of the great Hippocrates. But 5 and 7 were judged to lack the reserved, theoretical bent of the others and to be more rhetorically elaborate. Hence they must have been written after the great Hippocrates wrote, and perhaps by his descendants. These conjectures by the editors reflected their own training and predilections, but strongly affected the way in which the various books were received and treated by Galen and thence by those who transmitted them to us. We are fortunate that these primitive works were copied and transmitted to us at all. But we must realize that antiquity's inferences from style and substance are not better than our own—in fact not as good in some respects.

A large part of their attraction is their freshness, one might even say innocence. They are technical prose from the time when prose was coming into being and authors were realizing its potential: unique jottings by medical people in the process of creating the science of medicine. In reading the *Epidemics* one seems to be present while they are first formulating their descriptions of the way the body is put together, the way it responds to disease, the things that make a difference for good or ill, the ways in which the medical men should intervene. One finds the authors musing about the nature of their experience, and planning how to extend and evaluate it, admonishing themselves, "study this," "think about that," and explaining "this is what I observed, and this is what I made of it." This intense intellectual activity is carried forward in primitive,

INTRODUCTION

simple ways: the works have no developed language of science, no sophisticated methodology, no protocols for testing theories or correcting the inferences drawn from them. The *Epidemics* are also a unique genre. We know of nothing like them written before or after.² But because they differ from one another, it is not easy, especially if we include all seven books, to say what we mean when we speak of their genre.

In language and style they are simple, and at the risk of some awkwardness I have often tried to mimic them in my English rendering, though English is not well adapted to some of the effects of the Greek. To get a sense of the mind and the prose style of the *Epidemics* we need to recall how prose style was developing into a powerful tool of reflection and persuasion such as Plato and Demosthenes, for example, exhibit. They are opposites, one a self-conscious rhetorician, the other a philosopher who scorned rhetoric. But both as artists are in some ways at the opposite extreme from the writers of the *Epidemics*: both of them developed sentence structures into profound dramatic media for conveying complex thought and manipulating the audience, each of them working with long, leisurely sentences, sometimes difficult to understand, but whose individual elements or clauses are of a length to be readily comprehensible and are closely related grammatically to what precedes and follows; these clauses all lead the hearer from beginning through middle to end, using a series of promises and fulfillments whose effect is to

² They were in part revived in the seventeenth century by Guillaume de Baillou and Sydenham, who systematically recorded catastases in hopes of establishing statistical epidemiology.

INTRODUCTION

mesmerize and to convince of their inevitable rightness just as their syntax comes clear and their ambiguities are resolved. At their best, such sentences, along with brief connecting ones, cumulatively produce increased confidence that they are part of a worthy comprehensive design. The *Epidemics* do not exhibit such conscious prose style, whether from deliberate choice, or because their writers are unaware of it.³ Some stylistic tendencies are particularly striking. The *Epidemics* generally deal in bursts of observation and judgment, reports of cases, statements of ideas, posing of questions. What they report or ask will have profound significance, but often it is stated simply, without indication of how it relates to a larger design, theory, or observation. "The patient's extremities were cool, his center burning hot." "Tongue peripneumonic." "Bilious excrement." Syntax is often only juxtaposition. An abstraction is a major achievement, e.g., "apostasis," a term that describes the movement of the noxious material of the disease towards deposit or excretion. Attaching appropriate verbs and adjectives to the abstraction is the test of professional competence as well as of compositional skill: "they [apostases] are best when they go down from the disease, like [meaning 'as in the case of'] varicose veins."⁴ Much of the search for method is a search for patterns that will permit analogy, as in this passage testing how many notions can be transferred from the waning of the day to that of the year: "In autumn

³ On these as on many other questions it is better to reserve judgment in consideration of our ignorance of date, authorship, and intended audience.

⁴ The whole section, 2.1.7, is instructive in the studied attempt to attach the right evaluative adjectives to various phenomena.

INTRODUCTION

there are worms and cardialgic ailments (heartburn), shivering, melancholy. One should watch for paroxysms at the onset; also in the whole disease: as is the exacerbation at evening, so is the year at its evening. Intestinal worms also" (*Epid.* 6.1.11).

Often the authors seek to reduce general structures and principles to aphorisms, "opposites cure opposites," "purge after crises," giving an air of confident knowledge, and making the principles memorable. Satisfactory presentational structure appears to be most easily achieved by offering a general truth followed by illustrations, some of which simply illustrate, but some of which qualify the statement. Sometimes a writer will venture a judgment that seems naive, e.g., "Intestinal gas is contributory to protruding shoulder blades, for such people are flatulent." Sometimes apparently hard-won inferences seem banal or tautological. But for the most part, however fumbling the expression is, the *Epidemics* give the impression of sincere, intense, and productive intellection. The rare methodological formulations confirm our impression that the particulars are being pursued in the hope of successful generalities, e.g., 6.3.12: "The summary conclusion comes from the origin and the going forth, and from very many accounts and things learned little by little, when one gathers them together and studies them thoroughly, whether the things are like one another; again whether the dissimilarities in them are like each other, so that from dissimilarities there arises one similarity. This would be the road (i.e., method). In this way develop verification of correct accounts and refutation of erroneous ones."

The freshness and directness of these works have produced various outrageous claims for them. In Roman

INTRODUCTION

imperial times they were embraced, most eloquently by Galen, as early monuments of dogmatism, i.e., deductive rationalism like Plato's, which started from principles like "opposites cure opposites" and deduced the rest; by others they were embraced as models of empiricism, science based on observation of phenomena without preconceptions, and for this view one could adduce such methodological statements as the above, and reiterated statements of what "we must seek." It is easy to demonstrate that Galen and others were wrong to read sophisticated dogmatic theories into the *Epidemics*.⁵ And yet there is a kernel of truth there: in part they aspire to the kinds of answers that dogmatism later produced. Equally, calling them Empirical is an anachronism. They are not "empirical" in the proper sense because they do not have the sophistication that empiricism developed when it was formulated in the centuries after these works, namely sceptical critique of dogmatism and systematic methods for dealing with observation and for evaluating hypotheses drawn from it. The *Epidemics* show great concern for developing effective method, but their concept of method is at the beginning. Their attention is on extending their theory, not on methods of testing and refining it. The Empiric's question, "How many observations make theory?" is far in the future, as is the terminology that developed along with Empirical analyses. Hence the *Epidemics* exhibit many wild leaps from observation to finished theory, of the sort that the method of the ancient

⁵ My book *The Hippocratic Tradition*, Cornell Univ. Press 1979, gives an account of ancient and modern interpretations of Hippocratic medicine.

INTRODUCTION

Empirics was developed to avoid. Yet, indeed, the *Epidemics* are full of reports of actual observations, and they show concern with the problems of creating a method, like the following: "For good physicians similarities cause wanderings and uncertainty, but so do opposites. It has to be considered what kind of explanation one can give, and that reasoning is difficult even if one knows the method"⁶ (*Epid.* 6.8.26).

Besides sharing a general outlook about what medicine is and what the physician concerns himself with, the individual groups of *Epidemics* have their own personalities.

As has often been observed, *Epidemics* 1 and 3 are most finished in composition, though still structurally very loose. Primarily they present *catastases*⁷ with accounts of the illnesses they produced, and individual case histories, along with a few methodological observations.

Epidemics 5 and 7 are collections of case histories.

⁶ Galen indicates that there were many interventions by editors and commentators in the text of this section of *Epid.* 6, which indicates to us both great interest in Hippocratic methodology on the part of the ancients, and great confusion. For example, Galen tells us that he is not even reporting Capito's reading of one sentence, since no one else knows of it. In the physiognomic example that follows the theoretical statement Galen gives us the "plausible" reading and interpretation of Rufus of Ephesus but says that it was Rufus' own, different from those of the other texts and interpreters. For modern discussions, see Manetti-Roselli ad loc., and Volker Langholf, *Medical Theories in Hippocrates*, Berlin and N.Y.: Walter de Gruyter, 1990, p. 206.

⁷ *Catastasis* means condition or situation. In medicine it became a technical term for a description of the dominant weather and characteristic diseases of a period of time, usually a year.

INTRODUCTION

often grouped by type and subject matter to illustrate various subjects of interest. For example, the series 7.64ff and 5.7ff aim at evaluating therapeutic procedures. Some, especially in 5, express indignation or remorse at the fate of patients who could have been helped.⁵ The group beginning at 7.35 is prognostic (what will happen in head wounds with denuded bone, what will happen in tetanus), as are others, e.g., 7.56 and 58. Many of the cases in 5 and 7 seem to be sorting out the course of disease in relation to critical periods and sequences of symptoms. It is worth notice that the author of 7 leans towards drama in his case histories.⁹

Epidemics 2 and 6 show a preoccupation with the way in which the body is organized and part communicates with part. Evidence of that concern is shown by *Epidemics* 2's unique anatomy of veins and nerves (*Epid.* 2.4.1–2). Both works concern themselves with the ways in which the various parts affect one another: sympathy between lungs and testicles (2.1.6 and 7), between breast, womb, and consciousness (6.5.11; 2.6.32), between mucus and semen (6.6.8). Similarly the works pay much attention to pains and flows on the same side of the body as the disease (the catch phrase for it is *κατ' ἑξιν*, 6.2.5 etc.) and they are also concerned with exits from the body which the physician

⁵ 5.15 and 17 report deaths of patients from medicine, 5.27–31 report deaths from failures to treat properly.

⁹ Tendencies are shown by the vocabulary; e.g., *Epidemics* 7 uses *ἐπιεικῶς* ("reasonably," or "somewhat") 18 times, while *Epidemics* 5 uses it 4 times and the other *Epidemics* never use it. It uses *σφόδρα* "extremely" 39 times, while the other *Epidemics* use it very rarely: it does not occur in 2, is used once in 4 and 6, and 5 times in 5).

INTRODUCTION

can exploit, including the skin (2.4.22). *Epidemics* 2 and 6 are not simply interested in mapping such things, they want to create a technical medicine that will take control of them. A clear example is given by 2.3.8, in which the author builds on the assumption that a disease progresses towards an apostasis, a deposit or excretion of the noxious disease material, and he considers that his medical craft should learn how to control it and make it happen: "Create apostases, leading the material yourself. Turn aside apostases that have already started, accept them if they come where they should and are of the right kind and quantity, but do not offer assistance. Turn some aside if they are wholly inappropriate, but especially those that are about to commence or are just begun."¹⁰

This urge to a strong, invasive approach to therapy was congenial to Galen and to many others, including Empirics, in later antiquity. It has generally been discounted in post-renaissance times, when, in accord with contemporary movements in medicine, a picture was developed of Hippocrates as an advocate of restrained, expectative therapy, who trusted in the healing power of Nature. It is important to appreciate both tendencies in these works. *Epidemics* 6 reaches a climax of listing all the kinds of things that need investigation (6.8.7ff). Galen, the voluminous writer, read that section as a list of topics to be expanded in rewriting. Modern interpreters, all academics by profession, tend to read it as a list of lecture topics. Thus, we read ourselves into these works.

¹⁰ Apostasis is used only once in *Epidemics* 5 and once in 7. From this we can infer that their authors know the subject but are not preoccupied with it.

INTRODUCTION

Epidemics 4 is closely related to 2 and 6. It mentions some of the same cases and discusses some of the same material, but it has its own personality and style, different from theirs. Its author seems to emphasize prognosis especially, collecting numbers of similar cases that differ in small ways. One of his fascinations is chlorotic coloring. And he reports how his predictions of the outcomes of cases fared (note, e.g., 4.35). In 4.25 the author tries to worry out the variations in tooth and gum infections as related to sex, age, and differences in timing. He manages to articulate questions, but he is not explicit about conclusions.

Overall, we get from *Epidemics* 2, 4, and 6 the impression of numbers of physicians working in proximity and communicating with one another. Similarly from *Epidemics* 5's comments on other physicians' errors, we get the sense of the author in a medical community. But the relations among, and the dating of, the various groups of *Epidemics* remain doubtful. Apparent coincidences between the patients of *Epidemics* 1 and the names of magistrates in documents on stone found on Thasos make it seem reasonable to date *Epidemics* 1 around 410 B.C. The other books of *Epidemics* could be earlier or later, though their points of view and assumptions are so similar that one assumes that they were composed close in time to 1 and 3. There is nothing except later unreliable tradition to associate the writing of the *Epidemics* with Cos and Hippocrates.

INTRODUCTION

Manuscripts

	<i>Symbol</i>	<i>Date</i>	<i>Contents</i>
Marcianus graecus 269 ¹¹	M	saec. X	<i>Epid.</i> 5.14-7
Vaticanus graecus 276	V	saec. XII	<i>Epid.</i> 2-7
Parisinus graecus 2140	I	saec. XIII	<i>Epid.</i> 2-7
Parisinus graecus 2142	H	saec. XIV	<i>Epid.</i> 2-7
Vaticanus graecus 277	R	saec. XIV	<i>Epid.</i> 2-7

The oldest and best, the only independent manuscripts which contain the *Epidemics*, are M and V. M has many descendants. For the text of M in *Epidemics* 2, 4, and 5, where M itself is defective, I use HIR, recentiores of the M tradition.¹² For *Epidemics* 2 and 6 there are richly

¹¹ M is mutilated, and after folio 408 has lost all of the *Epidemics* preceding 5.14.

¹² For descriptions of MIVH, see *Ippocrate, Epidemie Libro Sesto*, a cura di Daniela Manetti e Amneris Roselli (Florence 1982, *Biblioteca di Studi Superiori* LXVI) xxv-xxxviii. Cay Lienau, ed., *Hippocratis De Superfetatione*, CMG I.2.2 (Berlin 1973) distinguishes older and younger parts of manuscript V, to the younger part of which (V^b) the *Epid.* belong, and similarly older and younger parts of H (H^a and H^b) are distinguished by Hermann Grensemann, *Über Achtmonatskinder, Über das Siebenmonatskind (unecht)* CMG I 2, 1 (Berlin 1968). For a study of the relations of the recentiores to M, and the scribal corrections and conjectures that they exhibit, see J. Irigoin, "Le rôle des recentiores dans l'établissement du texte hippocratique," *Corpus Hippocraticum, Colloque de Mons*, ed. R. Joly (Mons 1977) 9-17, and S. Byl, "Les recentiores du traité pseudo-hippocratique *Du Régime*; quelques problèmes," *Hippocratica, Actes du Colloque Hippocratique de Paris*, ed. M. Grmek (Paris 1980) 73-83. Jacques Jouanna, *Scriptorium* 38 (1984) 56-9, establishes that H^b and G were copied from ms. I after it had lost a number of folios.

INTRODUCTION

informative commentaries by Galen which tell us much about the ancient textual tradition and interpretations. The commentary on *Epid.* 2 and parts of the *Epid.* 6 commentary are lost in Greek but preserved in Arabic. I sometimes quote the German translation of the Arabic from the *Corpus Medicorum Graecorum*. For *Epid.* 6 we have commentaries by Palladius and John of Alexandria, useful more for establishing the text of Galen's commentaries, on which they are based, than that of the Hippocratic mss. I cite them sparingly.

Dialect

The Ionic dialect of the Hippocratic Corpus is not a spoken language, but a book language whose original forms cannot be known because of successive corruptions and corrections of the words in the process of the transmission of the texts. All the sources of the text, including the earliest papyrus manuscripts, exhibit considerable inconsistency in their use of the dialect.¹³ The process of adjusting the dialect seems to have been repeated in each generation as the texts were copied, and

¹³ There were discussions of, and disagreements about, the dialect in the ancient commentators and editors, concerning which we get some, but not much, information from Galen. See his commentary on *Fractures* 15B 322 Kühn, in which he says that some commentators treated Hippocrates' dialect as Old Attic, and his commentary on *Epidemics* 6, CMG 5.10.2.2, p. 483, where he tells us that the editors Dioscurides and Capito presented all Hippocrates' works in the Coan dialect (as they understood it). We cannot attain the truth.

INTRODUCTION

recovery of the original has been put beyond our reach.¹⁴ A scholarly consensus, with which I am in accord, has developed whereby, in addition to following the tendencies of the best manuscript or manuscripts, editors introduce corrections for a general consistency of inflectional form, such as *αὐτοῖσι*, not *αὐτοῖς*, *ποιέουσι*, not *ποιοῦσι*, etc., and remove the clear hyper-Ionisms, those erroneous forms that have apparently been introduced into the text by scribes as elegant "corrections." I have admitted some inconsistency into my text. I have only rarely reported manuscript variations in orthography, when they seemed interesting or where they might be preferable to the text I print.

Enclitics

For accentuation of enclitics I have followed the principles enunciated by W. S. Barrett, *Euripides' Hippolytus* (Oxford 1964) 424–427. In the few cases in which enclitics come in series I treat the group as an accentual unit, e.g., *ἦγόν τε με*.

¹⁴ See the discussions of medical Ionic by Hugo Kühlewein, *Hippocratis opera quae feruntur omnia*, vol. 1 (Teubner, Leipzig 1894), pp. lxx–ccxxviii, E. Schwyzer in Karl Deichgräber, ed., *Hippocratis de carnibus* (Leipzig and Berlin 1935) 62–70, Hans Diller, ed., *Hippocratis De aere aquis locis*, CMG 1.1.2 (Berlin 1970) 13–17, and Jacques Jouanna, ed., *Hippocratis De natura hominis*, CMG 1.1.3 (Berlin 1975) 133–155.

INTRODUCTION

Editions

- Asul. *Omnia opera Hippocratis*. Venetiis in aedibus Aldi et Andreae Asulani 1526
- Corn. *Hippocratis Coi libri omnes*. Froben. Basileae 1538 (edited by Janus Cornarius)
- Merc. *Hippocratis Coi opera quae existunt*. ed. Hieronymus Mercurialis, Venetiis 1588
- Foës *Magni Hippocratis opera omnia quae exstant*. ed. Anutius Foesius, Francofurti 1595
- Lind. *Magni Hippocratis Coi opera omnia Graece et Latine*, ed. Ioan. Anton. van der Linden, Leiden 1665
- Li. *Oeuvres complètes d'Hippocrate* par Émile Littré, vol. 5, Paris 1846
- Erm. *Hippocratis et aliorum medicorum veterum reliquiae*, ed. Franciscus Z. Ermerins, Traiecti ad Rhen. 1859–64.

Foës used a number of manuscripts and much medical insight and philological ingenuity to improve the text of the early editions, which were based on manuscripts of the M tradition. Littré extended the manuscript evidence greatly by using the manuscripts in Paris, including his C (Parisinus 2146), which is a copy of V.


Sigla

M	Marcianus graecus 269	saec. X
V	Vaticanus graecus 276	saec. XII
I	Parisinus graecus 2140	saec. XIII
H	Parisinus graecus 2142	saec. XIV
R	Vaticanus graecus 277	saec. XIV

INTRODUCTION

- Gal. Galen's Hippocratic Commentaries, Glossary, and discussions of individual passages in his other works.
- (v.l.)Gal. An ancient variant reading reported but rejected by Galen
- Erot. Erotianus, ed. Ernst Nachmanson. Uppsala 1918.
- Man.-Ros. *Ippocrate. Epidemie Libro Sesto*, ed., tr., comm., by Daniela Manetti and Amneris Roselli, Florence 1982.
- Pall. *Palladii Commentarii in Hipp. librum VI de morbis popularibus*, ed. F. R. Dietz in *Scholia in Hipp. et Galenum*, II 1-204, Königsberg 1834 (Repr. 1966).





ΕΠΙΔΗΜΙΩΝ ΤΟ ΔΕΥΤΕΡΟΝ

ΤΜΗΜΑ ΠΡΩΤΟΝ

V72
Littre

1. Ἀνθρακες ἐν Κρανῶνι θερινοί· ὕεν ἐν καύμασιν ὕδατι λάβρω δι' ὅλου· ἐγένετο καὶ μᾶλλον νότῳ καὶ ὑπεγίνοντο μὲν ἐν τῷ δέρματι ἰχῶρες· ἐγκαταλαμβανόμενοι δὲ ἐθερμαίνοντο καὶ κνησμὸν ἐνεποίεον· εἶτα φλυκταινίδες ὥσπερ πυρίκαυστοι διανίσταντο καὶ ὑπὸ τὸ δέρμα καίεσθαι ἐδόκεον.

2. Ἐν καύμασιν ἀνυδρίας οἱ πυρετοὶ ἀνίδρωτες τὰ πλεῖστα· ἐν τούτοισι δὲ ἦν ἐπιψηκάση ἰδρωτικώτεροι γίνονται κατ' ἀρχάς· ταῦτα δυσκριτώτερα μένει ἢ¹ ἄλλως· ἀτὰρ ἦσσον εἰ μὴ εἶη διὰ ταῦτα ἀλλὰ διὰ τῆς νούσου τὸν τρόπον. οἱ καῦσοι ἐν τῇσι θερινῇσι μᾶλλον γίνονται· καὶ ἐν τῇσιν ἄλλησιν ὥρησιν, ἐπιξηραίνονται δὲ μᾶλλον θέρεος.

3. Φθινοπώρου μάλιστα τὸ θηριῶδες καὶ ἡ καρδιαλγία· καίτοι καὶ αὐτὴ ἦσσον κακουργοίη² ἢ ἢ³ αὐτοῦ τοῦ νοσήματος τοιούτου⁴ ἐόντος. αἱ ἀσκαρίδες δειλῆς ὁμοίως τούτῳ καὶ ἐκεῖναι τηνικαῦτα ὀχλέουσι τῆς ἡμέρης τὰ πλεῖστα, οὐ μόνον διὰ τὸ μᾶλλον πονεῖν ἀλλὰ καὶ αὐταὶ διὰ σφᾶς ἐωντάς.

inss. IIRV

¹ εἰ V

² κακουργεοί IIR

³ om. IIR

⁴ τουτέου IIR

EPIDEMICS 2

SECTION 1

1. In Crannon^a in summer: anthrax. During the hot weather there was continuous violent rain. It occurred more with wind from the south. There were watery gatherings in the skin. When formed, they grew hot and caused itching, and then small blisters as though from burns rose up. They seemed like burns on the skin beneath.

2. In hot weather when it is dry fevers are mostly free from sweat. But if there is any rain during them there is more sweat at the outset. Then their crises are more difficult than otherwise, but less so if it come from the nature of the disease and not from that. Causus (burning fever) occurs more in summer: it occurs in other seasons, but is drier in summer.

3. Mostly in fall worms and cardialgia. This too is less harmful than when the disease itself is of that kind. Round worms similarly are worse in the afternoon and give most trouble in that part of the day, not simply because pain is generally greater then, but of themselves.

^a See map, pages 16–17.

7.4 4. Ἐν φθινοπώρῳ ὀξύταται αἱ¹ νοῦσοι καὶ θανατω-
 δέσταται. τὸ ἐπίπαν ὅμοιον τῷ δείλῃ παροξύνεσθαι.
 ὡς τοῦ ἐνιαυτοῦ περίοδον ἔχοντος τῶν νούσων οἷον² ἡ
 ἡμέρῃ τῆς νούσου· οἷον τὸ δείλῃ παροξύνεσθαι,
 τοιοῦτον τῆς νούσου καὶ ἐκάστης καταστάσις πρὸς
 ἀλλήλας ὅταν μὴ τι νεωτεροποιηθῇ ἐν τῷ ἄνω εἶδει· εἰ
 δὲ μὴ, ἄλλῃ ταῦτα ἂν ἄρχοι ὥστε καὶ τὸν ἐνιαυτὸν
 πρὸς ἑαυτὸν οὕτως ἔχειν.

5. Ἐν τοῖσι καθεστεῶσι καιροῖσι καὶ ὠραίως τὰ
 ὠραῖα ἀποδιδού ἔτεσιν εὐσταθεῖς καὶ εὐκρινέσταται αἱ
 νοῦσοι, ἐν δὲ τοῖσιν ἀκαταστάτοις ἀκατάστατοι καὶ
 δύσκριτοι· ἐν γοῦν Περίνθῳ ὅταν τι ἐκλίπη ἢ πλεονάσῃ
 ἢ πνευμάτων ἢ ἀπνοιῶν³ ἢ ὕδατι ἢ αὐχμῷ ἢ καύματι
 ἢ ψύχει.⁴ τὸ δὲ ἔαρ τὸ ἐπίπαν ὑγιεινότατον καὶ ἥκιστα
 θανατῶδες.

6. Πρὸς τὰς ἀρχὰς σκεπτέον τῶν νούσων εἰ αὐτίκα
 ἀνθεῖ· δηλὸν δὲ τῇ ἐπιδόσει· τὰς δὲ ἐπιδόσιας τῇσι
 περίοδοισιν· καὶ αἱ κρίσεις ἐντεῦθεν δηλοί, καὶ τοῖσιν
 ἐν τῇσι περίοδοις παροξυσμοῖσιν εἰ πρωϊαίτερον ἢ οὔ,
 καὶ εἰ πλείονα χρόνον ἢ οὔ, καὶ εἰ μᾶλλον ἢ οὔ.⁵
 πάντων δὲ τῶν ξυνεχέων ἢ διαλειπόντων τῶν χρονίων
 καὶ τραμάτων καὶ πτυέλων ὀδυνωδέων καὶ φυμάτων,
 φλεγμοναὶ καὶ ὅσα ἄλλα ἐπιφαίνεται⁶ ὕστερον, ἴσως

¹ om. HIR ² οἷον V

³ μὴ πνευμάτων IR

⁴ ὕδατων . . . αὐχμῶν . . . καυμάτων . . . ψυξέων HIR

⁵ καὶ εἰ πλείονα . . . μᾶλλον ἢ οὐ om. V

⁶ ἐπιφαίνονται HIR

EPIDEMICS 2.1

4. In fall diseases are most acute and most deadly: generally similar to exacerbation in the afternoon. The year has a cycle of diseases, just as the day has of one disease. As is the exacerbation of the disease in the afternoon, so is the worsening of each disease and weather pattern relative to each other if there be no change in the upper air. If there is, these things would commence from the new weather pattern. Hence, the year, too, is related to itself in this way.

5. In stable times and years which produce seasonal things at their proper times, diseases are dependable and have proper crises, but in unstable years they are unstable and have bad crises. So in Perinthos when there is deficiency or excess of wind or calm, with rain or drought, heat or cold. Spring is generally very healthy and minimally deadly there.

6. One must examine the beginning of a disease, whether it comes to full flower immediately—it is clear in the advancement—and examine the advancements according to their periods. From this the crises too are clear, as well as from the exacerbations within the periods (i.e., whether or not they are earlier and whether or not they continue a longer time, and whether or not they are more severe). In all continuous or intermittent chronic diseases, wounds, painful salivation, and swellings, it is true of inflammation and all other things that appear later.

76 δὲ καὶ ἄλλων πρηγμάτων κοινῶν, τὰ μὲν θᾶσσον βραχύτερα, τὰ δὲ βραδύτερα | μακρότερα· καὶ ἐν περιόδοις τὸ ἐπὶ πρῶτον καὶ ἄλλης ἐπιδόσις ἀπαυδῶσης τῆς νούσου· καὶ γὰρ τῶν παραχρῆμα ἀπολλυμένων ταχύτεραι αἱ κρίσεις ὅτι ταχεῖς¹ οἱ πόνοι καὶ ξυνεχεῖς καὶ ἰσχυροί. τὰ δὲ κρίνοντα ἐπὶ τὸ βέλτιον μὴ αὐτίκα ἐπιφαιnéσθω. τὰ κρίσιμα μὴ κρίνοντα, τὰ μὲν θανατώδεα, τὰ δὲ δύσκριτα. τὰ προκρινόμενα ἦν ὅμως κριθῇ, ὑποστροφαί· ἦν δὲ μή, ἀκρισταί· γένοιτο δ' ἂν καὶ ὀλέθρια τὰ μὴ σμικρά. ὅσα κρίσιμα σημεία γινόμενα, τὰ αὐτὰ ταῦτα μὴ γινόμενα δύσκριτα· τὰ ἐναντία δὲ σημαίνοντα κακὸν οὐ μόνον ἦν παλινδρομέη ἀλλὰ καὶ τῆς ἀρχαίης φύσις τὰ ἐναντία ῥέποντα, ὥσπερ καὶ τῶν κακῶν σημεῖον ἐπὶ τὰ ἐναντία ῥέποντα. θεωρεῖν δὲ οὕτω δεῖ· χρωμάτων,² ξυμπτωσίων φλεβῶν, ὄγκων³ ὑποχονδρίων, ἀναρροπιῶν,⁴ καταρροπιῶν.⁵ πολλὰ δὲ καὶ τῶν τοιούτων, οἷον ἀποφθειρουσέων οἱ τιτθοὶ προσισχναίνονται· οὐδὲ γὰρ ἐναντίον. οὐδὲ βῆχες χρόνιαι ὅτι ὄρχιος οἰδήσαντος παύονται· ὄρχις οἰδήσας ὑπὸ βηχωδέων⁶ ὑπόμνημα κοινωνίης στηθέων, μαζῶν, γονῆς, φωνῆς.

¹ ταχέως V² βρωμάτων HIR³ ὄγκοι VI⁴ ἀναρροπίαι V⁵ καταρροπίαι V⁶ ἀπὸ βηχέων HIR

EPIDEMICS 2.1

and probably this applies to all common events, that the ones that come quicker are shorter in duration, the slower ones last longer; also within periods, what appears earlier indicates another subtle progression of the disease: those who die suddenly have swifter crises, because the suffering is quick, continuous and strong. But if things are going to turn to the better at crisis, let them not appear straight away. Critical symptoms without a crisis: some are fatal, some indicate a bad crisis. Those that appear in advance of a crisis: if there is a crisis, there is relapse; otherwise, lack of a crisis. These too may be deadly if they are not small. All signs which are critical when they occur also indicate bad crises when they are absent. Things that give contrary signs are bad, not only when they run backwards, but when they incline to the opposite of the original nature: just so, things inclining the opposite way are a sign of trouble. One should observe in this way: colors, collapse of blood vessels, swelling of the hypochondria, upward tendencies, downward tendencies. There are many things of the kind, such as withering of the breasts in women who are going to abort. This is not contrary, nor that chronic coughs stop when a testicle swells. When a testicle swells from a cough it is a reminder of the relationship of chest, breasts, genitals, voice.

78 7. Ἀποστάσιες ἢ διὰ φλεβῶν ἢ τόνων ἢ δι' ὀστέων ἢ νεύρων ἢ δέρματος ἢ ἐκτροπέων ἐτέρων· χρησταὶ δὲ αἱ κάτω τῆς νούσου οἷον κισσοί, ὀσφύος βάρεια. ἐκ τῶν ἄνω ἄρισται δὲ μάλιστα | κάτω,¹ καὶ αἱ κατωτάτω κοιλίης, καὶ προσωτάτω ἀπὸ τῆς νούσου, καὶ αἱ κατ' ἔκρουν, οἷον αἷμα ἐκ ῥινέων, πύον ἐξ ὠτός, πτύαλον, οὖρον κατ' ἔκρουν. οἷσι μὴ ταῦτα, ἀποστάσιες, οἷον ὀδόντες, ὀφθαλμοί, ῥίς, ἰδρώς. ἀτὰρ καὶ τὰ ὑπὸ δέρμα ἐς τὸ ἔξω ἀφιστάμενα² φύματα οἷον ταγγαί,³ καὶ τὰ ἐκπυοῦντα οἷον ἑλκος καὶ τὰ τοιαῦτα ἐξανθήματα, ἢ λόποι ἢ μάρησις τριχῶν, ἀλφοί, λέπραι ἢ τὰ τοιαῦτα. ὅσα ἀποστάσιες μὲν εἰσιν ἀθρώως ῥέψασαι⁴ καὶ μὴ ἡμιρρόπως⁵ καὶ ὅσα ἄλλα εἴρηται κακὰ ἦν ἀναξίως⁶ τῆς περιβολῆς τῆς νούσου, οἷον τῇ Τιμένεω ἀδελφιδῇ ἐκ νούσου ἰσχυρῆς ἐς δάκτυλον ἀπεστήριξεν, οὐχ ἱκανὸν δέξασθαι τὴν νούσον· ἐπαλινδρόμησεν, ἀπέθανεν. ἀποστάσιες ἢ διὰ φλεβῶν ἢ διὰ κοιλίης ἢ διὰ νεύρων ἢ διὰ δέρματος ἢ κατὰ ὀστέα ἢ κατὰ τὸν νωτιαῖον ἢ κατὰ τὰς ἄλλας ἐκροάς, στόμα, αἰδοῖον, ὦτα,⁷ ῥίνας. ἐξ ὑστέρης ὀκταμήνῳ τὰ τῶν κρίσεων⁸ τῇ ὑστεραίῃ ὥς

¹ αἱ κάτω HIR

² ἀφιστ. ἐς τὰ ἔξω HIR

³ γαγγαί V

⁴ ῥέψασαι HIR

⁵ edd.: ἡμίρροπος mss.

⁶ Smith from Gal. ("schädlich, wenn sie nicht entsprechend"): καὶ ἦν μὴ ἀναξίως mss.

⁷ μάζους Gal.

⁸ κρίσων (v.l.) Gal.

7. Apostases, through the blood vessels, the nerves, the bones, the tendons, the skin or other diversions. They are best when they go down from the disease, like varicose veins, heaviness of the loins. From the upper parts the best are the farthest below, those of the lowest intestine and farthest from the disease; also the ones that come by outflow, as blood from nostrils, pus from ear, expectoration, urine in its outflow. For those who lack these, expect apostases, for example, in teeth, eyes, nose, sweat. Also swellings under the skin which push out, for example scrofulous tumors and suppurations like ulcers, and similar eruptions, or peeling skin, loss of hair, leprous skin, scaly skin, or the like. All abscessions inclining in a mass, not gradually, and the others that have been described, are bad if inappropriate for the compass of the disease, as with Tiinenes' niece: from a strong disease it settled in her toe, which was not adequate to receive the disease. It ran back up, and she died.^a Apostases are either through the blood vessels, or the intestine, or the tendons, or the skin, or along the bones or along the spine, or through other exits, mouth, genitals, ears, nostrils. From the womb, in the case of the eighth-month child, the critical flows are on the

^a This case is described at *Epid.* 4.26.

ἂν ἐς τὴν ὀσφῦν ἢ ἐς τὸν μηρόν. καὶ ἐς ὄρχιας ἔστι δ' ὅτε ἐκ βηχέων, καὶ ὄρχις αὐτὸς ἀφ' ἑωυτοῦ. βηχώδεις ἀποστάσεις αἱ μὲν ἀνωτέρω τῆς κοιλίης οὐχ ὁμοίως τελέως ῥύονται. αἱμορραγίαι λάβροι ἐκ ῥινῶν ῥύονται πολλά, οἷον τὸ Ἡραγόρεω· οὐκ ἐγίνωσκον οἱ ἰητροί. |

80

8. Τὰς φωνὰς οἱ τρηχέας φύσει ἔχοντες, καὶ αἱ γλῶσσαι ὑποτρηχεῖς, καὶ ὅσαι τραχύτητες ὑπὸ νούσων ὡσαύτως· αἱ οὖν ἐοῦσαι σκληραὶ τῇ φύσει καὶ ἄνοσοι τοῦτ' ἔχουσιν· αἱ¹ δὲ μαλακαὶ καὶ βραδύτεροι ἐς ἁμαρτωλίην· ἡ² χρηστὸν ἀρχαίῃ φύσις. σκεπτέον καὶ τὰ ἀπὸ τῶν διαιτέων τὰ μακροκέφαλα καὶ μακραύχενα ἀπὸ τῶν ἐπικυψίων· καὶ τῶν φλεβῶν ἡ εὐρύτης καὶ παχύτης ἀπὸ τοῦ αὐτοῦ, καὶ στενότητες³ καὶ βραχύτητες καὶ λεπτότητες ἀπὸ τῶν ἐναντίων· ὧν αἱ φλέβες εὐρεῖαι, καὶ αἱ κοιλίαι, καὶ τὰ ὀστέα εὐρέα· εἰσὶ δὲ οὔτοι λεπτοί,⁴ οἱ δὲ πίνοντες τὰναντία τούτων· καὶ ἐν τοῖσι λιμαγχικοῖσιν αἱ μετριότητες ἀπὸ τούτων σκεπτέαι. αἱ⁵ προαυξήσιες ἐκάστω ἃ μειοῦσι, καὶ αἱ μειώσεις ἃ προαυξοῦσι, καὶ τῇσι προαυξήσεσιν⁶ ὅποια συμπροαύζεται καὶ ὅποια συγκρατύνεται, καὶ διασφύξεις⁷ ποῖαι κοιναὶ τῶν φλεβῶν.

¹ Gal.: οἷσι mss.

² Smith from Gal.: εἰ (v.l.) Gal.: ἡ mss.

³ add. καὶ πλατύτητες HIR

⁴ οἱ λεπτοί HIR

⁵ αἱ V

⁶ προαύξεσιν mss.: corr. Corn.

⁷ Smith from Gal.: -σφαξ- mss.: σφιγξ- (v.l.) Gal.

next day, as it were to the loins or the thigh. Also to the testicles sometimes from coughs. And the testicle itself from itself. Apostases from coughs, when they are above the intestines, do not cure completely in the same way. Violent nosebleeds cure many ills, as in the case of Hera-goras. The physicians were unaware of it.

8. There are people who by nature have rough voices, and whose tongues are somewhat rough, and there is roughness from disease just so. Voices rough by nature are so inclined even without disease. Those with soft voices are slower to show problems; the original nature is the effective thing. One must consider also what comes from way of life, e.g., the long heads and the long necks from bending. The breadth of the blood vessels and their thickness come from the same causes, and their narrowness, shortness, thinness from the opposite ones. People whose vessels and intestines are wide also have broad bones. These people are thin, and fat ones have opposite characteristics. In those who are wasted with hunger, normalcy must be thought about on the basis of this. For each thing consider what its growth reduces and what its reduction increases; and for the increases what kinds of things are increased with them and what kinds are suppressed.⁴ And throbbing, what kind is common for the blood vessels.

⁴ Galen suggests that this refers to castration: if the testicles flourish, other things are suppressed, and vice versa. But perhaps it refers only to the bones and vessels mentioned just above.

9. Αἱ τῶν ἥτρων ῥήξεις αἱ μὲν περὶ ἥβην τὰ πλείστα ἀσινεῖς τὸ¹ παραυτίκα, αἱ δὲ σμικρὸν ἄνωθεν τοῦ ὀμφαλοῦ ἐν δεξιᾷ αὐται ὀδυνώδεις² καὶ ἀσώδεις καὶ κοπριήμετοι, οἷον καὶ τὸ Πιττακοῦ· | γίνονται δὲ αὐται ἢ ἀπὸ πληγῆς ἢ σπάσιος ἢ ἐμπηδήσιος ἑτέρου,³ οἷσι τὸ μεταξὺ τοῦ ἥτρου καὶ τοῦ δέρματος ἐμφυσᾶται καὶ οὐ καθίσταται.

10. Τὸ τῶν χροιῶν οἷον τὸ Πολυχάρου,⁴ <. . .> τό τε ἐκ λευκοχρόου ὅτι ἀπὸ τοῦ ἥπατος πᾶν τὸ τοιοῦτον, καὶ ἀπὸ τούτου ἥπατικά νοσήματα, ἐν τούτοισι καὶ ἴκτεροι οἱ ἀπὸ ἥπατος ἐς τὸ ὑπόλευκον, καὶ οἱ ὑδαταινόμενοι καὶ οἱ λευκοφλέγματοι· οἱ δὲ ἀπὸ σπληνὸς μελάντεροι. καὶ ὕδρωπες καὶ οἱ ἴκτεροι καὶ αἱ δυσελκίαι τῶν ἐκλεύκων τῶν ὑποφακωδέων, καὶ τὸ δέρμα καταρρήγνυται καὶ τὰ χεῖλεα, οἷος Ἀντίλοχος καὶ Ἀλεύας· τὸ ἀπὸ τῶν χυμῶν τῶν ἐκ τοῦ σώματος τοῦ ἀλμώδεος· ὅτι ὑπὸ τὸ δέρμα μάλιστα καὶ ἀπὸ τῆς⁵ κεφαλῆς ὅταν ἀπὸ τοῦ πλεύμονος διαθερμαίνεται.

11. Τὰς ἀφορμὰς ὁπόθεν ἥρξατο κάμνειν σκεπτέον, εἴτε κεφαλῆς ὀδύνη εἴτε ὠτὸς εἴτε πλευροῦ. σημεῖον δὲ ἐφ' οἷσιν ὀδόντες καὶ ἐφ' οἷσι βουβῶνες. τὰ γενόμενα

¹ τὰ V

² ὀδυν. αὐται HIR

³ ἐντέρου (v.l.) Gal.

⁴ πολυχάριον mss.: I correct this on the basis of Galen's commentary, and indicate a hiatus for his "weisse, grüne und gelbe," i.e., something like ὑπόχλωρον, ὑπόξανθον

⁵ om. HIR

EPIDEMICS 2.1

9. Breaks in the peritoneum: around the genitals, they are mostly harmless for the time being; slightly above the navel to the right they are painful and produce nausea and vomiting of feces, as in the case of Pittacus. They come from blows, stretching, or someone jumping on the patient. Those cases have swelling between peritoneum and skin which is not stable.

10. Colors, like those of Polychares: <yellowish, greenish,> dead white are to be observed, since everything of this kind comes from the liver. Thence come hepatic diseases and among them are the jaundices from the liver that tend to whiteness, and dropsical diseases and leucophlegmatic ones. Jaundices from the spleen are darker. Dropsy, jaundice, and a tendency toward sores appear in those of a whitish lentil color: the skin cracks, and the lips, as in Antiochus and Aleuas. What comes from the humors of the body that is salty is to be observed: this mostly comes under the skin and down from the head when it is heated from the lung.

11. The point of departure should be studied whence the patient began to be ill, whether pain is of head or ear or side. It is a sign in those who have tooth problems and those who have swellings in the groin. Developing sores

ἔλκεα καὶ κρίνοντα πυρετούς, καὶ φύματα· οἷσι ταῦτα μὴ παραγίνεται ἀκρισίη· οἷσιν ἐγκαταλείπεται βεβαιόταται ὑποστροφὰ καὶ τάχιστα.

12. Τὰ ὠμὰ διαχωρήματα καὶ ὑγρὰ κέγχρος στερεὸς ἐν ἐλαίῳ ἐφθὸς ἴστησιν, οἷον τὸ ναυτοπαίδιον καὶ ἡ μυριοχαύνη. |

ΤΜΗΜΑ ΔΕΥΤΕΡΟΝ

84 1. Γυνὴ ἐκαρδιάλγει καὶ οὐδὲν καθίστατο πλὴν¹ ἐς ῥοίης χυλὸν ἄλφιτον ἐπιπάσσουσα. καὶ μονοσιτή ἤρκεσε, καὶ οὐκ ἀνήμει οἷα τὰ² Χαρίωνος.

2. Αἱ μεταβολαὶ ὠφελέουσιν ἢν μὴ ἐς πονηρὰ μεταβάλλῃ, οἷον ἀπὸ φαρμάκων ἐμέουσι πυρετῶν ἕνεκα· αἱ ἐς ἀκρητέστερα τελευτῇ³ σῆψιν σημαίνουσιν, οἷον Δεξίππῳ.

3. Ἡ Σεράπιδις⁴ ἐξ ὑγρῆς κοιλίης ὤδησεν· κνησμοὶ⁵ δ' οὐκ οἶδα ποσταίῃ· οὐ πρόσω· ἔσχε δ' ἔτι⁶ καὶ ἀπόστημα ἐν κενέῳ, ὅπερ μελανθὲν ἀπέκτεινεν.

86 4. Καὶ ἡ Στυμάργεω ἐκ ταραχῆς ὀλιγήμερου πολλὰ στήσασα | καὶ παιδίου μετὰ στάσιν θήλεος ἀποφθορῆς, τετράμηνον ὑγίηναςα ὤδησεν.

¹ Gal. comm. Gal. Al. Fac.: πάλαιον V: πάλην HIR

² οἷον τὰ V

³ Gal.: τελευταὶ mss.

⁴ VR Gal.: -ες HI: Σεράπους Gal. Gloss.

⁵ σκνησμοὶ V

⁶ Langholf: δέ τι mss.

EPIDEMICS 2.2

and swellings bring crises to fevers; those in which they do not occur are without crisis, those in which they persist have the surest and quickest relapses.^a

12. Raw and liquid feces are fixed by hard millet boiled in olive oil, as in the case of the sailor boy and the silly woman.^b

SECTION 2

1. A woman had heartburn. Nothing relieved it except sprinkling barley meal in pomegranate broth. She survived on one meal daily. Her vomitus was unlike that of Charion.

2. Changes help unless there is a change toward something bad. As in those who vomit from drugs in fever: if the alteration at the end tends towards undigested matter it indicates sepsis, as with Dexippus.

3. Serapis swelled up from a moist intestine. Itching after I don't know how many days; no further development. She also had an abscess in the flank which became black, and she died.

4. The wife of Stymarges was constipated after an upset of a few days' duration. Having, after the constipation, aborted a girl child, she was well for four months, then suffered from swelling.

^a Cf. *Epid.* 6.3.21.

^b Possibly a proper name, Myriochaune.

5. Μόσχῳ λιθιῶντι ἰσχυρῶς ἐπὶ τῷ βλεφάρῳ τῷ ἄνω κριθὴ ἐγένετο πρὸς τοῦ ὠτὸς μᾶλλον, ἔπειτα ἐξηλκώθη ἔσω· πέμπτη καὶ ἕκτη ἔσωθεν πύον ἐρράγη, τὰ κάτωθεν ἔλυσεν βουβῶν παρ' οὓς ἦν καὶ κάτω ἐπὶ τῷ τραχήλῳ κατ' ἴξιν τοῦ ἄνω βουβῶνος.

6. Ὁ τῆς Ἀρισταίου γυναικὸς ἀδελφὸς χλιαινόμενος ἐταλαιπώρει ὁδῶ, κᾶπειτα ἐν κνήμῃ τέρμινθοι ἐγένοντο· ἔπειτα ξυνεχὴς πυρετὸς ἐγένετο, καὶ τῇ ὑστεραίῃ ἰδρῶς ἐγένετο, καὶ τὰς ἄλλας τὰς ἀρτίους ἐγένετο αἰεὶ. ἔτι δὲ ὁ πυρετὸς εἶχεν· ἦν δὲ ὑπόσπληνος, ἡμορράγει ἐξ ἀριστεροῦ πυκνὰ κατ' ὀλίγον· ἐκρίθη. τῇ ὑστεραίῃ ἀριστερὸν παρ' ¹ οὓς οἴδημα· τῇ δὲ ὑστεραίῃ καὶ παρὰ δεξιόν, ἦσσαν δὲ τοῦτο· καὶ ἐπεχλιαίνετο· ταῦτα κατεμωλύθη καὶ οὐκ ἀπεπύησεν.

7. Ὁ παρ' Ἀλκιβιάδew ἐλθὼν ἐκ ² πυρετῶν ὀλίγον ³ πρὸ κρίσιος ὄρχις ἀριστερὸς ὥδησεν· ἦν δὲ σπλῆνα μέγαν ἔχων καὶ αἰεὶ ἔχων. καὶ δὴ τότε ἐκρίθη | 88 ὁ πυρετὸς εἰκοσταῖος· κᾶπειτα ὑπεχλιαίνειτο ἄλλοτε καὶ ἄλλοτε καὶ ἔπτυνεν ὑπάνθηρον.

8. Ἡ ἡ χεὶρ ἡ δεξιὴ σκέλος δὲ ἀριστερὸν ἐκ τῶν βηχωδέων, βραχὺ οὐκ ἄξιον λόγου βηξάση, παρελύθη παραπληγικῶς, ἄλλο δὲ οὐδὲν ἡλλοιώθη οὔτε πρόσωπον οὔτε γνώμην, οὐ μὲν ἰσχυρῶς· ταύτῃ ἐπὶ τὸ βέλτιον ἤρξατο χωρεῖν περὶ εἰκοστὴν ἡμέρην· σχεδὸν ἐγένετό οἱ περὶ γυναικείων κατάρρηξιν, καὶ ἴσως τότε πρῶτα γινόμενα, παρθένος γὰρ ἦν.

¹ ἀριστερὸν παρ' om. V ² ὁ ἐκ V

³ Smith from Gal. ("kurz"): ὀλίγων mss.

5. Moschus, who was severely ill with stone, got a sty on the upper eyelid towards the ear. Then it ulcerated inside. In the fifth and sixth days pus broke forth inside. The matter beneath was relieved by a swollen gland near the ear, and there was one on the neck in line with the swollen gland above.

6. The brother of Aristaeus' wife, who had a mild fever, grew fatigued on a journey. He developed pustules called terebinthis on his calf. Then there was a continuous fever and sweating on the next day, and it returned on all subsequent even days. The fever continued. His spleen swelled. There was hemorrhage from the left nostril, frequent but not of great quantity. Then a crisis. On the following day swelling by the left ear. On the following by the right also, but smaller. The fever increased. The swellings withered away, and did not suppurate.

7. The man who came from Alcibiades, after fever, swelled in the left testicle shortly before the crisis. He had an enlarged spleen which he had had always, and which was then troublesome. The fever reached a crisis on the twentieth day. Afterwards there was low fever from time to time and slightly colored expectoration.

8. The girl whose right arm and left leg were paralyzed after a cough (the cough was brief and insignificant) had no other change in aspect or intelligence, at any rate nothing extreme. She began to change for the better around the twentieth day. It occurred about the time her menses broke forth, which perhaps occurred then for the first time, since she was a maiden.

9. Ἀπήμαντος καὶ ὁ τοῦ τέκτονος πατήρ τοῦ τὴν κεφαλὴν κατεαγέντος καὶ Νικόστρατος οὐκ ἐξέβησσαν· ἦν δ' ἐτέρωθι κατὰ νεφροὺς ἀλγήματα. 9b. Ἐρωτήματα· εἰ ῥήϊον¹ αἰεὶ πληροῦσθαι ποτοῦ ἢ σίτου.

10. Ὀδύνας τὰς ἰσχυροτάτας ὅτῳ τρόπῳ γνοίῃ² ἂν τις· ἴδιος³ φόβος, αἱ εὐπορίαι,⁴ αἱ ἐμπειρίαι, καὶ αἱ δειλίαι.⁵

11. Ὑδωρ τὸ ταχέως θερμαινόμενον καὶ ταχέως ψυχόμενον αἰεὶ κουφότερον. τὰ βρώματα καὶ τὰ πόματα πείρης δεῖ εἰ ἐπὶ τὸ ἴσον μένει.

12. Ῥητέον ὅτι αἵματος ῥυέντος ἐκχλοιοῦνται καὶ ὅσα ἄλλα τοιαῦτα, ὅτι πρὸς τὸ ὑγραίνειν καὶ ξηραίνειν καὶ θερμαίνειν καὶ ψύχειν πολλὰ ἂν τις τοιαῦτα⁶ εἴποι. |

90 13. Τὸ ἐξηκονθήμερον ἀπόφθαρμα ἄρσεν, τόκων μετ' ἐπίσχεσιν,⁷ ὑγιηρόν.

14-15. Ἡράκλεια⁸ ᾧδε τοῦ κακοῦ ὀγδοαίῳ, δυσεντεριώδης. ἄρ' ὅτι ἦν καὶ τεινεσμώδης;⁹

16. Θηλάζουσα εἶτα ἐκθύματα ἀνὰ τὸ σῶμα πάντῃ εἶχεν, ἐπεὶ ἐπαύσατο θηλάζουσα κατέστη, θέρεος.

¹ εἰ ῥήϊον Gal: εἴρεον αἰεὶ V: ἤρεον γὰρ αὐτοὺς αἰεὶ HIR: ῥᾶον Aph.

² διαγνοίῃ HIR ³ Gal.: ἴδων mss.

⁴ Gal: Heraclides (Gal.: εὐφορίαι mss., Capito (Gal.))

⁵ after δειλίαι Gal. repeats "ἐρωτήματα . . . σίτου" (= 9b)

⁶ HIR omit ὅτι . . . τοιαῦτα, which V and Galen have.

⁷ μετ' ἐπίσχεσιν Smith: "nach Verhinderung" Gal.: ἐπίσχεσις Heraclides (Gal.): ἐν ἐπισχέσεσιν mss.

⁸ Ἡρακλείδης (V) Gal.: Ἡρακλείδης V: Ἡρακλεῖ HIR

⁹ ὅστις ἄρα καὶ τεινεσ. HIR

9. Neither the father of Apamas (the carpenter whose head was cracked) nor Nicostratus came down with coughing; but they had pains by the kidneys on both sides. 9b. Question: is it easier always to satiate with food or with drink?

10. How can one recognize very serious pains? Peculiar fear, simple treatments, experiences, cowardice.^a

11. Water: the quickest to heat and cool is always lighter.^b We need experience as to whether food and drink have equal staying power.

12. One must say that in hemorrhage patients develop a greenish color, and one can find many other such things related to wetness and dryness, to hotness and cold.

13. The sixty-day-old male fetus, aborted after the delay of childbirth, was healthy.

14–15. Heracleia: in the eighth month (her abortion occurred) with an evil odor; mostly she was dysenteric—because there was tenesmus too?^c

16. The nursing woman got swellings all over the body. When she stopped nursing they disappeared, in summer.

^a The meaning here is not clear. The two parts of ch. 10 may not be related.

^b *Aph.* 5.26 virtually repeats this.

^c This passage was quite obscure and corrupt before Galen's time. I offer his interpretation except at the end, where, instead of the question, he says she did not have hemorrhaging.

17. Τῇ τοῦ σκυτέως ὅς τὰ σκύτινα ἐποίησε τεκούσῃ, καὶ ἀπολυθείσῃ τελέως ἐδόκει, τοῦ μὲν χορίου τι¹ τὸ ὑμενοειδὲς ἄπεσθεν·² ἀπῆλθε τεταρταίῃ κακῶς·³ στραγγουριώδης ἐγένετο⁴ αὐτίκα συλλαμβάνουσα. ἔτεκεν ἄρσεν·⁵ πολλὰ δὲ ἔτεα ἤδη εἶχε· τὰ ὕστατα οὐδὲ⁶ ἐπιμήνια ἦει· ὅτε δὲ τέκοι διέλιπεν ἐπ' ὀλίγον⁷ ἢ στραγγουρίῃ.

18. Ἰσχίον δὲ τις ἤλγει πρὶν ἴσχειν· ἐπεὶ δὲ ἔσχεν οὐκ ἔτι ἤλγει. ἐπεὶ δὲ ἔτεκεν, εἰκοσταίῃ ἐοῦσα, αὖθις ἤλγησεν· ἔτεκεν μέντοι⁸ ἄρσεν. 18b. Ἐν γαστρὶ ἐχούσῃ ἐν κνήμῃ κάτω δεξιῇ ἢ τρίτῳ ἢ τετάρτῳ μηνὶ ἐξανθήματα πρὸς ἅ τῇ μάννῃ χρώμεθα, καὶ ἐν χειρὶ 92 δεξιῇ παρὰ μέγαν | δάκτυλον· οὐκ οἶδ' ὅτι ἔτεκε, κατέλιπον γὰρ ἐξάμηνον· ὥκει, ὥς⁹ ἐγῶμαι, ὥς τὰ Ἀρχελάου¹⁰ πρὸς τῷ κρημνῷ.

19. Ἡ Ἀντιγένεος ἡ τῶν περὶ Νικόμαχον ἔτεκε παιδίον, σαρκῶδες μὲν, ἔχον δὲ τὰ μέγιστα διακεκριμένα, μέγεθος δὲ ὡς τετραδάκτυλον, ἀνόστεον, ὕστερον δὲ παχὺ στρογγύλον· αὕτη δὲ ἀσθματώδης ἐγένετο πρὸ τοῦ τόκου· ἔπειτα ἅμα τῷ τόκῳ πύον ἀνήμεσεν ὀλίγον, οἶον ἐκ δοθιῆνος.

¹ om. V ² ἔπεσθεν V

³ "so wie es sein soll" (καλῶς?) Gal.

⁴ γὰρ ἐγένετο HIR ⁵ δ' ἄρσεν V

⁶ καὶ οὐδ' HIR

⁷ ὀλίγον χρόνον V

⁸ οὖν HIR

⁹ δὲ HIR

¹⁰ Ἀχελάου V

17. The wife of the leatherworker who made my shoes, having given birth, thought she had been completely delivered. She retained some tissues of the afterbirth: they came out on the fourth day with difficulty. As soon as she conceived she developed strangury. She delivered a male child. She was of rather advanced age; she had not even menstruated in the most recent period. But when she gave birth, the strangury was relieved for a time.

18. A woman was pained in the hips before she conceived. When she conceived the pain disappeared. But when she gave birth (at age 20) it again commenced. The baby was a boy. 18b. A woman carrying in the third or fourth month had eruptions on the lower left leg and on the right hand next to the thumb, eruptions of the sort for which we give frankincense. I do not know what her baby was. I left her six months pregnant. She lived, I believe, in Archelaus' property near the cliff.

19. The wife of Antigenes, of Nicomachus' house, produced a child that was flesh with the largest limbs distinguished, about eight centimeters in breadth, boneless, a thick globular exterior. She became asthmatic before the birth. At the time of the birth she brought up a small quantity of pus, as though from a small abscess.

20. Ουγατέρας τεκούσης διδύμους, καὶ δυστοκησά-
σης καὶ οὐ πάνυ¹ καθαρθείσης, ἐξώδησεν ὅλη· ἔπειτα
ἡ γαστήρ μεγάλη ἐγένετο, τὰ δ' ἄλλα ἐταπεινώθη·
καὶ ἐρυθρὰ ἦι μέχρι τοῦ ἔκτου μηνός, ἔπειτα λευκὰ²
κάρτα πάντα ἤδη τὸν χρόνον· πρὸς δὲ τὰφροδίσια οἱ
ῥόοι ἔβλαπτον,³ καὶ οἱ ἄκρητα ἐρυθρὰ ἰκνευμένως ἦι.⁴

21. Τῇσι χρονίησι λειεντερίησιν ὀξυρεγμίη γενο-
μένη, πρόσθεν μὴ⁵ γενομένη, σημεῖον χρηστόν, οἶον
Δημαινέτη ἐγένετο· ἴσως δ' ἐστὶ καὶ τεχνήσασθαι· καὶ
γὰρ αἱ ταραχαὶ αἱ τοιαῦται ἀλλοιοῦσιν·⁶ ἴσως δὲ καὶ
ὀξυρεγμίαι λειεντερίην λύουσιν. |

94 22. Ἰήθη ἐλλεβόρου πόσει Λυκίη· τὰ ὕστατα σπλῆν
μέγας καὶ ὀδύναι καὶ πυρετὸς καὶ ἐς ὦμον ὀδύναι· καὶ
ἡ φλέψ ἡ κατὰ σπλῆνα ἐπ' ἀγκῶνι ἐτέτατο· καὶ
ἔσφυζε μὲν πολλάκις, ἐστὶ δ' ὅτε καὶ οὐ·⁷ οὐκ ἐτμήθη,
ἀλλ' ἅμα ἰδρῶτι διήλθεν ἢ⁸ αὐτόματον, ἔξω⁹ διούν-

¹ πάντη HIR

² λεπτὰ Gal.

³ πρὸς δὲ τὰφροδίσιον αἱ οὐραὶ ἔβλεπον Gal.

⁴ καὶ . . . ἦι om. Gal.: ἰκνεύμενα HIR: ἰκνευμένως I (above the line), V

⁵ μηδέποτε HIR

⁶ ἀλύουσιν V

⁷ Gal.: om. mss.

⁸ om. Gal.

⁹ Diller from Gal.: ἐς οὐ mss.

20. A woman gave birth to twin daughters. She had trouble at the birth, the purgation was incomplete. She swelled up all over. Then her belly became large and the rest of her went down. The discharge came out red up to the sixth month, then very white continuously from then on. The flows were harmful to sexual relations.^a Pure red flows of the proper sort did come.

21. When women who are chronically ill with lientery develop acid belching which was not present before, it is a very favorable sign, as it was for Demaenete. It might be possible to induce it. Such upsets produce change. It may be that acid belching gets rid of lientery.^b

22. Lycie was treated with a potion of hellebore. Towards the end she had an enlarged spleen, pains, fever, pains towards the shoulder. The blood vessel from the spleen was tense at her elbow. It throbbed frequently, but sometimes did not. No phlebotomy, but it passed with the sweat or spontaneously, the matter passing to the outside.

^a Galen says in his commentary (how he claims to know this is unclear, but perhaps through Heraclides) that he is reproducing the original old reading of the manuscripts: *πρὸς δὲ τὰ φροδίσιον αἱ οὐραὶ ἔβλεπον* ("The woman's tail pointed toward the Temple of Aphrodite"), but that commentators changed it to read *πρὸς δὲ τὰ φροδίσια αἱ οὐραὶ ἔβλεπον* ("Her tail inclined toward sexual intercourse"), and Artemidorus Capito altered the text to *πρὸς δὲ τὰ φροδίσια οἱ ῥοοὶ ἔβλαπτον* ("The flows were harmful to sexual relations"), which is the reading of all the medieval manuscripts. Galen praises the conjecture offered by Heraclides, *πρὸς δὲ τὰ φροδίσιον αἱ θύραι ἔβλεπον* ("The door of her house opened in the direction of the Temple of Aphrodite").

^b *Aph.* 6.1 seems to have been drawn from this passage.

των·¹ ὁ σπλὴν τὰ δεξιὰ ἐνετείνεται, πνεῦμα ἐνεδιπλασιάζεται, οὐ μὴν μέγα· παρεφέρετο, περιστέλλετο· φῦσα ἐνεοῦσα οὐ διήκει. κάτω οὐδέν, οὐδὲ οὔρει· ἀπέθανε.

23. Πρὸ τοῦ τόκου τὰ ἀμφὶ φάρυγγα ἐτερόρροπα ὀρμήσαντα οὐκ ἐφηγκώθη. ἐπὶ τὰ ἀριστερὰ μετῆλθεν, ἐς σπλῆνα ὀδύνη ἦλθεν ἀκρίτως. 23b. Ἰέρωνι ἐκρίθη πεντεκαίδεκαταίῳ. 23c. Τῇ Κώου ἀδελφεῇ ἦπαρ ἐπήρθη σπληνικὸν τρόπον· ἀπέθανε.² 23d. Βίων ἅμα οὔρει τε ὑπέρπολυ ἀνυπόστατον καὶ αἷμα ἐξ ἀριστεροῦ· ἦν γὰρ καὶ ὁ³ σπλὴν κυρτὸς καὶ σκληρὸς κατ' ἄνω· περιεγένετο· ὑποστροφῇ.

96 24. Ἦν δὲ τῶν κυναγχικῶν τὰ παθήματα τάδε·⁵ τοῦ τραχήλου οἱ σπόνδυλοι ἔσω ἔρρεπον τοῖσι μὲν ἐπὶ πλέον τοῖσι δ' ἐπ' | ἔλασσον· καὶ ἔξωθεν⁶ ἔνδηλος ἔγκοιλον⁷ ἔχων ὁ τράχηλος· καὶ ἤλγει ταύτῃ ψαυόμενος· ἦν δὲ καὶ κατωτέρω τινὶ τοῦ ὀδόντος καλεομένου,⁸ ὃ οὐχ ὁμοίως ὀξύ ἐστιν· ἔστι δ' οἷσι καὶ πάνυ περιφερὲς μέζονι περιφερείῃ ἢ⁹ εἰ μὴ ξὺν τῷ ὀδόντι καλεομένῳ. φάρυγξ οὐ φλεγμαίνουσα, κειμένη δέ. τὰ

¹ δὲ ἰόντων HIR

² ἀπέθανε δευτεραίῃ HIR

³ om. V ⁴ Smith: καὶ mss.

⁵ τοιάδε Gal. comm. Prog.

⁶ ἔσωθεν HIR

⁷ ἦν δῆλος ἐγκοίλως Gal. comm. Prorrh.

⁸ καλεομένου ὁστοῦ HIR

⁹ Gal.: om. mss.

The spleen on its right was stretched tight; breathing doubled in frequency, but without great depth. She became delirious. She was wrapped up.^a She was full of wind which did not pass. No feces and no urine. She died.

23. Prior to giving birth, affections in the area of the pharynx, inclining to one side or the other, were not ulcerous when they commenced. They moved to the left side. Pain came on the spleen, without crisis. 23b. Hieron's disease reached climax on the fifteenth day. 23c. The sister of the man from Cos had her liver elevated in a splenic manner. She died. 23d. Bion urinated excessively without sediment, and bled from the left nostril. And indeed his spleen was swollen and hard on the top. He survived. There was a relapse.

24. People with cynancus^b had the following affections: neck vertebrae inclined inward, some severely, some less so; on the outside the neck had a conspicuous hollow which was painful to the touch. Sometimes it was lower than the so-called odontoid process (second vertebra), and was less acute, but in some cases very rounded, with a greater circumference than if it was not at the odontoid process. The pharynx was not inflamed, but quiet.

^a Or "she suffered general contraction."

^b The term refers to a severe sore throat that feels like a dog's choke collar.

ὑπὸ γνάθους ὀγκηρά, οὐ φλεγμαίνουσιν εἴκελα· οὐδὲ
 βουβῶνες¹ οὐδενὶ ἀλλὰ φύσει ἔμενον·² καὶ γλῶσσαν οὐ
 ῥηϊδίως στρέφοντες, ὥδησαν ἀλλὰ μέζων τε αὐτοῖσιν
 ἐδόκει εἶναι καὶ προπετεστέρα· καὶ ὑπὸ γλώσση
 φλέβες ἐκφανεῖς. καταπίνειν οὐκ ἐδύναντο, ἢ πάνυ
 χαλεπῶς, ἀλλ' ἐς τὰς ῥίνας ἔφευγεν εἰ πάνυ
 ἐβιῶντο·³ καὶ διὰ τῶν ῥινῶν διελέγοντο. πνεῦμα δὲ
 τούτοισιν οὐ πάνυ μετέωρον. ἔστι δ' οἷσι φλέβες αἱ ἐν
 κροτάφοις καὶ ἐν κεφαλῇσι καὶ ἐπ' αὐχένι ἐπηρμέναι.
 βραχὺ δὲ τούτων τοῖσι παλιγκοτωτάτοις⁴ κρόταφοι
 θερμοί, εἰ⁵ καὶ τᾶλλα μὴ πυρεταίνοιεν. οὐ πνιγόμενοι
 οἱ πλεῖστοι εἰ μὴ καταπίνειν προθυμείοντο ἢ σίαλον⁶ ἢ
 ἄλλο τι· οὐδ' οἱ ὀφθαλμοὶ ἐγκαθήμενοι. οἷσι μὲν οὖν ἦν
 ἐς ὀρθὸν ἐξόγκωμα μήτε ἐτερόροπον οὔτοι οὔτε παρα-
 πληκτικοὶ ἐγένοντο· ἀπολόμενον⁷ δὲ⁸ εἴ τινα | εἶδον
 98 ἀναμνήσομαι· οὓς δὲ οἶδα νῦν περιεγένοντο. ἦν δὲ τὰ
 μὲν τάχιστα ῥηϊζόντα, τὰ δὲ πλεῖστα καὶ ἐς τεσσαρά-
 κοντα ἡμέρας περιήει· τοῦτο δὲ οἱ πλεῖστοι καὶ
 ἄπυροι· πολλοὶ δὲ καὶ πάνυ ἐπὶ πολὺν χρόνον εἶχον⁹
 ἔχοντές τι μέρος τοῦ ἐξογκώματος· καὶ κατάποσις καὶ
 φωνὴ ἐνσημαίνουσα· κίονές τε τηκόμενοι μιγύθησιν¹⁰
 τινα παρῆχον, πονηρὸν οὐδὲν δοκέοντες κακὸν ἔχειν. οἱ
 δὲ ἐτερόροπα ἔχοντες, οὔτοι ὁκόθεν ἂν¹¹ ἐγκλιθεῖσαν
 οἱ σπόνδυλοι αὐτῇ¹² παρελύοντο, τὰ δ' ἐπὶ θάτερα εἴλ-
 κετο.¹³ ἦν δὲ ταῦτα ἐν προσώπῳ καταφανέα μάλιστα

¹ βουβῶνας HIR² Gal.: μὲν mss.³ ἐβίαζον HIR: "würgen" Gal.⁴ παλιγκοτάτοις mss.: corr. Li.

The area under the jaw was swollen, but without similar inflammation. The glands were not swollen, but normal. Sufferers could not easily move their tongues, which felt larger and somewhat protruding. And blood vessels under their tongues were very obvious. They could not drink, or only with difficulty. Drink passed into the nostrils if they forced it. And they talked through the nose. But breathing was not excessively shallow. Some had elevated blood vessels in their temples and in the head and neck. To an extent, in those with exceptional malignancy, their temples were hot, though they were not otherwise feverish. Most did not choke, save when they too eagerly swallowed down their saliva or something else. Their eyes were not fixed. People whose swelling was straight on, not on one side, did not develop paralysis, and as for dying, if I saw anyone I will recall it. All I can think of now survived. Some cases were quickly eased, but most extended to forty days. Many had it for a long time, retaining part of the swelling; and there were drinking symptoms and the symptomatic voice, and the uvula shriveled and showed withering, though it appeared to have no ill effects. Those whose swellings were on one side were paralyzed on whichever side the vertebrae inclined to, and were drawn up on the other. This was evident in the face especially,

⁵ εἰ Gal.: om. mss. ⁶ πτύελον HIR

⁷ Gal.: ἀπολλόμενον mss. ⁸ τε V

⁹ om. HIR ¹⁰ μινυθεῖσι V

¹¹ ἄλλη V ¹² HI: αὐτοὶ R: αὕτη V

¹³ εἴλκοντο HIR

καὶ τῷ στόματι καὶ τῷ κατὰ γαργαρεῶνα δια-
φράγματι· ἀτὰρ καὶ γνάθοι αἱ κάτω παρήλλασσον
κατὰ λόγον. αἱ δὲ παραπληγίαι¹ οὐ διὰ παντὸς τοῦ
σώματος ἐγίνοντο οἷον ἐξ ἄλλων, ἀλλὰ μέχρι χειρός.
τὰ ὑπὸ τοῦ κυναρχικοῦ οὔτοι καὶ πέποννα ἀναπτύοντες
καὶ βραχυμογεῖς ἦσαν· οἷσι δ' ἐς ὀρθὸν καὶ ἀπέπτυνον·
οἷσι δὲ καὶ ξὺν πυρετῷ οὔτοι πολλῷ μᾶλλον καὶ
δύσπνοοι καὶ διαλεγόμενοι σιαλοχόοι² καὶ φλέβες τού-
τοισι μᾶλλον ἐπηρμέναι· καὶ πόδες πάντων μὲν
ψυχρότατοι τούτων δὲ μάλιστα· καὶ ὀρθοστατεῖν οὔτοι
ἀδυνατώτεροι καὶ οἵτινες³ μὴ αὐτίκα ἔθνησκον· οὓς δὲ
ἐγὼ οἶδα πάντες ἔθνησκον. |

ΤΜΗΜΑ ΤΡΙΤΟΝ

100

1. Ἐς Πέρινθον περὶ ἡλίου τροπὰς ὀλίγον τὰς θερι-
νὰς ἤλθομεν. ἐγεγόνει δὲ ὁ χειμὼν εὐδιδος νότιος· τὸ δὲ
ἔαρ καὶ τὸ θέρος πᾶν ἄνυδρον μέχρι Πληιάδων δύσιος·
εἰ γάρ τι καὶ ἐγένετο, ὅσον⁴ ψεκᾶς· καὶ ἐτησίαι οὐ
κάρτα ἔπνευσαν, καὶ οἱ πνεύσαντες διεσπασμένως. τοῦ
θέρεος καῦσοι ἐπεδήμησαν πολλοί· ἦσαν δὲ ἀνήμετοι·
κοιλίαι⁵ παραχῶδεις λεπτοῖσιν, ὕδατώδεσιν, ἀχόλοισιν
ἐπάφροισι πολλοῖσιν, ἴσχοντα⁶ ἔστιν ὅτε καὶ ὑπόστα-

¹ παράπληγαι mss.: corr. Li.

² Gal. cit. in *Loc. Aff.*: διαλεγόμενοισιν ἀλλοχοῖοι mss.: "war bitter" (v.l.) Gal. comm. (= σίαλα ὄξεα?)

³ εἴ τινες HIR

⁴ ἦν ὅσον HIR

⁵ καὶ κοιλίαι HIR

⁶ ἴσχον τάδ' V

EPIDEMICS 2.3

and in the mouth, and the division below the uvula. The lower jaw was deviant proportionately. The paralysis did not occur over the whole body, as in other diseases, but only as far as the hand. When expectorating even ripened material from the cynancus these produced little with difficulty, while those with the affection in the center spat it right out. Those with fever had much more difficulty with breathing and drooled when they talked, and their blood vessels were more elevated. All had very cold feet, but these last especially. They had more difficulty standing erect, even when they did not die immediately. All I am aware of did die.

SECTION 3

1. We arrived in Perinthus in summer, near the solstice. The winter had been mild, southerly. Spring and summer were quite dry until the setting of the Pleiades. If there was rain it was showers. The Etesian winds hardly blew. The winds that did were intermittent. Causus (burning fever) was epidemic in the summer. Patients were without vomiting, intestines were upset, with light, watery, unbilious, frothy stools frequently; when left to

σιν τεθέντα, ἐξ οἷων δὴ καὶ ἐξαιθριαζομένων τὸ εἶκε-
 λον ἰσατώδει διαχωρήματι, διὰ παντὸς κακῶν.¹ ἐν τού-
 τοις πολλοὶ κωματώδεις ἦσαν καὶ παράφοροι· οἱ δὲ ἐξ
 ὕπνων τοιοῦτοι ἐγίνοντο, ὅτε δὲ ἐγερθεῖεν κατενόουν
 πάντα. πνεύματα μετέωρα, οὐ μὴν πάνυ· οὔρα λεπτά
 μὲν τοῖσι πλείστοις καὶ ὀλίγα, ἄλλως δὲ οὐκ ἄχροα.
 αἱμορραγίαι ἐκ ῥινῶν οὐκ ἐγένοντο εἰ μὴ ὀλίγοις,
 οὐδὲ παρ' ὦτα εἰ μὴ τισι περὶ ὧν ὕστερον γράψω.²
 οὐδὲ σπλῆνες ἐπήρουντο, οὐδὲ δεξιὸν ὑποχόνδριον οὐδὲ
 ἐπώδυνον κάρτα οὐδὲ ἐντεταμένον ἰσχυρῶς· ἦν δέ τι
 ἐνσημαῖνον. καὶ μάλιστα ἐκρίνετο πάντα τὰ πολλὰ
 περὶ τεσσαρεσκαίδεκα, ὀλίγα σὺν ἰδρῶτι, ὀλίγα σὺν
 ῥίγει, καὶ πάνυ ὀλίγοις ὑποστροφαι ἐγίνοντο. ὑπὸ δὲ
 τὰς ψεκάδας τὰς γενομένας ἐν τῷ θέρει ἐπεφαίνετο
 ἰδρώς· ἐν τοῖσι πυρέττουσι³ καὶ τινες αὐτίκα ἰδρώτες
 ἐπ' ἀρχῆς ἐγίνοντο, οὐ μὴν κακοήθως· καὶ | τοῖσιν ὑπὸ
 102 τοῦτον τὸν χρόνον καὶ ἐκρίθη ξὺν ἰδρῶτι. ἐγένοντο δὲ
 ἐν τοῖσι θερινοῖσι πυρετοῖσι περὶ ἐβδόμην καὶ ὀγδόην
 καὶ ἐνάτην τρηχύσματα ἐν τῷ χρωτὶ κεγχρώδεα,
 τοῖσιν ὑπὸ κωνώπων μάλιστα⁴ εἶκελα ἀναδήγμασιν,
 οὐ πάνυ κνησμώδεα· ταῦτα διετέλει μέχρι κρίσιος·
 ἄρσενι δὲ οὐδενὶ εἶδον ταῦτα ἐξανθήσαντα, γυνὴ δὲ
 οὐδεμία ἀπέθανεν ἢ ταῦτα ἐγένετο. ὅτε δὲ ταῦτα
 ἐγένετο⁵ βαρυήκοοί τε ἦσαν καὶ κωματώδεις, πρόσθεν
 δὲ οὐ κάρτα ἦσαν κωματώδεις ἦσιν ἔμελλε ταῦτα
 ἔσεσθαι· οὐ μὴν τὸ σύμπαν διετέλεον, κωματώδεις δὲ

¹ ἐξαιθριαζόμενον τὸ ἵκελλον ἴσα τῷ εἶδει διαχωρήματα κακόν
 (κακῶν II) HIR

stand they often separated, if they were exposed to the air there was something blue like the woadlike excrement: they were always foul. Many patients suffered coma and delirium, some developed it during sleep, but when they woke they were entirely sane. Their breathing was shallow, but not very much so. Most had thin urine, and little of it, but still not colorless. There were no hemorrhages from the nose save in a few cases, no swollen glands by the ears, save for some that I will describe later. Spleens not elevated, nor was the right hypochondrium very painful nor stretched very tight, but it was indicative. Most reached complete crisis at about fourteen days, a few with sweat, a few with shivering, and there were relapses for a very few. When there were showers in the summer, sweat appeared on the fevered patients, and some produced sweat initially—but not in a bad way. And for those ill at that time the crisis, too, came through sweat. In the summer fevers there appeared on the seventh, eighth, and ninth days roughness on the skin, granulous, very like bites of gnats, not very itchy. They persisted until the crisis. I did not see these eruptions on any male, and none of the women who had them died. But when they appeared the patients became hard of hearing and comatose. Women who were going to develop them were not comatose beforehand. And it did not persist throughout. But they

² παρ' ὧτα . . . γράψω Li.: παρωτάτοισιν ὕστερον γράψω V: παρωτάτοισιν περὶ ὧν ὕστερον γράψω HIR: "Ebenso war es mit den Anschwellungen an den Ohren" (om. εἰ μὴ κτλ.) Gal.

³ πυρετοῖσι V ⁴ γιγνομένοις μάλιστα HIR

⁵ ὅτε . . . ἐγένετο om. HIR

καὶ ὑπνώδεις τὸ θέρος καὶ μέχρι Πληιάδων δύσιος, ἔπειτα μὴν ἀγρυπνίαι μᾶλλον. ἀτὰρ οὐδὲ τὸ σύμπαν ὑπὸ τῆς καταστάσιος ταύτης ἔθνησκον. κοιλίην μὲν οὖν οὐκ ἐνεδέχeto οὐδὲ ¹ τοῖσι γεύμασιν ἰστάναι ἀλλὰ παρὰ λόγον ² ὥετο ἂν τις ἰήσασθαι ξυμφέρειν, καίτοι ὑπέρπολλα ἔστιν οἷσι τὰ διόντα ³ ἦν.

1b. Τὸ ⁴ ἐν ψύχει κεῖσθαι ἐπιβεβλημένον ⁵ ὡς ἔλκη μὲν τὸ ψυχρόν, θάληη δέ, τὸ τοιοῦτον εἶδος ἐκ προσ-αγωγῆς ἐστι μᾶλλον. 1c. Καὶ τὸ μηδὲν ⁶ τῇ φύσει πάθη ⁷ γίνεσθαι· ἐφ' οἷσί τε ⁸ καὶ ὁκοῖα τὰ σημεῖα καὶ πλείω ἢ μείω γινόμενα, χάσμη, βῆξ, πταρμός, σκορδίνημα, ἔρευξις φῦσα· πάντα τὰ τοιαῦτα. 1d. Διαφθείρουσιν ἡσιν ἐν πυρετοῖσιν, ἀσώδεσιν, φρικώδεσιν, ἐρεύθονται πρόσωπα. 1e. Κοπιώδεις, ὁμμάτων ὀδυνώδεις, καρηβαρίαι, παραπληγίαι· καὶ γυναικεῖα ἣν ἐπι-
104 φαί|νηται, μάλιστα δὲ ἡσι πρῶτον, ἀτὰρ καὶ παρθέ-
νοισι καὶ γυναιξὶν ἡσι διὰ χρόνου, ἀτὰρ καὶ ἡσι μὴ ἐν ᾧ εἴθισται χρόνῳ ἢ ὡς δεῖ ἐπιφαίνονται, ἔπειτα ἔξωχροι γίνονται. μέγα δ' ἐν ᾗ πασι τὸ καὶ ἐξῆς ⁹ καὶ ἐν ᾧ χρόνῳ καὶ ἐφ' οἷσιν. 1f. Τοῖσι πάνυ χολώδεσιν ἐν πυρε-
τοῖσι μάλιστα ὅλως ¹⁰ ἐπὶ σκέλεα ἢ κάθαρσις.

¹ οὐδ' ἐν V² παράλογον V³ τὰδ' ἰόντα HIR⁴ τῷ HIR⁵ ὑποβεβλημένον HIR⁶ μηδ' ἐν V⁷ πάθει HIR⁸ ἐφ' οἷς εἴτε V⁹ ἐξ ἧς V¹⁰ ὅλως οἷσιν mss.: οἷσιν om. Gal., del. Li.

were comatose and sleepy through the summer and to the setting of the Pleiades, whereupon they were sleepless instead. But generally no one died in this condition. It was not possible to stabilize the intestine even with small amounts of food; it would have been irrational to think treatment helpful; and yet some passed excessive amounts of excrement.

1b.^a Lying in the cold covered, in order to breathe cool air but to be warmed: this sort of treatment is more gradual.^b 1c. When the affections do not accord with the patient's nature: look at the circumstances and type of the signs, increasing or becoming fewer: yawning, cough, sneezing, stretching, belching, flatulence, everything of that sort. 1d. Women abort who, along with fevers, nausea, shivering, develop red faces. 1e. Fatigue, eye pains, heaviness in the head, paralyses, and whether menstruation appears, and especially when it is the first occurrence. And both for maidens and women, those for whom it lasts long, those for whom it is at a time different than it ought to be, after which they become very pale. Important in each case: the sequence and the time and circumstances. 1f. For the very bilious, especially in fevers, the purge is generally to the legs.^c

^a 1b-f are notes not obviously connected to the above.

^b *Epid.* 6.4.14 seems to give a brief version of this.

^c Cf. *Epid.* 4.20f, which this passage may refer to.

2. Φαρμάκων¹ τρόπους ἴσμεν ἐξ ὧν γίνεται² ὁκοῖα ἄσσα· οὐ γὰρ πάντες ὁμοίως³ ἀλλ' ἄλλοι ἄλλως εὖ κέονται· καὶ ἄλλοι⁴ πρωϊαίτερον ἢ ὀψιαίτερον ληφθέντα· καὶ οἱ διαχειρισμοὶ οἷον ἢ⁵ ξηρᾶναι ἢ κόψαι ἢ ἐψῆσαι καὶ τὰ τοιαῦτα, ἐὼ τὰ πλεῖστα·⁶ καὶ ὁκόσα⁸ ἐκάστω, καὶ ἐφ' οἷσι νοσήμασι, καὶ ὁπότε τοῦ νοσήματος, ἡλικίην, εἶδεα,⁹ δίαιταν, ὁκοίῃ ὥρῃ ἔτεος, καὶ ἥτις καὶ ὁκοίως ἀγομένη, καὶ τὰ τοιαῦτα.¹⁰

3. Ζωῖλω τῷ παρὰ τὸ τεῖχος ἐκ βηχὸς πεπείρης πυρετὸς ὀξύς καὶ ἔρευθος προσώπου,¹¹ καὶ κοιλὴ ἀπολεαμμένη πλὴν πρὸς ἀνάγκην. πλευροῦ ὀδύνη ἀριστεροῦ καὶ οὖς κατ' ἴξιν ὀδυνῶδες¹² πάνυ καὶ κεφαλῆς. οὗτος οὕτω πτύων¹³ διὰ παντὸς ὑπόπυον ἐνόσει. ἀλλὰ τὰ ἄλλα ἐκρίθη, καὶ κατὰ οὖς ἐρράγη πύον πολὺ περὶ | ὀγδόῃν ἢ ἐνάτῃν. αἱ δ' ἀρχαὶ τῆς¹⁴ ὀδύνης τοῦ ὡτὸς οὐκ οἶδ' ὅπως ἀνευ ρίγεος· ἐκρίθη·¹⁵ ἰδρωσε κεφαλὴν κάρτα καὶ οὗτος.

¹ οὕτως φαρμάκων (v.l.) Gal. comm. Gal. Ther. Pis. K 14.229f.; φαρμάκων τε mss. (v.l.) Gal.: om. Gal. comm.: φαρμάκων δὲ Gal. Th.P. ² γεγένηται Gal. Th.P.

³ Gal. comm. Gal. Th.P.: om. mss.

⁴ συγκεῖνται καὶ ἄλλα ὅσα Gal. comm. Gal. Th.P.

⁵ om. Gal. Th.P.

⁶ ἕως τὰ πλεῖστα μειώσει πλείω Gal. Th.P.

⁷ om., HIR

⁸ ὁκοῖα Gal. Th.P.

⁹ εἰδέαν HIR

¹⁰ καὶ ὁπότε . . . τοιαῦτα] καὶ ἐφ' ἥτε τοῦ νοσήματος ἡλικία ἰδέα, καὶ διαίτη ὁκοῖα ἢ ὥρῃ ἔτεος ὁκοίως ἀγωμεν, καὶ τὰ τοιαῦτα Gal. Th.P.

2. We know the characteristics of drugs, from what ones come what kinds of things. For they are not all equally good, but different characteristics are good in different circumstances. In different places medicinal drugs are gathered earlier or later; also the preparations differ, such as drying, crushing, boiling, and so on (I pass over most things); and how much for each person and in what diseases and when in the disease, in relation to age, appearance, regimen, what kind of season, what season and how it is developing, and the like.⁴

3. Zoilus, who lived by the wall, after a ripe cough, had acute fever and redness of face, stoppage of the intestines save when constrained. Pain in the left ribs, and the ear and head were very painful on the corresponding side. Thus he continued ill throughout, spitting up somewhat purulent matter. But other symptoms reached a crisis, and much pus broke through by the ear on the eighth or ninth day. The beginning of the pain in the ear was somehow without shivering. He reached crisis. He, too, sweated much about the head.

⁴ Galen's commentary on this passage is close to our text, but his citation of the passage in *Theriac to Piso* differs considerably in its words, though not in import. It appears that this passage became famous and developed a special text through repeated citations in drug books.

¹¹ προσώπου ἔρευθος HIR

¹² ὀδυνώδεις mss.: corr. Corn.

¹³ Gal.: πτύον mss.

¹⁴ Galen: τῆς ἐννάτης mss.

¹⁵ ἡ κρίσις HIR

4. Ἐμπεδοσίμη ξύγκαυσις καὶ ἀριστεροῦ πλευροῦ ἄνω ἅμα ὡτὶ ὀδύνη,¹ μάλιστα κατ' ὠμοπλάτην ἀτὰρ καὶ ἔμπροσθεν. πτύαλα πολλὰ κατ' ἀρχὰς ἔπτυνεν² ἀνθηρά, καὶ ἀμφὶ ἐβδόμην ἢ ὀγδόην ἐπὶ τὰ ἐπιπέποντα.³ κοιλίῃ ἐστήκει μέχρι ἀμφὶ ἐνάτην καὶ δεκάτην. ἡ ὀδύνη ἀπέσβη, οἴδημα ἐνῆν,⁴ καὶ ἰδρώτια ἐγένετο· οὐ μὲν ἔκρινεν· δῆλα δὲ ἦν καὶ ἄλλοισι καὶ τῇ ἐξόδῳ· περὶ γὰρ ἀρχομένην τὴν τοῦ ὡτὸς ὀδύνην καὶ ἡ γαστήρ | ἐπεταράχθη. ἐρράγη δὲ ἐκ τοῦ ὡτὸς ἐνάτη καὶ ἐκρίθη τεσσαρεσκαιδεκάτῃ ἄνευ ῥίγος ἡ νοῦσος. τῇ αὐτῇ ἡμέρῃ ἀτὰρ καὶ τὸ πτύελον λαυρότερον ἦει. ἐπὶ⁵ τὸ οὖς ἐρράγη καὶ πεπειρότερον. ἰδρώτες δὲ καὶ ἔπειτα⁶ ἐπὶ πολὺν χρόνον τῆς κεφαλῆς ἐγίνοντο· ἐξηράνθη. 4b. Ὡς τρίτῃ ὅποσα ἀσήμεως ἀφανίζεται δύσκριτα, οἶον τῇ τοῦ Πολεμάρχου ἐρυσίπελας τῇ παιδίσκη.

5. Οἱ ἐπὶ βουβῶσι πυρετοὶ κακὸν πλὴν τῶν ἐφημέρων, καὶ οἱ ἐπὶ πυρετοῖσι βουβῶνες κακίονες ἐν τοῖσιν ὀξέσιν ἐξ ἀρχῆς παρακμάσαντες.⁷

¹ ὡτὶ ὀδύνη Li.: ὅτι ἀνοδύνη V: ὡτὶ ἂν ὀδύνη HR: ὡτὶ ἀνοδύνη I

² πτυέντα HIR

³ ἔπειτα ἐπίποντα HIR

⁴ οἴδημα ἐνῆει HIR: "on the eighth day" (om. οἴδημα) Gal.: Langholf conj. ἐν η'

⁵ ἐπεὶ HIR

⁶ ἔρπειτα HIR

⁷ ἢ παρακμάσασι Gal.

4. Empedotina had intense heat and pain in the upper part of the left torso, together with the ear, especially at the shoulder blade, but also in front. Much expectoration, florid at the beginning, tending to be concocted about the seventh or eighth day. The bowels were stopped, to about the ninth and tenth day. The pain was stopped. There was swelling inside, and sweat came on. But there was no crisis. That was clear from other factors and from the excrement. At the beginning of the ear pain the stomach was upset. There was a breaking forth from the ear on the ninth day and the disease reached crisis without shivering on the fourteenth day. On the same day the expectoration came more vigorously. Riper matter broke forth towards the ear. Subsequently there were sweats on the head for a long time. There was drying. 4b. Whatever disappears about the third day without signs indicates an unfavorable crisis, like the erysipelas of the young daughter of Polemarchus.

5. Fevers following swollen glands are a bad thing unless they last one day, and swollen glands following fevers are worse in acute diseases if they pass their prime near the beginning.

6. Τὰ πνεύματα ἐν¹ ὑποχονδρίοισιν² ἔπαρσις μαλακὴ καὶ ἔντασις οὐδετέρῃ. ἐπ' αὐτῶν ἄνω στρογγύλον ἐν τοῖσι δεξιούσιν οἷον περιφέρεια ἀποπυνητική· ἄλλο πρόμακρον³ ἐπὶ πλέον· ἄλλο κεχυμένον· ἄλλο κάτω ρέπον καὶ ἔνθεν καὶ ἔνθεν ξύντασις μέχρι τοῦ ὀμφαλοῦ ἐν πάσῃ τῇ ἄνω ἴξυϊ⁴ ἣν ἐπανειλεῖται⁵ καὶ ἐπείληπται⁶ ἐς τὸ περιφερές. ἣν μὲν πνεῦμα ἦ, ἀκρίτως λεπτύνεται θερμῇ· ἣν δὲ τοῦτο διαφύγη, ἐς ἐμπύησιν ὀρμῇ.

110 7. Πυκνὰ πνεύματα, σμικρά, μεγάλα, ἀραιά,⁷ ἔξει-
σιν· ἔξω μέγα, ἔσω σμικρόν· τὸ μὲν ἐκτεῖνον, τὸ δὲ
κατεπεῖγον· διπλῇ ἔσω | ἐπανάκλησις, οἷον ἐπείσπνέ-
ουσιν θερμῷ ψυχρόν.⁸ ἱητήριον ξυνεχέων χασμέων
μακρόπνους· τοῖσιν ἀπότοισι καὶ μόγις πίνουσι μικρό-
πνους.⁹

8. Κατ' ἴξιν καὶ πλευρῶν ἔντασις ὀδυνώδης καὶ ἐντάσιες ὑποχονδρίων καὶ σπληνὸς ἐπάρσιες, ἐκ ῥινῶν ῥήξεις. Sb. Τὰ ἐγκαταλιμπανόμενα μετὰ κρίσιν ὑπο-
στροφώδεα· τὸ γοῦν πρῶτον σπληνῶν ἐπάρσιες. ἣν μὴ

¹ om. HIR² add. ἐν τοῖσι λαπαροῖσιν V³ μακρότερον HIR⁴ Gal.: ἴξει mss.⁵ ἐπανείληται HIR⁶ ἐπίχρημπται I: ἐπίλημπται II: ἐπίπληκται R⁷ πνεύματα μικρὰ πυκνὰ, μεγάλα ἀραιά, μικρὰ ἀραιά, μεγάλα πυκνά Gal. comm. Gal. Diff. resp. (K.895.15): πνεῦμα σμικρόν κτλ. (i.e., all singular) Gal. Diff. resp. (K.891.13)⁸ θερμὸν ψυχρόν Gal. comm. Gal. Diff. resp.: ἐν θερμῷ ψυχρόν HIR: θερμῷ ψυχρῷ Artem. (Gal.)⁹ μακρόπνους (-πους I) HIR

6. Wind in the hypochondria: there is a soft swelling stretching neither way. After that a rounding on the right side like a suppurated round area or another that is more elongated, another that is broken up, another that goes downward, with stretching this way and that as far as the navel. In the upper waist generally if there is bulging it is trapped in that region. If it is wind it is relieved without crisis by heat. But if it evades that it will move toward supuration.

7.^a Exhalation is frequent, small, large, infrequent. Large exhalation, small inhalation; one stretched out, the other hurried. Double inspiration, like people breathing in a cold breath after a hot. Cure for continuous yawning, long breather; for inability to drink and difficulty drinking, short breather.^b

8. On the same side occur painful stretching of the pleura and stretching of the hypochondria and elevation of the spleen, breaking forth from the nostrils.^c 8b. Material left after a crisis tends towards relapses. First, elevation of

^a Galen quotes this passage in two ways, both different from this, in *De diff. resp.* (K 7.591.13 and 595.18). It had been refined, perhaps, by later medical theorists, but our manuscripts seem credible.

^b Galen comments on the solecism, breather for breathing. *Epid.* 6.2.3 deals with the same material.

^c Cf. *Epid.* 6.2.5.

112

ἐς ἄρθρα τελευτήσῃ ἢ¹ αἵμορραγίῃ γίνηται, ὑποχονδρίου δεξιοῦ ἔντασις ἦν μὴ διεξοδεύσῃ οὖρα, αὕτη γὰρ ἢ | κατὰ ληψις ἀμφοῖν καὶ ὑποστροφαί. ἀποστάσις οὖν ποιεῖσθαι αὐτὸν ἡγεύμενον· τὰς δὲ παρακλίνειν ἤδη γινομένας ἀποδέχεσθαι ἦν ἴωσιν ἢ δεῖ² καὶ ὅποια δεῖ καὶ ὁκόσα, μὴ ξυνδρᾶν δέ· τὰς δ' ἀποτρέπειν ἦν πάντῃ ἀσύμφοροι ἔωσι, μάλιστα δὲ ταύτας μελλούσας, εἰ δὲ μὴ ἄρτι ἀρχομένας.³

9. Αἱ τεταρταῖαι αἵμορραγαίαι δύσκριτοι.

10. Οἱ διαλείποντες μίαν τῇ ἐτέρῃ ἐπιρριγεῦσιν ἅμα κρίσει ἐς ἑβδόμην.⁴

11. Σκόπα⁵ ἐκ κορυζωδέων χολωδέων καὶ φάρυγγος φλεγμονῆς, φλαύρως διαιτηθέντι ἢ κοιλίῃ ἀπελήφθη καὶ πυρετὸς ξυνεχῆς ἐγένετο, καὶ γλῶσσα εὐανθῆς καὶ ἄγρυπνος· ἥτρου ἔντασις ἰσχυρῶς ὁμαλῶς κατὰ σμικρὸν ἐς τὸ κάτω ἐν τοῖσι δεξιοῖσιν· πνεῦμα ὑπόπυκνον· ὑποχόνδριον⁶ ἤλγει καὶ ἀναπνέων καὶ στρεφόμενος· ἄνευ δὲ βηχὸς ἀνεχρέμπτετο ὑποπάχεια.⁷ ὀγδοαίῳ⁸ πέπλος δοθεῖσα ἀπὸ τοῦ ὑποχονδρίου μὲν ἀπῶσεν, ἐπεραιώθη δὲ οὐδέν. τῇ δὲ ὑστεραίῃ

¹ om. HIR

² Gal.: ἤδη mss.

³ ἐρχομένας V

⁴ ἐς ἑβδόμην mss. Artem. (Gal.): ἐκ τῶν πέντε εἰς τὰς ἐπτά Gal. (cf. Epid. 6.2.9)

⁵ σκοπαί V: σκοπῶ HIR: Skopas Gal.

⁶ ὑποχόνδρια HIR

⁷ ὑποπάχεος mss.: corr. Lind.: ἀνεχρέμπτετο ὑποπάχεια om. Gal.

⁸ om. HIR

the spleen, unless it terminates in the joints, or hemorrhage occurs; there is stretching of the hypochondria on the right if the urine does not go out, for there is blockage in both places, and relapses. Create apostases, leading the material yourself. Turn aside apostases that have already started, accept them if they come where they should and are of the right kind and quantity, but do not offer assistance. Turn some aside if they are wholly inappropriate, but especially those that are about to commence or are just begun.^a

9. Fourth day hemorrhages indicate unfavorable crises.^b

10. The fevers that intermit one day have shivering on the other along with a crisis towards the seventh day.

11. Scopas: after bilious running at the nose and phlegm in the pharynx, from a poor diet his bowels were seized and a continuous fever came on; florid tongue; sleepless; stretching of the lower abdomen strongly, evenly, gradually downward on the right. Fairly rapid breathing. Pain in the hypochondrium when he breathed or twisted. With no cough he brought up fairly thick material. On the eighth day wartweed which was administered expelled matter from the hypochondria, but nothing was brought through. The next day two suppositories

^a Cf. *Epid.* 6.2.7.

^b = *Epid.* 6.2.8.

114 βάλανοι δύο προστεθείσαι, οὐκ ἐφάνησαν, οὔρον δὲ παχὺ καὶ θολερὸν λείη καὶ ὁμαλῇ καὶ ἐστηκυίῃ¹ θολερότητι· εἶτα² γαστήρ μαλακωτέρῃ ἦν καὶ σπλὴν ἐπηρμένος καὶ κατάρροπος ἐγένετο· ποτῶ ἐχρήτο ὀξύγλυκει. δεκάτῃ αἷμα ἐξ ἀριστεροῦ ὕδα|ρὲς ὀλίγον ἦλθεν· οὐ πάνυ δὲ ἡ ἄρρωστον³ αὐτὸ τότε,⁴ καὶ οὔρον ὑπόστασιν ἔχον, ὑπὸ τῇ ὑποστάσει ὑπόλευκόν τι προσεχόμενον πρὸς τῷ ἀγγεῖῳ λεπτόν, οὔτε οἶον γονοειδὲς οὔτε ἀνόμοιον, ἐρρῦν τοῦτο βραχύ. τῇ δὲ ὕστεραίῃ κριθεῖς, ἀπύρετος· καὶ ὑπῆλθεν ὑπόγλισχρον τῇ ἐνδεκάτῃ, τὸ δέ τι περιρροῦν χολῶδες. οὔρου δὲ κάθαρσις πολλή καὶ πλήθει καὶ ὑποστάσει καὶ πρὶν μὲν οἶνοποτεῖν ἤρξατο σμικροῦ <. . >⁵ λάπη ὁμοίῃ. διῆλθε δὲ τῇ ἐνδεκάτῃ ὥς ὀλίγων ἐόντων,⁶ γλίσχρα δὲ καὶ κοπρώδεα θολερά· τὸ τοιοῦτον ἡ⁷ κρίσιμον,⁸ ὅτι καὶ τὸ⁹ Ἀντιγένεος;

12. Ἐν Περίνθῳ τὰ περὶ τὰς γλώσσας αἰρόμενα

¹ ἐστηκυίῃ V: ἔστη κοιλίῃ ἐν HIR

² Smith: ἦτε mss.: "gegen Abend" Gal.

³ ἡ ἄρρωστον Smith: δέ τι ἄρρωστος mss.

⁴ Nikitas: τοῦτο mss.: "noch schwach damals" Gal.

⁵ I have indicated a lacuna here because the Galenic commentary says: "war der Bodensatz weiss; dann nachdem er Wein getrunken hatte . . ."

⁶ ὥς ὀλίγων ἐόντα (v.l.) Gal.

⁷ ἡ Smith: εἰ Langholf: ἦει mss.: "Man muss untersuchen, ob" Gal.

⁸ κρίσιμῳς HIR

⁹ τῷ V

were given; feces were not exhibited, but the urine was thick and turbid with smooth and even and stable sediment. Afterwards his belly was softer, his spleen became elevated and tended to hang down. As drink he took honey and vinegar water. On the tenth day a small amount of watery blood from the left nostril, not a very small amount, nor sickly, and urine containing a suspension; and under the suspension it put a light deposit on the vessel, not like semen but not unlike it. This disappeared shortly. On the next day a crisis, and he was without fever. He passed sticky material on the eleventh day, and the little surrounding fluid was bilious. Much purging of urine in quantity and in sediment, and before he began to drink some wine <there was white sediment, afterwards> a kind of scum. He passed, on the eleventh day, although there was no great quantity, slimy, feces-like turbid matter. Does such excrement indicate crises, as did that of Antigenes?

12. In Perinthus the gatherings that arose around the

ξυστρέμματα, καὶ ταπεινὰ ἔόντα, λιθίδια. καὶ τὰ τοῖσι ποδαγρικοῖσιν τὰ ἀσθενέα παρ' ἄρθρα ἐκείνων ἐστίν· καὶ γὰρ ἡ ὀστέων φύσις καὶ τοῦ¹ σκληρύνεσθαι τοῦτο αἴτιον καὶ τοῦ ξυντείνεσθαι.

13. Τὸ τῆς Ἱπποστράτου ἐκ τεταρταίου ἐνιαυσίου ἀπεκορύφου· ὑπόψυχρος φανερώς δοκέουσα ἔφοδος ἐπὶ πᾶν τὸ σῶμα καὶ ἰδρώς· ἐκρίθη ταύτῃ· καὶ μετὰ ταῦτα γυναικεῖα πλείω πλήθει καὶ χρόνῳ, τότε γὰρ ἐπείχεν· μὴ² ἐστάναι³ ἔδοξεν ἀπόστασις.

116 14. Ἐν τῇσι σφυζούσῃσιν⁴ αἰμορραγίῃσι σχῆμα εὐρητέον⁵ καὶ | τὸ ξύμπαν εἰ ἐκ τοῦ πάνυ⁶ κατάντεος ἄναντες ποιοῖτο. διὸ καὶ αἱ ἀποδέσεις αἱ ἐν τῇσι φλεβοτομήσιν ὀρμῶσιν, αἱ δὲ ἰσχυραὶ κωλύουσιν.

15. Οἶμαι τὸ ἔναιμον καὶ τὸ ὑπόχολον ὀξυρεγμιῶδες, ἴσως δὲ ἐς μέλαιναν τούτοισι τελευτᾶν.

16. Ῥίγη ἄρχεται γυναιξὶ μὲν μᾶλλον ἀπὸ ὀσφύος διὰ νώτου ἐς κεφαλὴν· ἀτὰρ καὶ ἀνδράσιν ὀπισθεν μᾶλλον. φρίσσουσι τὰ ἔνδοθεν μᾶλλον⁷ ἢ τὰ ἔξωθεν τοῦ σώματος οἷον πήχεων, μηρῶν· ἀτὰρ καὶ τὸ δέρμα ἀραιόν· δηλοῖ δὲ ἡ θριξ τῶν ζώων.⁸

¹ τὸ HIR

² ἢ Ps. Gal. Caus. Aff.

³ ἰστάνειν (sic) V

⁴ σφύζουσιν HIR

⁵ εὐρύτεον V: εὐρύ τε ὄν HIR: "muss man sorgen" Gal.

⁶ πάντῃ HIR

⁷ φρίσσουσι . . . μᾶλλον om. HIR

⁸ τῶν ζώων om. Gal.

tongue, even small ones, were small stones (concretions). And in those with podagra the illness around the joints is of that sort. This is the nature of bones and the cause of the hardening and the contraction.

13. The disease of Hippostratus' wife, after a year-long quartan, reached the apex. There was an accession of visible chill all over the body, and sweat. She reached crisis on that day. Afterwards, there were menstrual flows rather great in quantity and time. For then she had retained them. There seemed to be no apostasis that stayed.^a

14. In hemorrhages that throb, one must find a good posture. In general it is preferable if the hemorrhaging parts be put above instead of much below. You should know, too, the bindings send the blood forth in phlebotomy, but tight ones hold it back.

15. I think that the sanguine and bilious tend to acid belching, and perhaps for those patients it ends in black bile.^b

16. For women shivering commences from the flanks, through the back to the head. For men, too, it is more in the back. They shiver in the interior more than the exterior of the body, such as the lower arms and legs; the skin is porous, as the hair of animals proves.^c

^a In his commentary Galen has a different text for the last two sentences: "She let it run and considered it not good to stop the expulsion." The text of the paraphrase in the Pseudo-Galenic *De causa affectionum* (Helmreich p. 15) might be taken to mean "she persisted rather than decide to stop it."

^b Cf. *Epid.* 6.6.14.

^c Cf. *Epid.* 6.3.11 and the note there.

17. Ἡσιν οὐδὲν ἔσω τοῦ τεταγμένου χρόνου, ἐκάστησι τὰ τικτόμενα ἀπόγονα γίνεται. τὰ ἐπιφαινόμενα ἐν οἷσι μῆσι γίνεται. οἱ πόνοι ἐν περιόδοισιν· ὅτι ἐν ἑβδομήκοντα κινεῖται, ἐν τριπλασίῃσι τελειοῦται. ὅτι μετὰ γυναικεῖα δεξιὰ¹ τὰ δὲ ἀριστερὰ χάσκων·² ὑγρότης διὰ τῶν ἐπιόντων·³ διαίτης ξηρότης.⁴ ὅτι θάσσον κινήθην, διακριθὲν, αὐτὶς αὖξεται βραδύτερον ἐπὶ πλείονα χρόνον. οἱ πόνοι περὶ τρίτην ἡμέρην πρὸς τῇσι πεντήκοντα καὶ ἕκτην πρὸς τῇσιν⁵ ἑκατόν, μηνιαῖοι δευ|τεραίῳ⁶ καὶ τεταρταίῳ.⁷ ἃ δεῖ εἰδέναι ἐς τὸν ἐπτάμηνον· εἰ⁸ ἀπὸ τῶν γυναικείων ἀριθμητέοι οἱ ἐννέα μῆνες ἢ ἀπὸ τῆς ξυλλήψιος, καὶ εἰ ἑβδομήκοντα καὶ διακοσίῃσιν⁹ οἱ ἑλληνικοὶ μῆνες γίνονται καὶ εἴ τι προσέτι τούτοισι, καὶ ἦτοι τοῖσιν ἄρσεσιν ἢ τῇσι θηλείῃσι ταῦτὰ ποιεῖται ἢ τὰναντία. τῶν βρωμάτων¹⁰ καὶ πομάτων τὰ ὠμὰ¹¹ ἐμφυσῶνται· καὶ τῶν ἐν τῇ

¹ om. (v.l.) Gal.

² χάσκων Gal. Gloss. Dioscurides' text

³ ἀπιόντων Gal.

⁴ ξηρότητι HIR

⁵ τοῖσιν HIR

⁶ δευτέρῳ mss.: corr. Asul.

⁷ "Die Schmerzen nach Tagen in 50, nach Monaten in drei; in zwei, vier, sechs, acht" Gal., with many variations

⁸ ἦ mss.: "ob" Gal.: corr. Li.

⁹ διακοσίοισιν V

¹⁰ τρωμάτων (v.l.) Gal.

¹¹ τὰ ὠμὰ Smith: "Von den Speisen (und Getränken, var.) blähen sich die rohen" Gal.: οἱ ὠμοὶ καὶ οἱ μάστοι ἐμφυσ., mss.

17.^a Women to whom nothing happens in the prescribed time have viable babies. Additional symptoms, in what months they occur: pains come in cycles. What moves in seventy (days), is completed in three times (seventy). The fact that after menstruation there is gaping on the right, the left. Dampness because of what is coming on; dryness of regimen.^b Pains occur around the third day after fifty (days have gone by), the sixth after one hundred. Monthly ones in the second and fourth (months). What should be known for the seven-months child. Whether the nine months should be numbered from the menses or from the conception; whether the Hellenic months contain two hundred seventy days, and whether there is an addition to those; and whether the same (calculations) are made either for males or for females, or the opposite. Harsh food and drink cause flatulence, and gas

^a Chapters 17 and 18 are loosely organized aphorisms. While there is unique material here some of these statements occur, often in slightly different versions and in different contexts, elsewhere in the Corpus, and it often is not clear whether one of the versions is a purposeful rewriting of the other (and which one of which), or whether there have been errors in transmission. In the gynecological aphorisms at the beginning of ch. 17, Galen's commentary often agrees with *Epid.* 6.5.6 against our text here, and Galen quotes at one point *Epid.* 6's "better version," but what he quotes is not in our *Epid.* 6. This tells us only that different versions were in circulation. I have tried to follow our Hippocratic manuscripts here, but have occasionally chosen better versions from elsewhere when sense required.

^b Cf. *Epid.* 6.2.25.

κεφαλῇ αἱ ἀκρησίαι καὶ τὰ ἐμφυσήματα ποιέουσιν. αὔξεις ἔστ' ἂν τὰ ὁστέα στερεωθῇ. τῶν ἐπιμηνίων περίοδος, τὰ πρὸ τούτων βάρεια ἀδελφὰ τῶν ὀκταμήνων πόνων. πρὸ τόκων¹ τὰ γάλακτα τῆς μὲν τροφῆς ὑπερβαλλούσης τῆς δὲ ὀκταμήνου ἀπαρτιζούσης. τρωμάτων ἦν ἰσχυρῶν ἐόντων οἶδημα μὴ φαίνεται μέγα | κακόν· τὰ χαῦνα χρηστόν· τὰ ἄνω μενόμενα κάκιον,² διὸ τὰ ἐπιμήνια. ἀδελφὰ τῶν ὀκταμήνων πρὸς δεκάμηνον τείνοντα³ κακόν.⁴

18. Οἷσιν οἰδήματα ἐφ' ἑλκεσιν οὐ μάλα σπῶνται οὐδὲ μαίνονται· τούτων δὲ ἀφανισθέντων ἐξαίφνης οἷσι μὲν ἐς τὸ ὀπισθεν σπασμοὶ μετὰ πόνων, οἷσι δὲ ἐς τοῦμπροθεν ἢ μανίαι ἢ ὀδύνη πλευροῦ ὀξείαι⁵ ἢ δυσεντερὴ ἐρυθρή.⁶ τὰ οἰδήματα τὰ παραλόγως ῥηίζοντα κίβδηλον, οἷον τῷ τοῦ Ἀνδρονίκου παιδίῳ τὸ ἐρυσίπελας ἐπαλινδρόμησεν, ἦν μὴ ἐς τὸ αὐτὸ ἐλθὼν χρηστόν τι σημαίνει. τοῦτο ἔκ τε γενέσιος περὶ τὸ οὖς, περὶ

¹ πρὸ τόκων Smith: προτοτόκων mss.: "Vor der Zeit der Geburt" Gal.

² τρωμάτων . . . κάκιον om. Gal.

³ τείνοντα Smith: τεινόντων γενόμενα mss.

⁴ διὸ . . . κακόν] "Deswegen ist das Monatliche ein Gegenstück zu dem achten (? = τῶν ὀκτώ). Wenn sich die Sache bis zu dem zehnten Monat hinzieht, so ist es schlimm" Gal.

⁵ ὀξείαι ἢ ἐμπύσεις (v.l.) Gal. Aph.

⁶ δυσεντερὴ ἐρυθρὴ mss.(v.l.)Gal.: "wenn diese Geschwulst intensiv rot ist" Gal.: ἦν ἐρυθρά μᾶλλον ἢ Aph. 5.65

in the area of the head is caused by unwholesome living.^a Growth, until the bones become solid. The cycle of menstruation: the heaviness before it is akin to the pains at eight months. Milk appears before the birth when there is a surplus of nutriment and the eight-month period is complete.^b When wounds are severe, if the swelling does not appear it is very bad. The best swellings are loose.^c When material remains above it is more harmful, therefore menstruation. Symptoms connected to the eighth month stretching to the tenth month are bad.

18. Those who have swellings at wounds do not have convulsions or delirium. When swellings disappear suddenly, those whose wounds are behind will have spasms with pain, those whose wounds are in front will have delirium or sharp pains in the side, or bright red dysentery. Swellings that are eased for no apparent reason are a deceitful sign (as in the case of Andronicus' child, where the erysipelas returned) unless by returning to the same state they offer a favorable sign. This affection by the ear which was congenital was dispersed towards the pubis.^d

^a ἀκρησία = "Ausschweifung," "loose behavior," in Galen's commentary, where he remarks that it refers not only to sexual activity, but generally to one's manner of living.

^b Galen omits the following three sentences, "When . . . menstruation."

^c Cf. *Aph.* 5.66–67.

^d Some ancient commentators interpreted this to mean "was dispersed as he neared adolescence." Galen read a quite different text: "From birth they came continuously one after the other . . ."

ἥβην διεδόθη.¹ ἑτέρῳ τριταίῳ ἐκ γενετῆς γενομένῳ ἀπεπύησεν ἑναταίῳ· γίνεται οὗτος ἑβδομαῖος ὑγιῆς. κακοηθέστερα τὰ ἀφανιζόμενα ἐξαίφνης.

ΤΜΗΜΑ ΤΕΤΑΡΤΟΝ

1. Ἡπατῖτις ἐν ὁσφύϊ μέχρι τοῦ μεγάλου σπονδύλου κάτωθεν καὶ σπονδύλοις προσδιδού, ἐντεῦθεν μετέωρος δι' ἥπατος καὶ διὰ φρενῶν ἐς καρδίην· καὶ ἦει² μὲν εὐθεία ἐς κληίδας· ἐντεῦθεν δὲ αἱ μὲν ἐς τράχηλον αἱ δὲ ἐπ' ὠμοπλάτας αἱ δὲ ἀποκαμφθεῖσαι κάτω παρὰ σπονδύλους καὶ πλευρὰς ἀποκλίνουσιν ἐξ ἀριστερῶν μὲν μία | ἐγγὺς κληίδων, ἐκ δεξιῶν δὲ [ἐπὶ τι αὐτὴ χω-
 122 ρίον]³ ἄλλη [ἢ δὲ]⁴ σμικρὸν κατωτέρω ἀποκαμφθεῖσα ὅθεν μὲν ἐκείνη ἀπέλιπε προσέδωκε τῇσι πλευρῇσιν ἔστ' ἂν τῇ⁵ ἐπ'⁶ αὐτῆς τῆς καρδίας προστύχη ἀποκαμπτομένη ἐς τὰ ἀριστερά· ἀποκαμφθεῖσα⁷ δὲ κάτω ἐπὶ σπονδύλους καταβαίνει ἔστ' ἂν ἀφίκηται ὅθεν⁸ ἥρξατο μετωρίζεσθαι, ἀποδιδούσα τῇσι πλευρῇσι⁹ τῇσιν ἐπιλοίποισιν ἀπάσῃσιν, καὶ ἔνθεν καὶ ἔνθεν ἀποσχίδας παρ' ἐκάστην διδοῦσα¹⁰ μία ἐοῦσα.

¹ τοῦτο . . . διεδόθη] "Denn sie folgten hintereinander seit der Geburt unaufhörlich um die Scham herum" Gal.

² Li.: εἶη V: ἦ HIR

³ om. Smith following Gal. comm.

⁴ om. Smith

⁵ τοι V

⁶ ἐξ HIR

⁷ καὶ ἀποκαμ. V

⁸ ἔνθεν V

⁹ ἔστ' ἂν . . . πλευρῇσι om. HIR (add. in marg. H)

¹⁰ διδου HIR

EPIDEMICS 2.4

another's which appeared on the third day after birth festered on the ninth. He was cured in seven days. Things that disappear suddenly are more dangerous.

SECTION 4

1. The liver vein is in the loins as far as the great vertebra below, and it gives forth on to the vertebrae. From there it rises through the liver and through the diaphragm to the heart. It goes straight from the heart to the clavicles, and at that point some veins bend to the neck and some towards the shoulder blades, and some bend down and incline along the spine and ribs. From the left side one near the clavicles, from the right another, bending off slightly lower, gives forth on to the ribs from the place where that one left off, until it meets the one at the heart itself as that one bends off to the left. And turning back on to the vertebrae it descends until it arrives at where it began to ascend, giving out on to all the remaining ribs, and on this side and that it gives branches to each, though it is single.

Ἀπὸ μὲν τῆς καρδίας ἐπὶ τι χωρίον ἐν τοῖσιν ἀριστεροῖσι μᾶλλον ἐοῦσα, ἔπειτα ¹ ὑποκάτω τῆς ἀρτηρίας ἔστ' ἂν καταναλωθῇ καὶ ἔλθῃ ὅθεν ἡ ἥπατις ἐμετεωρίσθη. πρότερον δὲ πρὶν ἢ ἐνταῦθα ἐλθεῖν, παρὰ τὰς ἐσχάτας δύο πλευρὰς ἐδικραιώθη· ² καὶ ἡ μὲν ἔνθα ἡ δὲ ἔνθα τῶν σπονδύλων ἐλθοῦσα κατηναλώθη.

Εὐθεία δὲ ἀπὸ καρδίας πρὸς κληΐδας τείνουσα ἄνωθεν τῆς ἀρτηρίας ἐστί, καὶ ἀπὸ ταύτης ὥσπερ καὶ παρ' ὀσφῦν κάτωθεν τῆς ἀρτηρίας. ³ αἰσσεῖ ἐς τὸ ἥπαρ ἡ μὲν ἐπὶ πύλας καὶ λοβὸν ἡ δὲ ἐς τὸ ἄλλο ἐξ ἧς ⁴ ἀφωρμήκει σμικρὸν κάτωθεν φρενῶν. φρένες δὲ προσπεφύκασιν τῷ ἥπατι ὥς οὐ ῥηΐδιον χωρίσαι. δισσαὶ δὲ ἀπὸ | κληΐδων αἱ μὲν ἔνθεν αἱ δὲ ἔνθεν ὑπὸ στῆθος ἐς ἥτρον· ὅπη δὲ ἐντεῦθεν οὐπω οἶδα. φρένες δὲ [κάτω] ⁵ κατὰ τὸν σπόνδυλον τὸν κάτω τῶν πλευρέων, ἧ νεφρὸς ἐξ ἀρτηρίας, ταύτη ἀμφιβεβηκυῖαι. ⁶ ἀρτηρίαι δὲ ἐκ τούτου πεφύκασιν ⁵ ἔνθεν καὶ ἔνθεν ἀρτηρίῃ τόνον ἔχουσα. ⁹ ταύτη δὲ πη παλινδρομήσασα ἀπὸ καρδίας ἡ ἥπατις ἐληγεν. ἀπὸ δὲ τῆς ἥπατίτιδος διὰ τῶν φρενῶν ¹⁰ αἱ μέγισται δύο ἡ μὲν ἔνθεν ἡ δὲ ἔνθεν φέρονται μετέωροι. πολυσχιδεῖς δὲ ¹¹ διὰ τῶν φρενῶν εἰσιν, ἀμφὶ ταύτας ¹²

¹ ἐπὶ τὰ mss.

² Erotian: ἐδαιρέθη HIR: ἐδιώχθη V: ἐδιχώθη Hipp. Oss. Gal. Plac.: "es entstehen ihr zwei Ausläufer" (v.l.) Gal. comm.

³ κάτωθεν τῆς ἀρτηρίας om. Gal. comm.

⁴ ἐξῆς HIR ⁵ del. Smith

⁶ Gal. comm. ("reitend") Gal. Plac.: ἀμφιβεβήκει αἱ V (αἷς HI: οἷς R)

From the heart to an area it is more on the left: then it is below the artery until it is used up and arrives at the place from which the liver vein ascended. But before it arrives there, it divides by the last two ribs. One part goes on one side of the vertebrae, the other on the other side, and they are used up.

The straight vein stretching from the heart to the collar bone is more above the artery, and away from it, just as, in the loins, it is below the artery. It hurries to the liver, one part to the gates and the lobe, the other heads off to the other area from which it started out, a little below the diaphragm. The diaphragm is attached to the liver and cannot be easily separated. There are pairs of veins that go, one on one side, the other on the other, from the clavicles under the chest to the lower belly. Where they go from there I do not yet know. The diaphragm is at the vertebra below the ribs where the kidney separates from an artery, and the diaphragm besrides the artery. The arteries grow out from it, on one side and the other, an artery having a nerve. At this point the liver vein, having run back down from the heart, leaves off. And from the liver vein through the diaphragm the two largest veins are carried above, one on this side, one on that. And there are many branching veins through the diaphragm, and they

⁷ Galen: τοῦ τείνοντος mss.

⁸ ἐξεπεφύκασιν HIR

⁹ Gal. *Plac.* (and probably Gal. comm.): ἀρτηρίας τόνον ἔχουσαι mss.: -ῆσι . . . ἔχουσαι Oss.

¹⁰ νεφρῶν HIR

¹¹ τε HIR Gal. *Plac.*

¹² ταύταις HIR

καὶ πεφύκασιν· ἄνωθεν δὲ ¹ φρενῶν αὐται [δὲ] ² μᾶλλον τι ἐκφανεῖς. ³

2. Δύο δὲ τόνοι ἀπ' ἐγκεφάλου ὑπὸ ⁴ τὸ ὀστέον τοῦ μεγάλου σπονδύλου ἄνωθεν καὶ πρὸς ⁵ τοῦ στομάχου μᾶλλον. ἐκατέρωθεν τῆς ἀρτηρίας παρελθὼν ἑκάτερος ἐς ἑωυτὸν ἦλθεν ἵκελος ἐνί· ἔπειτα ἡ ⁶ σπόνδυλοι καὶ φρένες πεφύκασιν ἐνταῦθα ἐτελεύτων, καὶ τινες ἐνδοι-αστοὶ πρὸς ἡπαρ καὶ σπλῆνα ἀπὸ τούτου τοῦ κοινωνήματος ἐδόκεον τείνειν. ἄλλος τόνος ἐκ τῶν ἐκατέρωθεν σπονδύλων ⁷ παρὰ ῥάχιν παρέτεινεν ἐκ πλαγίων ⁸ σπονδύλων, καὶ τῇσι πλευρῇσιν ἀπένεμεν. ⁹ ὥσπερ αἱ φλέβες, οὗτοι διὰ φρενῶν ἐς μεσεντέριόν μοι δοκέουσι τείνειν, ἐν δὲ τούτοισιν ἐξέλιπον. αὗτις δ' ὅθεν φρένες ¹⁰ ἐξεπεφύκεσαν, ἀπὸ τούτου ξυνεχεῖς ἔοντες κατὰ μέσον | κάτωθεν ἀρτηρίας τὸ ἐπίλοιπον παρὰ σπονδύλους ἀπεδίδουν ὥσπερ αἱ φλέβες μέχρι κατηναλώθησαν διελθοῦσαι ἐς ¹¹ τὸ ἱερὸν ὀστέον.

¹ δὴ HIR

² del. Smith

³ ἐμφανέες HIR

⁴ mss. (v.l.) Gal. comm.: παρὰ Gal. comm. Gal. comm. *De artic.*

⁵ mss. (v.l.) Gal. comm.: πρὸ Gal. comm.

⁶ οἱ HIR

⁷ ἐκατέρωθεν ἐκ τῶν κατὰ κληῖδα σπονδύλων Oss.

⁸ πλαγίου HIR

⁹ Oss.: ἀπένεμον VIR: ἀπείνεμον H

¹⁰ om. V

¹¹ διελθοῦσαι ἐς mss.: πᾶν διελθόντες Oss. Li.

grow around it, but above the diaphragm they are more visible.

2.⁴ Two nerves go from the interior of the head under the bone of the great vertebra above and more in front of the esophagus: proceeding on both sides of the trachea individually they come to themselves so as to be as one. Then where the vertebrae and the diaphragm join they end and some obscure ones seem to go towards liver and spleen from that juncture. Out of the vertebrae on each side a nerve stretches along the backbone out of the oblique parts of the vertebrae and distributes to the ribs. Like the blood vessels these seem to me to stretch through the diaphragm to the mesenterion, and they stop at that point. But again from where the diaphragm is attached they are continuous down the center below the artery for the rest of the way and give forth along the vertebrae like the blood vessels until they are used up as they arrive at the sacrum.

"This unique early description of the nerves is somewhat obscure. Though the author calls them *tonoi* and uses the verb *teinein*, "stretch," words appropriate for a bowstring and suggesting that the nerves are for pulling, he seems also to speak of them as channels like the blood vessels.

3. Ἐν Αἴνῳ ὁσπριοφαγεῦντες ἐν λίμῳ¹ ξυνεχεῖς, θήλειαι, ἄρσενες, σκελέων ἀκρατεῖς ἐγένοντο καὶ διετέλεον· ἀτὰρ καὶ ὁροβοφαγέοντες γονυαλγεῖς.

4. Ἐπιτηδεύειν ὀξυθυμίην ἐμποιεῖν καὶ χρώματος ἀναλήψιος² ἔνεκα καὶ³ ἐγχυμώσιος, καὶ εὐθυμίας⁴ καὶ φόβους καὶ τὰ τοιαῦτα· καὶ ἦν μὲν τὸ ἄλλο σῶμα ξυννοσέη ξυνιᾶσθαι, εἰ δὲ μή, τοῦτο.

5. Ἡ Στυμάργεω οἰκέτις ἥ οὐδὲ αἷμα⁵ ἐγένετο ὡς ἔτεκε θυγατέρα, ἀπέστραπτο⁶ τὸ στόμα,⁷ καὶ ἐς ἰσχίον καὶ σκέλος ὁδύνη. παρὰ σφυρὸν τμηθεῖσα⁸ ἐρρήϊσεν·⁹ καίτοι καὶ τρόμοι τὸ σῶμα πᾶν¹⁰ κατέιχον· ἀλλ' ἐπὶ τὴν πρόφασιν δεῖ ἐλθεῖν,¹¹ καὶ τῆς προφάσιος τὴν ἀρχήν.¹² |

¹ Gal.: ἐν Αἴνῳ HIR: ἐναίμῳ V

² ἀναλήψιος HIR

³ om. HIR

⁴ Gal.: εὐθυμίας mss.

⁵ ἥ οὐδὲ αἷμα Gal. Trem. (7.603 K): ἡ ἰουδουμαία V: ἡ ἰδουμαῖα HIR: οὐδὲ αἷμα Gal. Venes. adv. Eras. (11.162 K): "der nicht einmal Blut" Gal. comm.: ἡ οἰδήματα conj. Langholf, cf. Epid. 2.2

⁶ ἐπέστραπτο VHI: ἐπέστραψε R

⁷ Gal. Venes.: τὸ στόμα τοῦ αἰδοίου HIR: τὸ σῶμα Gal. comm.: στόμα τῆς μήτρας Gal. Trem.

⁸ mss. Gal. Venes.: παρὰ σφυρὸν φλεβοτομηθεῖσα Gal. Trem.: "die Gebärmutterader angeschnitten" Gal. comm.

⁹ Gal. Trem.: ἐρράϊσε Gal. Venes.: ἐρρήησε mss.

¹⁰ Gal. Trem.: κατὰ σῶμα πάντα HIR: τὸ σῶμα πάντα V: τὸ σῶμα περικατέιχον Gal. Venes.

¹¹ Gal. Trem.: διελθεῖν mss.: χρῆ ἐλθεῖν Gal. Venes

¹² mss. (v.l.) Gal. comm.: ἀφόρμην Gal. comm. Gal. Trem.: τρόφην Gal. Venes.

3. In Aenus those who continually ate beans during a famine, both men and women, became weak in the legs and continued so. And those who ate vetch had knee ailments.^a

4. It is appropriate to induce anger for the sake of restoring color and humors, also to induce happiness, fear, and the like. If the rest of the body is ill also, it should be treated at the same time. Otherwise just this.

5. The house servant of Stymarges, who did not even bleed when she bore a daughter, had the mouth of her womb retroverted. She had pain in her hip joint and leg. Phlebotomy at the ankle relieved her. But trembling seized her whole body. One must approach the cause, and of the cause, the source.

^a Cf. *Epid.* 6.4.11.

ΤΜΗΜΑ ΠΕΜΠΤΟΝ

128

1. Ὅκοσοι πυρροί, ὀξύρρινες, ὀφθαλμοὶ σμικροί, πονηροί. ὅκοσοι πυρροί, σιμοί, ὀφθαλμοὶ μεγάλοι,¹ ἐσθλοί. ὑδρωπιώδεις χαροποί, πυρροί, ὀξύρρινες. ἦν μὴ² φαλακροὶ ἔωσιν. ἰσχυροφωνίην³ κισσὸς λύει ἐς τὸν ἀριστερόν⁴ καὶ τὸν δεξιὸν ὄρχιν· ἄνευ τούτων⁵ τοῦ ἑτέρου οὐχ οἶόν τε λύεσθαι. μεγάλοι, φαλακροί, τραυλοὶ ἰσχυρόφωνοι, ἐσθλοί. νοσήματα δὲ ἔχουσι τραυλὸς ἢ φαλακρὸς ἢ ἰσχυρόφωνος ἢ δασὺς ἰσχυρῶς μελαγχολικά. [νοσήματα δ' ἔχουσιν]⁶

2. Ὅσοι τῇ γλώσση παφλάζουσι χειλῶν⁷ μὴ ἐγκρατεῖς ἐόντες, ἀνάγκη λυομένων ἐμπύους γίνεσθαι. ὁδύνη ἐν τοῖσι κάτω χωρίοισιν ἰσχυρὴ ἢ⁸ κωφότης λύει, καὶ αἷμα πολλὸν ἐκ τῶν ῥινῶν, ἢ μανίη.

3. Ἦν λεχοῖ⁹ σπασμὸς ἐπιγένηται, πῦρ ποιεῖν¹⁰ καὶ ἐς κύστιν κηρωτὴν ἐγχείας πολλὴν χλιαρὴν κλύζειν.

¹ om. HIR

² πύρροι . . . μὴ om. HIR

³ ἰσχυροφωνίην (v.l.) Gal.

⁴ τὴν ἀριστερὴν V: "linken Schenkel" Gal.

⁵ τουτέου HIR. After this sentence Galen's commentary has a hiatus until section 6.1

⁶ del. Li.

⁷ χειρῶν mss.: corr. Asul. (cf. Hipp. *De crisibus* 43)

⁸ ὁδύνη . . . ἰσχυρὴ ἢ Li., from *De crisibus* 43: ὁδύνην . . . ἰσχυρὴ (om. ἦ) mss.

⁹ ms. D (Li.): λέχοις mss.

¹⁰ ποιεῖ mss.: corr. Lind.

EPIDEMICS 2.5

SECTION 5

1. Those with a ruddy complexion, sharp nose, small eyes, are bad (sickly). Those with ruddy complexion, flat nose, large eyes, are good. Hydropics are gray-eyed, ruddy, sharp-nosed, unless they be bald. Varicosity resolves weakness of voice on to the left and the right testicle. Without one or the other it cannot be broken up. Large, bald, lisping, weak-voiced, good. However, those who lisp, who are bald, weak-voiced, or shaggy, have melancholic affections.

2. Those who stammer with the tongue and cannot control the lips must, when that is resolved, become empyemic. That is resolved by severe pain in the lower area, or deafness, also by much blood from the nose, or delirium.^a

3. If spasms come on one who has given birth, build a fire and, pouring a large quantity of warm, wax-based salve into a bladder, use as a clyster, warm.

^a Cf. *Epid.* 2.5.9, 2.6.5 below.

4. Ἦν τῆς κεφαλῆς τὸ ὀστέον καταγῆ, διδόναι γάλα καὶ οἶνον, ἴσον ἴσω· ἦν δὲ ἔλκος ἧ, φλεβοτομεῖν τὰς ἔσω ἦν μὴ πυρεταίνῃ· ἦν δὲ παραφρονέῃ, τὴν κεφαλὴν καταβρέχειν ἦν μὴ τὰ ὑποχόνδρια ἐπηρμένα ἧ· ἦν τὴν κεφαλὴν ἀλγέῃ, ἐς στῆθος ἔρχεται, | ἔπειτα ἐς τὸ ὑποχόνδριον, ἔπειτα ἐς τὸ ἰσχίον. πάντα δὲ οὐχ οἶόν τε ἀλγεῖν.

5. Ἀνεμίην φλεβοτομή.

6. Τῷ φαρμάκῳ τὸν ῥόον ἴσχειν ἐπαλείφων, ὅδε γὰρ ὁ ῥόος ἐκ τῆς μεγάλης φλεβός· ἦν δὲ αὐτόματον ῥέῃ πολλόν, νηστευέτω ἄλλο¹ ἢ γάλα, δύο ὕδατος, τέσσαρας γάλακτος. τὰς ἀγόνους πυριᾶν καὶ φαρμακεύειν.

7. Ὅσοι ἐξαπίνης ἄφωνοι, ἦν ἀπύρετοι ἔωσι, φλεβοτομεῖν.

8. Φλέγματος κατάρροοι· ἐκ τῶν μαζῶν ἔλκουσιν οἱ ὀφθαλμοί, καὶ ἐξερεύγεται κατὰ τὰς ῥίνας ἐς τὸν πνεύμονα.

9. Οἷσι βῆξ ξηρή, οὐ λύεται ἦν μὴ ὀδύνη ἰσχυρὴ ἐς τὰ ἰσχία ἢ ἐς τὰ σκέλεα ἢ ἐς τὸν ὄρχιν.

10. Ἦν ὑδρωπιῶντα βῆξ ἔχῃ, ἦν μὲν αὐτίκα λειποθυμέῃ, θερμοῖσι πᾶσι διαχρήσθω· ἦν δὲ μὴ, θωρῆσαι, καὶ σιτίων ἐμπληῆσαι, τάμνειν δὲ τὰς ἔσω.

11. Τοῦ νοσήματος τοῦ μεγάλου ἐν τάσει² γενομένου λύσις ἰσχύων ὀδύνη, ὀφθαλμῶν διαστροφαί, τύφλωσις, ὀρχίων οἰδησις, μαζῶν ἄρσις.

¹ om. HIR

² ἔθαι *De crisibus* 44

EPIDEMICS 2.5

4. If the bone of the head be broken, give milk and wine, half and half. If there be a wound, phlebotomize the inner veins unless there be fever. If there is delirium, soak the head unless the hypochondria are swollen. If there is headache, it proceeds to the chest, then to the hypochondrium, then to the hip joint—they cannot all be in pain at once.

5. For flatulence, phlebotomy.

6. Restrain the flow by anointing with the drug. For this flow is from the great vein. If there is much flow spontaneously, let the patient fast except for milk, two parts of water, four of milk. To women who are barren give a vapor bath and apply drugs.

7. For those who have sudden loss of voice, if they are without fever, phlebotomize.

8. Fluxes of phlegm: the eyes draw from the breasts and it regurgitates through the nose to the lungs.

9. For those with a dry cough: it is not resolved save with a sharp pain in the hips, or the legs, or the testicle.

10. If a cough possess one with dropsy, if he faint suddenly, use all heating treatments. If not, fortify him with wine, fill him with food, and phlebotomize the inner veins.

11. When the great malady (epilepsy) occurs with rigidity,^a the resolution comes with pain in the hips, turning about of the eyes, blindness, swelling of testicles, swelling in the breasts.

^a The parallel passage at *De Crisibus* 44 says "When the great malady has become habitual," and may be correct.

12. Ἦν πυρετοὺς ἔχοντας τὰ περὶ τὸ πρόσωπον ἰσχνὰ ἥ ἐν ἡμέρῃ γονίμη, τὴν ἐπιούσαν λύσις.

13. Ὑδρωψ, ¹ ἥν οἶδημα ἔχων ἐν τοῖσι σκέλεσι βήσση.

14. Ἦν τὸ οὖς ἀλγέη, τῷ γάλακτι διαχρήσθω.

15. Ἦν μὴ ἐν τῇ γονίμῃ μεθῇ ὁ πυρετός, ὑποτροπιάζειν ² ἀνάγκη.

16. Οὐδ' ἂν ἡ φλὲψ ἡ ἐν τῷ ἀγκῶνι σφύζῃ, μανικὸς καὶ ὀξύθυμος· ὧ δ' ἂν ἀτρεμέη, τυφώδης.

17. Τρῶμα ἦν αἱμορραγήση, μὴ βρέχειν τὸ ἔλκος, τὴν κεφαλὴν δὲ βρέχειν θερμῷ.

132 18. Ἦν καρδιώσση, θερμὸν ἄρτον μετ' οἴνου ἀκρήτου διδόναι.

19. Ἐμέτου λύσις· ὕδωρ θερμὸν διδόναι πίνειν, καὶ ἐμείτω.

20. Ὅσα σφακελίζει, ἀπολαβόντα τὴν φλέβα ἐλκῶσαι καὶ ὑγιῶσαι. ³

21. Σπασμοῦ χειρὸς δακτύλων ἄνευ πυρετοῦ, σχάσαι ἥν μὴ τὴν κεφαλὴν ἀλγέη· εἰ δὲ μή, ὕδωρ θερμὸν καταχεῖν.

22. Ὀφθαλμῶν, σποδίου δωδέκατον, κρόκου πέμπτον, πυρῆνος ἓν, ψιμυθίου ἓν, σμύρνης ἓν· ⁴ τὸ ὕδωρ κατὰ τῆς κεφαλῆς ψυχρὸν καταχεῖν, καὶ διδόναι σκόροδα σὺν μάζῃ.

¹ ὕδρῳψ Diosc. ap. Gal. Glos.

² ὑποτροπιάζειν V

³ ὑγιῆς V

⁴ ἓν add. Lind.

12. If, in one who has a fever, the area of the face is thin on a productive day, there will be a resolution on the following day.^a

13. It indicates dropsy if one with a swelling in the legs develops a cough.

14. If the ear be pained, let the patient use milk.

15. If a fever does not remit on a productive day, it will necessarily recur.

16. One whose blood vessel at the arm-bend throbs is wild and passionate. He whose vessel is still is stuporous.

17. If a wound bleeds, do not soak the wound, but soak the head in warm water.

18. For heartburn give warm bread and neat wine.

19. To cure vomiting, give warm water to drink, and let him vomit that.

20. For ulceration, separate the vein, wound it, and induce healing.

21. For spasm of the fingers without fever, open a vein unless there be pain in the head. Otherwise pour on warm water.

22. For eyes, a twelfth part of spodium, a fifth part of saffron, one part of "pit," one of white lead, one of myrrh. Pour cold water over the head and give garlic with barley cake.^b

^a γόνιμος is a frequent word in sections 5 and 6 of *Epid.* 2, but not elsewhere in ancient medical texts in the same connections. I translate it as "productive." *Aph.* 4.61 has a version of this same aphorism in which it substitutes the word πέρισσος, "uneven."

^b Some ingredients here are obscure. Spodium is probably an oxide, e.g., of copper. "pit" is probably the stone of a fruit or a lump of frankincense.

23. Κίρσοι δὲ φαλακρῶν, ἣν μὴ μεγάλοι ἔωσι, μανιώδεις.

24. Ἀλφου καὶ λέπρης, τίτανος ἐν ὕδατι, ὥς μὴ ἐλκώσης.

25. Χορίων κάθαρσις ἦν ὑπερέχῃ· ἐλλέβορον¹ πρὸς τὰς ῥίνας προστιθέναι ὥστε πτάρνυσθαι, καὶ ἐπιλαμβάνειν τὰς ῥίνας τῆς πταρνυμένης καὶ τὸ² στόμα.

ΤΜΗΜΑ ΕΚΤΟΝ

1. Ἦν ἡ κεφαλὴ μεγάλη καὶ οἱ ὀφθαλμοὶ σμικροί, τραυλοί, ὀξύθυμοι. οἱ μακρόβιοι πλείους ὀδόντας ἔχουσιν. οἱ τραυλοί, ταχύγλωσσοι, μελαγχολικοὶ κατακορεῖς. ἀσκαρδαμύκται³ ὀξύθυμοι. μεγάλη κεφαλὴ ὀφθαλμοὶ μέλανες καὶ μεγάλοι, ῥῖς παχείη καὶ σιμή,⁴ ἐσθλοί. χαροποί, μεγάλοι <...>⁵ κεφαλὴ σμικρὴ,⁶ αὐχὴν λεπτός, στήθεα στενά, εὐάρμοστοι. κεφαλὴ σμικρὴ,⁷ οὐκ⁸ ἂν εἴη τραυλὸς οὐδὲ φαλακρὸς ἦν μὴ γλαυκὸς ἦ.

¹ om. HIR

² om. V

³ ἀσκαρδαμύκται: "vielzwinkernd" Gal. comm.

⁴ ῥίνα παχείην καὶ σιμήν mss.: corr. Smith

⁵ I conjecture a lacuna. "Wenn das Auge in reines Graublau sticht, der Kopf gross, der Hals kurz, das Brustbein weit ist, festzornig" Gal. comm.

⁶ Gal.: μεγάλη mss. (v.l.) Gal.

⁷ κεφαλὴ σμικρὴ om. (v.l.) Gal. comm.

⁸ οὐδ' HIR

23. Varicosities of bald people, unless they be large, indicate mania.

24. For white or scaly leprosy, gypsum in water; be careful not to cause ulceration.

25. Purging of the afterbirth if it remains: hellebore in the nostrils to cause sneezing, and close the mouth and nose of the woman as she sneezes.^a

SECTION 6

1. If the head is large and the eyes small, if they are stammerers, they are quick to anger. People who are long-lived have more teeth. Stammerers and rapid talkers are severely melancholic. People who do not blink are quick to anger. Those with large head, large dark eyes, thick, blunt nose, are good. Blue eyed, large. . . .^b Those with small head, thin neck, narrow chest, are equable. If one's head is large he will not stammer or be bald unless his eyes be gray.

^a Cf. *Aph.* 5.49.

^b Galen's commentary, as read and translated by Hunain Ibn Ishaq, presents this sentence thus: "Those with bright blue-gray eyes, large head, short neck and broad breastbones are prone to anger." Galen's commentary reports much discussion of this physiognomic material among ancient commentators, medical people, and others. What *Epid.* 2 has to say is not out of line with ancient physiognomic lore.

2. Σπασμῶν, φωνὴ ἐν γονίμῳ λύεται, ἀπήλλακται τοῦ μεγάλου νοσήματος.

134

3. Λεχοῖ¹ δὲ πυρεταινούσῃ καὶ ἀλγεούσῃ, ὕδωρ καταχεῖν καὶ πτισάνην παχείην διδόναι τρὶς τῆς ἡμέρης, θερμὴν.

4. Παιδία τρέφεται ἐβδόμῳ μηνὶ ἢ ἐνάτῳ ἢ δεκάτῳ, καὶ ἴσταται τῇ φωνῇ, καὶ ἰσχυρὸς ἔπεται καὶ τῶν χειρῶν κρατεῖ. τῆς φωνῆς λυομένης πάντα λύεται, ἡ γὰρ φύσις τῇ φθέγγει ὁμοίῃ, λύεται δὲ ἐν γονίμῳ.

5. Ἦν αἱ φλέβες σφύζωσιν ἐν τῇσι χερσὶ καὶ τὸ πρόσωπον ἐρρωμένον καὶ ὑποχόνδρια μὴ λαπαρὰ² ἦ, χρονίῃ ἢ νοῦσος γίνεται· ἄνευ σπασμοῦ οὐ λύεται, ἢ αἵματος πολλοῦ ἐκ τῶν ῥινῶν, ἢ ὀδύνῃς ἐς τὰ ἰσχία.

6. Τοῦ λαιμοῦ ὕδωρ θερμὸν³ κατὰ τῆς κεφαλῆς καταχεῖν ἣν μὴ ψῦχος ἦ· ἣν δὲ μή, ἄλῃτον ὡς θερμότατον διδόναι καὶ οἶνον ἄκρητον.

7. Ταραχῆς⁴ γαστρός, κυάμους ἐφθούς διδόναι ἣν μὴ τὰ ἄνω κατακορέα⁵ ἦ, ἢ κύμινον διδόναι τρώγειν μετὰ τῶν κυάμων.

8. Ἀπόληψις δὲ⁶ τοῦ νοσήματος οὐκ ἂν γένοιτο εἰ μὴ ἐν γονίμῳ ἡμέρῃ, οὐδὲ ἂν ἀρχὴ γένοιτο ἣν μὴ ἀγόνῳ ἡμέρῃ καὶ μηνὶ ἔτει δὲ γονίμῳ.

¹ R: λέχοι VIII

² λίπα V

³ ψυχρὸν (v.l.) Gal. comm.

⁴ ταραχῇ (i.e. -ῇ) V

⁵ κατακορέα: "rein" Gal. comm.

⁶ om. V

2. Spasms: the voice is released on a productive day. He is freed from the great disease (epilepsy).

3. If a woman who has given birth has fever and pain, pour water over her, give her thick barley gruel, warm, thrice daily.

4. Children are nurtured in the seventh month, or the ninth, or tenth. They are established in speech, strength follows, they control their hands. When the voice is released, everything is released, for one's nature is like speech, and it is set free on a productive day.

5. If the veins in the arms throb and the face is strong and the hypochondria be not sunken, the disease becomes chronic. It is not resolved without spasm, or much blood from the nose, or pain in the hips.

6. For the throat, pour warm water over the head unless the weather be cold. Otherwise give meal as hot as possible, and undiluted wine.

7. For upset intestines, give boiled beans unless the upper intestine be saturated (bilious), or give cumin to nibble with the beans.

8. Removal of the illness could not occur save on a productive day, nor could it begin except on a barren day and month, but in a productive year.^a

^a One is tempted by Erotian's interpretation, "odd" and "even" for "productive" and "barren," but there is force in Galen's argument here in favor of interpreting "critical" and the opposite. Galen tries to connect these to the critical numbers in other Hippocratic works, especially *Prognostic*, which contain both odd and even numbers, 4, 7, 11, etc. (see Loeb Hipp. vol. I). I do not feel that I have made out just what the author or assembler of these aphorisms had in mind. Galen relates this and the following aphorism to epilepsy.

9. Λίτρον αἰγύπτιον καὶ κορίανον καὶ κύμινον τρίβοντα σὺν ἀλείφατι ξυναλείφειν.

10. Ὅσα θνήσκει, ¹ ἀνάγκη γονίμῳ ἡμέρῃ καὶ γονίμῳ μηνὶ καὶ γονίμῳ ἔτει. προλέγειν δὲ ὀρθῶς ἂν ἔχοι θάνατον ἢ ὀδύνας ἰσχυράς, οἷον ἦν τὰ ὅμματα μὴ ἔρρωται ὁ θάνατος ἐν τάχει. ἦν ² ἐν γονίμῳ ἔτει γίνηται ἀπ' ἀμφοτέρων γονίμους ³ ἀνάγκη γενέσθαι· ἦν δὲ ἀγόνῳ ἔτει καὶ ἀγόνῳ ἡμέρῃ, θνήσκειν ἀνάγκη γονίμῳ ἡμέρῃ. ⁴

11. Τοῦ ἀριθμοῦ τρίτῃ ⁵ ἰσχυροτάτῃ. ⁶

12. Κυνάγχην καὶ ὀφθαλμίνην φλεβοτομεῖν. ⁷

136 13. Τρωθέντος ἐντέρου, ἡ ἀναπνοὴ ἔρχεται | κάτω ἀφανῆς κατὰ τὸ τρῶμα καὶ κενοῦται τὰ στήθεα. διδόναι οὖν γάλα ⁸ καὶ οἶνον ἴσον ἴσω.

14. Ὡν κατακορέα τὰ στήθεα, ψελλοί, μανιώδεις, καὶ φαλακροί· τούτων ὅσοι ἐκ γενεῆς καὶ στρεβλοί, ἀσύνετοι, ἡλιθίωντες ⁹ ἢ μαινόμενοι· οἷσι δὲ μὴ. ἑτέρου κακοῦ λύσις.

15. Περὶ φύσιος δύναμιν πλείστην ἔχει τιτθός, ὀφθαλμὸς δεξιός. ταῦτά τῶν κάτω καὶ ὅτι ἐμπέφυκε τοῖσι δεξιοῖσι τὰ ἄρσενα.

¹ θνήσκειν V ² ὦν V

³ γόνιμον Gal ("muss es gedeihen")

⁴ θνήσκειν . . . ἡμέρῃ om. HIR (add. in marg. II)

⁵ τρίται (v.l.) Gal.

⁶ ἰσχυροτάτην (om. τοῦ . . . τρίτῃ) Rufus apud Gal.

⁷ φλεβοτομή HIR ⁸ γάλα ἢ V

⁹ ἢ λιθίωντες mss. Gal.: corr. Erm.

9. Egyptian nitre (sodium carbonate) and coriander and cumin: grind them, add to anointing oil, and apply.

10. All deaths must occur on a productive day, in a productive month and a productive year. And one might be able correctly to predict death or severe pain. For example, if the eyes do not function, death will come quickly. If it be in a productive year they (day and month) are necessarily productive from the two of them, but if it is in an unproductive year and on an unproductive day, the death will necessarily come on a productive day.^a

11. In numbering, the third day is the most powerful.

12. For sore throat and ophthalmia, phlebotomy.

13. When the intestine is wounded, breath comes below by the wound invisibly, and the chest is emptied. Give milk and wine in equal proportions.

14. Those whose chest is saturated^b stammer, tend to mania, are bald. Those of them that are congenitally cock-eyed are witless, silly, or maniacal. If not, there is a cure for the other evil.

15. The right breast and the right eye have the greatest force with regard to nature. The same with the lower parts, also because the male is engendered on the right.

^aI find the Greek here translatable, though not entirely coherent. Two of the three productive times (day, month, year) must coincide. It is still not clear what produces productiveness. Galen reads this section as three distinct aphorisms, of which he considers the first true (interpreting productive as critical). The second, on prediction, he considers potentially true but badly put. The third he takes to be a statement about birth and death in which productive and its opposite mean even and odd. That he considers un-Hippocratic nonsense.

^bGalen interprets "hairy"; "bilious" is the common interpretation.

16. Γυναιξὶν ἐπιμήνια ὥστε ἴσχειν, σικύην μεγίστην¹ παρὰ τὸν τιτθὸν προσβάλλειν.

17. Τρίμηνον παιδίον πάντα δηλοῖ καὶ γάλα² τότε ἔχει.

18. Ἦν πολλὸν ῥέῃ γάλα, ἀνάγκη ἀσθενεῖν τὸ ἐν γαστρί.³ ἦν στερεώτεροι ἔωσιν οἱ τιτθοὶ ὑγιηρότερον τὸ ἔμβρυον.

19. Φλὲψ ἔχει παχείη ἐν ἑκατέρῳ τιτθῷ· ταῦτα μέγιστον ἔχει μόριον ξυνέσιος.

20. Στραγγουρίην λύει φλεβοτομίη.

21. Ἦν τὰ ἄνω χωρία σπαργᾶ τὰ περὶ τὴν κεφαλὴν, ἐλκέων κάθαρσις, ἔμετος.

22. Ὑδρωψ, ἀπὸ γαστρὸς ταραχῆς ἢ ἀπὸ βηχός.

22b. Καρκίνου γινομένου, τὸ στόμα πικραίνεται· διδόναι δὲ πίνειν ἐλατήριον δις ἢ τρίς ἦν μὴ ψέλλος ἦ· ἐπιδεῖν δὲ⁴ χαλκοῦ ἄνθος, καύσας ἔστ' ἂν⁵ πυρρὸν ἦ, καὶ σπογγίην, ἦν μὴ ψέλλος ἦ.

23. Ἀλύκης, φρίκης, χάσμευς, οἶνος ἴσος ἴσῳ ἢ γάλα.

24. Ὡτὸς περιωδυνίην,⁶ σικύην προσβάλλειν.

25. Ὅτι ἂν τῶν ἄνω πονέη, ὀδύνη ἐς τὰ ἰσχία ἢ ἐς τὰ γούνατα, καὶ ἄσθμα λύει πάντα τούτων γινομένων.⁷

¹ μεγάλην Gal.

² μέγα HIR

³ τὸ παιδίον V

⁴ δεῖ HIR

⁵ ἔως ἂν HIR

⁶ περιωδυνίη V

⁷ γενόμενον HIR

EPIDEMICS 2.6

16. To restrain menstruation in women, apply a very large cupping instrument to the breast.^a

17. The three-month child exhibits everything, and the mother has milk then.

18. If much milk flows, the fetus must be weak. If the breasts are more solid the embryo will be healthier.

19. There is a thick vein in each breast. These things have the largest part in understanding.^b

20. Phlebotomy relieves strangury.

21. If the upper parts around the head are swollen, use cleansing of wounds, vomiting.

22. Dropsy, from intestinal upset or cough.

22b. When a cancer has developed, the mouth becomes bitter. Give a purgative to drink twice or thrice, unless the patient be a stammerer. One must bind on rust of bronze, having heated it red hot, and a sponge, unless the patient be a stammerer.

23. For anxiety, shivering, yawning: wine with equal parts of water, or milk.

24. For painful ear, apply a cupping implement.

25. If there is distress in any upper area, pain to the hips or the knees or asthma resolves all these things when they occur.

^a *Aph.* 5.50.

^b Cf. *Epid.* 2.6.32, below.

26. Εἴλεοῦ λαπαροῦ, | ψυχρὸν οἶνον πολλὸν ἄκρητον
κατ' ὀλίγον¹ διδόναι, ἔστ' ἂν ὕπνος ἢ σκελέων ὀδύνη
γένηται· λύει δὲ καὶ πυρετὸς καὶ δυσεντερὴ ἄνευ ὀδύ-
νης. ἦν ὑποχόνδριον τεταμένον ἦ, πιέζειν τῇ χειρὶ καὶ
λούειν.²

27. Παρωνυχίης, κηκὶς μέλαινα ἐν μέλιτι.

28. Ὑδατος ἀφιεμένου, γάλακτος ὀκτὼ κοτύλας
δοῦναι πιεῖν· ἦν δὲ ἐμέῃ καὶ μὴ πίνῃ, μυττωτὸν
δριμύν.

29. Ὡστε ἔχειν γυναῖκα ἐν γαστρί· πωλύπια ὑπὲρ
φλογὸς ὀπτῶντα, ὡς θερμότατα καὶ πλεῖστα, ἡμί-
φλεκτα διδόναι τρώγειν,³ καὶ τρίψαντα λίτρον
αἰγύπτιον καὶ κορίανον καὶ κύμινον, κόλλικας ποι-
εῦντα, προστιθέναι τῷ αἰδοίῳ.⁴

30. Ἦν ἐκ κραιπάλης κεφαλὴν ἀλγέῃ, οἶνου ἀκρή-
του κοτύλην πιεῖν·⁵ ἦν δὲ ἄλλως κεφαλὴν ἀλγέῃ,
ἄρτον ὡς θερμότατον ἐξ οἶνου ἀκρήτου⁶ ἐσθίειν.

31. Ἦν ἄνθρωπον θέρμη ἔχῃ μὴ ἀπὸ χολῆς μηδὲ
ἀπὸ φλέγματος ἀλλ' ἢ ἀπὸ κόπου ἢ ἄλλως πυρεταίνῃ,
ὔδωρ θερμῆναι πολλόν, ἔπειτα ὑπερχέων τὴν κεφαλὴν

¹ Hipp. De crīsis 56: κατὰ λόγον mss.: "allmählich" Gal. comm.

² HIR (v.l.) Gal.: λύειν Gal.: καὶ λούειν om. V

³ τράγειν V

⁴ πρὸς τὸ αἰδοῖον V

⁵ πίνειν V

⁶ σὺν οἶνῳ ἀκρήτῳ HIR

26. For mild ileus,^a give much chilled wine undiluted in small quantities until sleep or leg pain occurs. Fever and dysentery without pain also relieve it. If the hypochondrium is stretched, knead it with the hand and bathe the patient.

27. Suppuration under the fingernail: black oak gall in honey.

28. When water is taken away, give eight cotyls^b of milk to drink. If there is vomiting and the patient will not drink, give astringent *muttatos*.^c

29. To produce conception, give, as hot as possible, inkfish roasted over a flame, very hot and half-cooked, to nibble. Grind Egyptian nitre, coriander, and cumin, make small balls and insert in the vagina.^d

30. If the patient suffer in the head from a hangover, give him a half pint of neat wine to drink. For other pains in the head have him eat very warm bread dipped in neat wine.^e

31. If heat seize a man, not from bile or phlegm, but from fatigue or other feverish condition, heat much water,

^a Intestinal obstruction.

^b About four pints.

^c A paste of honey, cheese, and garlic, though Galen says in his commentary here that it is a soup of bread and onion or garlic.

^d Cf. the recipe in *Epid.* 2.6.9 above.

^e Cf. above, *Epid.* 2.5.18.

βρέχειν μέχρι τοὺς πόδας ιδρώσει.¹ καὶ ἄλητον
 ἔψεσθαι ὡς παχύτατον. ἐπὴν δὲ ιδρώσῃ τοὺς πόδας ὡς
 πλεῖστον, ἄλητον² καὶ θερμότατον ἐσθίων καὶ οἶνον
 ἄκρητον ἐπιπίνων, περιστειλάμενος ἱματίοισιν ἀνα-
 παυέσθω. 31b. Εὐσκόπως³ ἐμεῖν,⁴ ναρκίσσου δύο ἢ
 τρεῖς κεφαλὰς ἐπὶ τῷ δείπνῳ ἐσθιέτω.

32. Τῷ μέλλοντι μαίνεσθαι τόδε προσημαίνει.⁵
 αἷμα συλλέγεται αὐτῷ ἐς⁶ τοὺς τιτθούς.

¹ μέχρις ἂν . . . ιδρώσῃ HIR

² ἄλητον ὡς πλεῖστον mss.: I correct this from Galen's comm.

³ εὐκόπως HIR

⁴ Smith: ἡμῖν mss.: "Erbrechen" Gal.

⁵ προσημαίνει τὸ σημεῖον HIR

⁶ ἐπὶ HIR

EPIDEMICS 2.6

pour it over his head to soak it until the feet sweat. Boil thick gruel and, after the feet sweat generously, have him eat the gruel hot, drink undiluted wine, cover himself with cloaks, and rest. 31b. To vomit prudently, eat two or three heads of narcissus after dinner.

32. For one who is going to go mad, this sign foretells it: blood gathering in the breasts.^a

^a Cf. *Aph.* 5.40.

ΕΠΙΔΗΜΙΩΝ ΤΟ ΤΕΤΑΡΤΟΝ

V 144
Littre

1. Μετ' ἰσημερίην καὶ μετὰ Πληιάδα οἶα τὰ ἀνεσθιόμενα καὶ βλεννώδεα· ὧ¹ τὴν κεφαλὴν ὧξα ἀπῆλθεν ὑπὲρ τοῦ ὠτός. τῷ παρὰ Λεωκύδεος ἐν ποδί. Φανοδίκου οἱ δάκτυλοι οἱ ἐν τῷ ποδὶ ἐπὶ τοῦ στήθεος. ὁ τμηθεὶς τὴν κνήμην, ταύτῃ μὲν καὶ ἐμελάνθη ἥ τὸ μέγα ἔλκος ἐν τῷ ἔξω τῆς κνήμης, καὶ ἐκ τοῦπισθεν ἦει· ἐπεὶ καθαρὸν ἐγένετο,² πλευροῦ ὀδύνη καὶ στήθεος κατ' ἴξιν, ἀριστεροῦ, καὶ πυρετοί. ἀπέθανεν ἀπὸ τοῦ πυρετοῦ.

2. Τὸ χολῶδες τῷ σχοινοπλόκῳ κατακορές, καὶ τὰ καυστικά. καταφερομένῳ περὶ ἰσημερίην κάτω αἷμα πολὺ διήλθε. γέροντι πάνυ σφόδρα ἀπεγένετο οὐ πρόσω τεσσαρεσκαίδεκα ἡμερέων. τῷ δὲ στιγματίῃ³ παρὰ τὰντιφίλου⁴ καυστικῷ κριθέντων ἐβδόμη χολώδει τυφώδει,⁵ τρίτῃ μετὰ κρίσιν ἦει⁶ οὕτως. αἷμα ἔπτυε.⁷ περιεγένετο, καὶ ὑποστροφὴ ὕστερον ἐγένετο. ἐκρίθη ὡς εἰκὸς περὶ Πληιάδων δύσιν τὸ πρῶτον, μετὰ δὲ Πληιάδων δύσιν χολώδης ἐς μανίην. κρίσις⁸ περὶ ἐνάτην ἄνευ ἰδρώτος.⁹

¹ ἄ HIR ² ἐγένετο HIR

³ I.: στίγματι ἦ V: στήγματι ἦ III: στήγματι ἦ R

⁴ παρ' ἀντιφίλου HIR ⁵ τυφώδει ἦ I: τ. ἦ HIR

⁶ ἦ I: ἦ HIR ⁷ ἔπτυσσε HIR

EPIDEMICS 4

1. After the equinox and the Pleiades, the affections were like consuming ulcers and mucous sores. The man whose head I opened had drainage behind the ear, the one in Leocydes' house on the foot. Phanodicus' toes were towards the ball of the foot. The man whose calf was cut developed a blackness on the outside of the calf where there was a large ulcer, which spread from the rear. After it became clean he had pain in the ribs and chest on the corresponding side, the left, and fever. He died from the fever.

2. The biliousness of the ropemaker was extreme, and the caustic fever. He was prostrated by it around the equinox and passed much blood below. An old man lost much, not before fourteen days. The branded slave near Antiphilus', who had caustic fever with crisis on the seventh day, biliousness and delirium, had the same evacuation on the third day after the crisis. He spat up blood. He survived and had a later relapse. It is likely that the first crisis was around the setting of the Pleiades. And after the setting of the Pleiades he was bilious to the extent of madness. A crisis about the ninth day, without sweating.

⁸ κρίσις περιεγένετο HIR

⁹ ιδρώτων HIR

3. Περὶ ἰσημερίην ὁ Καλχηδόνιος¹ ἀπὸ πυλέων μετακομισθεὶς παρ' ἀγορὴν, ῥήγματος, περὶ μαζὸν δεξιὸν ὀδυνώμενος, ἔπτυνεν | ἄλλοτε καὶ ἄλλοτε ὑπόχλωρον· γαστὴρ χαριέντως·² ἰδρῶς ἀρξάμενος ἐβδόμη εἶχε τὰ πολλὰ ἄχρις³ ὀγδόης. ἐκρίθη τεσσαρεσκαideκάτῃ. περὶ τεσσαρακοστὴν ἦρθη περὶ τὰ ὦτά οἱ ἀμφότερα οὐκ ἀπεοικός. ἐδόκει ἔμπυος ἔσεσθαι, οὐκ ἐγένετο.

4. Στῆθος Ἀριστοδήμῳ ἐκαύθη τῷ Φίλιδος, ὁμοίως⁴ ἀπέβη ἐκ πτώματος καὶ τούτῳ. προυπήρχε δὲ ὀδύνη τις ἀνωτέρω.

5. Μετ' ἰσημερίας φθινοπωρινὰς ὑποστροφαί, καὶ ἄλλως ἄχρι⁵ τροπέων χειμερινῶν.

6. Μεθ' ἡλίου τοῦ θερινοῦ ἡ Ἀχελώου ἐκταίῃ ἀπέφθειρεν ἐμετώδης⁶ ἐοῦσα καὶ φρικώδης· καὶ ἰδρῶτες· κρίσις τεσσαρεσκαideκάτῃ· ὅποσάμηνον οὐκ οἶδα· ἄρσεν δὲ καὶ ἄλλο πρὸς τὰς εἴκοσιν ἔφη, εἰ ἀληθέα οὐκ οἶδα.

7. Περὶ ἡλίου τροπὰς χειμερινὰς βόρεια ἦν. ἰκτεριώδεις ἐγένοντο κατακορέως, καὶ οἱ μὲν φρικώδεις, οἱ δὲ καὶ⁷ οὐ. γλῶσσαι ξυγκεκαυμέναι τρίτῃ, καὶ ὄχλοι περὶ ἔκτην καὶ ἐβδόμην, οὗτοι⁸ μακρὰν ἀποτείνοντες ἐς⁹ τεσσαρεσκαideκάτην. γαστέρες ἀντεχόμεναι καὶ ἐν τῇσι φαρμακεῖσιν οὐχ ὑπακούουσai κατὰ λόγον τῶν

¹ καρχηδόνιος V² χαριέντως om. HIR³ μέχρι V⁴ Li.: οἷως mss.⁵ μέχρι HIR⁶ αἱματώδης HIR⁷ om. HIR⁸ καὶ οὗτοι HIR⁹ om. HIR

3. Near the equinox, the Chalcedonian carried from the gates to the agora, with a fracture, severe pain by the right breast, spat greenish matter periodically. His belly did well. Sweat, beginning on the seventh day, was practically continuous until the eighth. Crisis on the fourteenth. About the fortieth he had mild swellings by both ears. It appeared he would become purulent. He did not.

4. The chest of Philis' son Aristodemus was cauterized. He, too, developed his affection from a fall. A pain in the upper area was the beginning for him.

5. Relapses after the fall equinox, and generally until the winter solstice.

6. At the summer solstice, Achelous' wife aborted on the sixth day, with vomiting and shivering. There were sweats, crisis on the fourteenth day. How many months pregnant I do not know. She said that she had lost another, a male, towards the twentieth day. I do not know whether that was true.

7. There was northerly weather toward the winter solstice. Patients became thoroughly jaundiced: some shivered, some did not. Their tongues were burnt on the third day. Upsets toward the sixth and seventh, which lasted a long time, to the fourteenth day. Intestines held back, not obedient to purgatives as they are in fevers. No

148

πυρετῶν, καὶ ἀνιδρωτες· σπλῆνες ἔστιν οἷσι σμικροὶ σκληροί.¹ πρὸς ὑποχόνδρια δεξιὰ ἐντεταμένοι² καὶ πρὸς χεῖρα βορβορύζοντες,³ αἰμόρροοι, καὶ οὔροιςιν ἢ κάθαρσις καὶ ἢ κρίσις. πολλῶ δὲ μᾶλλον εἶχοντο κάτω, καὶ γὰρ τοῦτο ἀπελαμβάνετο⁴ ὑπὸ τὸν χρόνον τοῦτον οἷσι μὴ οὕτως ἦν, σπλῆνες δὲ⁵ ἐπηρμένοι, αἰμορραγίῃ ἐξ ἀριστεροῦ. ἥλιος | ἐτράπετο, τὰ χειμερινὰ χειμερίως ἐν βορείοιςιν, μετὰ δὲ ὀλίγον νότια ἦν ἐφ' ἡμέρας πεντεκαίδεκα, μετὰ δὲ ταῦτα νιφετὸς τεσσαρεσκαίδεκα ἡμέρησιν· ἀμφὶ ταῦτα τοῦ ἔτεος ἰκτεριώδεις κατακορεῖς οὐ κρινόμενοι εἰλικρινέως, φιλυποστροφώδεα. μετὰ⁶ χιόνας νότια ὑπεγένετο καὶ ὑέτια. κόρυζαι κατερράγησαν⁷ καὶ ξὺν πυρετοῖςιν καὶ ἄνευ,⁸ ἐνὶ δὲ τινι καὶ ἐς ὁδόντας ἐκ τοῦ μέσου⁹ προηलगηκότε ἐπὶ δεξιὰ καὶ ὀφρῶν καὶ ὄμμα. ἦσαν δὲ καὶ βραγχώδεις, καὶ φάρυγγες φλεγμαίνουσαι, καὶ οἱ σπύγγοι καλεόμενοι ἀνείχον καὶ τὰ παρὰ τὰ ὦτα ἐπάρματα μαλακὰ καὶ γνάθον ξὺν¹⁰ πυρετῶ καθίστατο. ἀρχομένοιςιν πυρεταίνειν ἐγένετο ἐπάνω καὶ ἐπὶ θάτερα τὰ πολλὰ τούτων, καὶ οἱ σπύγγοι εἰσὶν οἷσιν ὑπὸ τὸ μετόπωρον καὶ χειμῶνα, ἀτὰρ καὶ τὰ πιτυρώδεα· καὶ ἀπέφθειραν πολλὰ παντοίως καὶ ἐδυστόκεον. ἕκτη τῇ παρθένῳ κριθέντα, ἕκτη ὑπετροπίασεν, ἐκρίθη δὲ δι' ἕκτης. πάντα ἐν τούτοιςιν τοῖς χρόνοιςιν ἑκταῖα ὀγδοαῖα ἐκρίνετο.

¹ om. HIR (H adds it above the line)² ἐκτεταμένοι HIR

sweating. Some had small, hard spleens. They had tension toward the right hypochondrium, rumbling when felt by the hand. Hemorrhages, purging by urine, and crises followed. But those whose affections did not follow this course (and they were far more numerous in that period) were bound up below. Their spleens were swollen; they had hemorrhage from the left nostril. Then the sun turned, winter was stormy and northerly and a little later southerly for fifteen days. Then it was snowy for fourteen days. In that part of the year jaundices, deep-colored ones, without clear crises; tendencies to relapse. After the snow, southerly weather and rains came on. Flows of phlegm broke through, both with and without fever. It went to the teeth of one who had previously had pain from the center to the right around the eyebrow and eye. There were hoarseness and inflamed pharynxes. The glands called sponges retained it, and soft swellings developed beside the ears and by the jaw with fever. At the beginning the fever occurred in the upper regions and on both sides for the most part, and the sponges for some towards fall and winter, and also the scrofulous eruptions. Many women aborted in many fashions, and had difficult births. For the maiden, reaching crisis on the sixth day, it returned on the sixth and reached crisis on the sixth. All affections reached crisis on the sixth or eighth day in that period.

³ ὑποβορβορίζοντες HIR ⁴ ἐπελαμβάνετο HIR

⁵ δὲ καὶ HIR ⁶ μετὰ δὲ HIR

⁷ κατέαγησαν V ⁸ ἄνευ πυρετῶν HIR

⁹ μέσου] ἀπομέσου HI: ἀπὸ μέσου R

¹⁰ παρ' ὧτα καὶ γνάθον ἐπάρματα μαλθακὰ καὶ ξὺν HIR

8. Περὶ Πληϊάδων δύσιας ἡ Μαιανδρίου τοῦ τυφλοῦ αὐτίκα χλωρὸν καὶ αὐτίκα πυῶδες ἔπτυσεν· περὶ ἔκτην καὶ ἥπατος ζύμωσις καὶ κάτω ὑποχώρησις ὀλίγη. σαρκοπυῶδεα ἄνω· ὀλίγα λευκὰ πλατέα ἀνέπτυσεν. ἀπόσιτος. ἀπέθανεν ἐγγὺς εἰκοσταίῃ.

9. Ἡ¹ ἐκ τῶν γειτόνων Θεότορος οἰκέτις· ἐκ καυστικῶν ὑποχωρήσις,² χολώδεος συχνῆς ὑποχονδρίου ἐντεταμένου, τῇ ἔκτῃ ἐξ ἐπισχέσιος ἡ κοιλίη λεπτὰ συχνὰ ἐς ἅπαξ διῆλθε, καὶ εὐθέως ἰδρωσε καὶ ἐκρίθη, καὶ ἡ κοιλίη ἔστη· ἐς δὲ τὴν αὐτὴν ὥρην ριγώσασα ἐπυρέτηνε³ καὶ ἐς τὴν αὐτὴν πάλιν ὥρην.

10. Ἡ Θερσάνδρου, λευκοφλεγματοῦδος οὐ πάνυ ἐοῦσα, θηλάζουσα | ἐπυρέτηνεν ἐν ὀξεί.⁴ ταύτῃ γλῶσσα⁵ ξυνεκαύθη τῶν ἄλλων ξυγκαιομένων ὑπὸ τὸν χρόνον τοῦτον. γλῶσσα δὲ⁶ ἐτρηχύνετο ὥσπερ χαλαζώδει πυκνῶ, καὶ ἐλμίνθια κατὰ στόμα. περὶ τὰς εἴκοσιν⁷ οὐ τελέως ἐκρίθη.

11. Περὶ δὲ Πληϊάδων δύσιας ὁ ἐκ⁸ Μητροφάντου τὴν κεφαλὴν πληγεὶς ὑπὸ ἐτέρου παιδὸς ὀστράκῳ, καὶ ἀπογενόμενος δωδεκαταῖος ἐπυρέτηνε·⁹ προφάσιος δέ, σμήχουσα¹⁰ ἔτριψε τὰ περὶ τὸ ἔλκος τις,¹¹ καὶ μετεψύχθη. ἐξήρθη¹² τὰ χεῖλεα αὐτίκα, διελεπτύνθη τὸ δέρμα πανταχῇ πρόσω ἀπὸ τοῦ ἔλκεος.¹³ πρισθέντι δὲ

¹ om. IR ² ὑπὸ χλωρίσης V

³ ἐπυρέταινε IR

⁴ ἐπυρέταινεν ὀξύ HIR

⁵ ἡ γλῶσσα HIR ⁶ τε HIR

⁷ περὶ δὲ τὴν εἰκοστὴν HIR: περὶ δὲ τὴν η' I

⁸ ἐν HIR ⁹ ἐπύρεσσε HIR

8. Near the setting of the Pleiades the wife of blind Maeandrias suddenly started spitting greenish purulent matter. Near the sixth day infection (lit.: fermentation) of the liver, small bowel movement. Purulence of flesh above. She spat up a few white flat fragments, could not eat. Died near the twentieth day.

9. The servant of Thestor's neighbors: after caustic fever, continuous bilious excrement, hypochondrium tight; on the sixth day, after being bound up, her intestine passed, once, much thin matter. She began straightway to sweat, and reached a crisis. Her bowels settled. Towards the same hour her fever and shivering recurred, and again towards the same hour.

10. Thersander's wife, slightly leucophlegmatic, was nursing; she developed acute fever. Her tongue was burned, and she was parched generally at that time. Her tongue grew hard like thick hailstones, and there were worms in her mouth. Incomplete crisis about the twentieth day.

11. At the setting of the Pleiades, the boy from Metrophantus' house, wounded in the head with a potsherd by another child, became feverish after twelve days had passed. The explanation: the woman who washed the wound rubbed the area around it and it took a chill. The lips of the wound puckered and the skin all around it grew

¹⁰ ὅτι σμήχων HIR

¹¹ om. HIR

¹² καὶ ἐξήρθη HIR

¹³ πολλαχῇ ἀπὸ τοῦ ἔλκεος πρόσω HIR

οὐ βραδέως οὔτε πύον ἐρρύη οὔτε ἐκουφίσθη, παρὰ δὲ τὸ οὖς ἐδόκει παραπυήσκειν¹ ἐπὶ τῇ γένυϊ ἐπὶ τὰ ἀριστερά, ταύτῃ γὰρ καὶ τὸ ἔλκος· ἔπειτα τοῦτό τε οὐκ ἀπεπύει καὶ ὁ ὦμος ὁ δεξιὸς ἐνεπύησε ταχέως. ἀπέθανε περὶ τέσσαρας καὶ εἴκοσιν.

12. Μετὰ Πληϊάδων δύσιας ὁ τὸ οὖς² περὶ εἴκοσιν ὕστερον ἄφωνος τὰ ἐπὶ δεξιὰ τε ἀκρατῆς. ἀπύρετος ἴδρωσε. δεξιὸν οὖς, δεξιὸς ὀφθαλμὸς ἐστήκει οὐ κάρτα, καὶ ἐφείλκετό³ τι ἐκ τοῦ κάτω μέρους. ἀριστερὰ δὲ ἴλλαινεν ὥς ὀδυνώμενος.⁴ τράχηλος σκληρὸς ἀπενέγετο τὴν αὐτὴν⁵ ὥρην ἴσως. ὠδυνήθη ὕστερον.

152 13. Μετὰ Πληϊάδων δύσιν ὁ θεράπων ὁ τοῦ Ἀττικοῦ ὑπὸ τεταρταίου ἀλισκόμενος, τυφώδης⁶ ἰδρύνθη. ἕτερος τὴν αὐτὴν ὥρην ἀληθεῖ τυφομανίῃ.⁷ ἐς ἰσχία καὶ σκέλεα ἦλθεν ὀδύνη. ἐπαύετο, ποσταῖος οὐ γινώσκω. ταύτην τὴν ὥρην φρικώδεις ἐμετώδεις καὶ μετὰ κρίσιν ἀπόσιτοι καὶ χολώδεις, καὶ σπληνγες μεγά-
λοι | σκληροί, ὀδυνώδεις, καὶ αἱμορραγικοί. τοῖσι δὲ τὴν αὐτὴν ὥρην μετὰ Πληϊάδων δύσιας ἐκ ῥινῶν αἷμα χολῶδες⁸ ἐπισπλήνοισιν.

¹ παραπυῖσκειν HIR

² οὖς ἀλγήσας HIR

³ ἐφῆλκωτό V

⁴ ἴλλαινεν ὥς ὀδυν. Smith: ἴλλαεν (-αινεν R) αἰνῶς ὁ ὀφθαλμὸς ὀδυνώμενος HIR: ἴλλαεν αἰνῶς ὀδυν. V

⁵ τὴν αὐτὴν Smith: τρίτην mss. et edd.

⁶ τυφλώδης VHIR (τυφώδης H)

⁷ τυφλομανίῃ HIR (-φ ο- H)

⁸ χλωῶδες HIR

thin. He was trephined without delay, but no pus ran off, nor was he eased. It was expected that he would fester beside the ear, at the jaw, on the left side (that was the side of the wound). As it happened, that failed to fester, and the right shoulder quickly developed an abscess. He died around the twenty-fourth day.

12. After the setting of the Pleiades, around twenty days later the man with ear trouble lost his voice and had loss of faculty on the right side. Sweat without fever. The right ear and right eye would not stabilize, and there was drawing from the part below. On the left he squinted as from pain. His neck became hard perhaps about the same time. Afterward his pain recurred.

13. After the setting of the Pleiades the servant of Atticus, taken by a quartan, settled into a coma. Another at the same season, genuine *typhomania*.^a Pain came into the hips and legs, stopped, I don't know which day. At that time they had shivering, vomiting, no appetite after the crisis, were bilious. Spleens large, hard, painful and hemorrhagic. Some in the same season after the setting of the Pleiades had bilious blood from the nose in affections of the spleen.

^a Typhomania: the word "comatose" in the previous sentence is *typhodes*; *typhomania*, as Galen says in his glossary, should mean lethargy with delirium, although elsewhere he indicates that there was doubt about the meaning in antiquity.

14. Ἐν Κραννῶνι τῇ Νικοστράτου ληφθείση τεσσαρεσκαιδεκάτῃ ἔφθασεν¹ αὐτίκα ἀκράτεια² τραχήλου καὶ τῶν ἄλλων, καὶ σῖτος ἐγκατεκλείσθη μέχρι δεκάτης. πνεῦμα πυκνὸν σμικρόν·³ ἀκрасίη· ψηλαφῶσα δακτύλους, παραλέγουσα,⁴ ἰδρῶτες. εἰλκύσθη ἐπὶ δεξιὰ⁵ τράχηλος, στόμα, ὄμμα, ῥίς. οὖρων ὑπόστασις λευκὴ ὀροβώδης, ἐτέρη λευκὴ ξυσματώδης, ἄλλη⁶ ὑπόχλωρος λεκιθώδης· ταύτῃ ἔστιν ὅτε ὡς πιμελῶδες ἐφίστατο,⁷ τοῦτο ἀθρόον, οὐκ ἐπὶ πολὺ διεσκεδασμένον, οἶον τὸ ἐναιώρημα διεστηκός, οἶον ἔξω ἐξ οἴου⁸ τὸ ὑφιστάμενον ἔπειτα οὐρεῖται. καὶ τὸ μὲν τι τοιοῦτον· τὸ δὲ ἰδρυμένον ἄλλο τοιοῦτον ὀλίγον ἐπὶ πλατὺ διεσκεδασμένον, ἄλλο τεταραγμένον. ἕτερον τοιοῦτο ἐναιώρημα νεφελίου ὑπομέλανος δοκέοντος πάχος ἔχειν, χαύνου δέ. ἄλλο λεπτόν. ἄλλο ἐναιώρημα λεπτόν τοιοῦτον. ἄλλο οἶον ἵππου. ἄλλο οἶον τὰ ζοφώδεα.⁹

15. Ὁ πρῶτος παρενεχθεῖς, μειράκιον· τούτῳ οὖρον καθαρὸν λεπτόν, πάντων διαχώρησις λεπτὴ πολλὴ ἄχολος, γλῶσσα τρηχέη πάνυ, πυρετὸς περικαής, ἄγρυπνος, κοιλὴ κυρτή. οὗτος παρέκρουσεν, οἶμαι ὀγδόῃ, τρόπον τὸν ἀκόλαστον, ἀνίστασθαι, μάχεσθαι.

¹ ἔφθασαν V

² Foës: ἀκράτεια mss.

³ om. V

⁴ παραλέγουσα mss.: παραλέγειν Gal. 7.950 K

⁵ τὰ δεξιὰ HIR

⁶ ὀρροβ. . . ἄλλη HIR: ξυσμ. ἄλλη ὀρροβ. ἔτ. λευκὴ V

⁷ πιμελῶς δὲ ἐφίστατο I· πιμελὴ διεφίστατο II

14. In Crammon, Nicostratus' wife, who had had a seizure, on the fourteenth day suddenly experienced weakness in the neck and other parts, and food was shut in (constipation?) till the tenth. Fast, shallow breathing, loss of control, groping around with the fingers, delirious talk, sweat. Neck drawn to the right, also her mouth, eye, nostril. There was one sediment in her urine: white, like vetch seed; another, white, like scrapings; another, yellowish, like egg yolk. With that one sometimes a scum like fat: it was thick, not much dispersed, like the separated, suspended matter that occurs after urine has been withheld. Some was of that sort, some quite stable. In another instance a small amount of that kind scattered over a flat plane. In another instance it was turbid. Another: suspended matter of blackish clouds, that appeared to have thickness but were unsubstantial. In another instance it was thin; another of that kind but thin suspended matter. Another was like that of a horse, and another opaque.

15. The first to have delirium, a young man. His urine pure and thin. Much feces of all sorts, thin, not bilious. Tongue very hard. Burning fever, sleepless, belly bulging. He was delirious on the eighth day, I think, in the irrepressible way: leapt up, fought, used very foul language. (He

⁸ οἷον οὐ HIR

⁹ V adds πόσα ("How many there were!")

αἰσχρομυθεῖν ἰσχυρῶς, οὐ τοιοῦτος ἔων. τούτῳ, ἀθρόον |
 οὖρων πολλῶν ἐλθόντων λεπτῶν ἐξ ἐπισχέσιος. ὕπνος
 ἐγένετο ξυνεχῆς, καὶ ἰδρῶς κρίσιμος δοκέων ἐξ οὐ τοι-
 ούτου,¹ ἴσως περὶ δεκάτην. ἔπειτα ἐξεμάνη τε αὖτις
 καὶ ἀπέθανε ταχέως ἑνδεκαταῖος, προφάσιος οἶμαι
 πιεῖν² ἄκρητον συχνὸν πρὶν ἐκμανῆναι ὀλίγω. ἔτεα³
 αὐτῷ εἴκοσιν ἐγγύς.

16. Τοῦ φθινοπώρου ἡμεσε χολὴν μέλαιναν ἢ Εὐμέ-
 νεος, καὶ ὁδμαὶ⁴ δὲ πρόδηλοι καὶ οἱ φρικώδεις πυρετοὶ
 καὶ αἱ καρδιαλγίαι χολώδεις, βραχεὰ ἀνεμοῦσα καὶ τὸ
 ἐλμίνθιον· διαχωρήματα λεπτὰ πάντα τὸν χρόνον.

16b. Πρὸ Πληϊάδων δύσιος ὀλίγον τε⁵ περὶ αὐτὰς αἶ-
 τε αἰμορραγίαι, καὶ βραχύτεροι οἱ πυρετοὶ καὶ ὑποστρο-
 φώδεις αὐτίκα βραχείησιν ὑποστροφῇσι, καὶ ἀπόσιτοι
 καὶ ἐφθοὶ καὶ ἀσώδεις καὶ καρδιαλγείς καὶ θηριώδεις ἐν
 τῇσι κρίσεσι καὶ ριγώδεις καὶ χολώδεις.

17. Μειράκιον ξεῖνον τρίτη αἷμα ἐκ ρινῶν πολὺ, καὶ
 τετάρτη καὶ πέμπτη· ἕκτη ἴστατο. κοσμίως παρέκρου-
 σεν ἑβδομαῖος· γαστὴρ ἐστήκει, κωματώδης ἦν. ὑπο-
 στροφή τριταίῳ, ἐξέλιπε γαστὴρ ἀντεχομένη. οὖρον
 οὐκ οἶδα· περὶ κρίσιν οἶον ἔδει.

18. Περὶ δὲ Πληϊάδων δύσιος νότια καὶ ὑέτια ἦν.

¹ τοιοῦτος HIR

² τοῦ πιεῖν HIR

³ ὀλίγω ἔτεα H: ὀλιγοετέα V: ὀλίγα ἔτεα IR

⁴ αἱ ὁδμαὶ HIR

⁵ Li.: ὀλίγον τὸ V: ὀλίγωντο I: ὀλιγώντο H: ἐλέγοντο R

wasn't that type.) He passed great quantities of thin urine after retention. He developed continuous sleep, and sweat which seemed critical, after not being so, perhaps towards the tenth day. Then his madness resumed and he died suddenly on the eleventh day. The cause, I think: he drank much undiluted wine just before going mad. He was near twenty years old.

16. In the fall Eumenes' wife vomited black bile. There was an obvious odor; fever with shivering; bilious heartburn; she vomited small quantities, including worms. She had thin bowel movements throughout.

16b. Before the setting of the Pleiades and for a time near them, hemorrhages, briefer fevers which tended to relapse immediately with brief relapses. They were unable to eat, languid, nauseous, cardalgic, had worms at the crisis, shivering, biliousness.

17. The young foreigner, on the third day, much blood from the nostrils, also on the fourth and fifth. It stopped on the sixth. He was delirious in a decorous way on the seventh. His bowel was stopped. He was comatose. Downturn on the third day, bowel let loose from being stopped. I do not know how the urine was. At the crisis it was as it should be.

18. Around the setting of the Pleiades weather south-

μειράκιον,¹ μυξώδεα υπόχολα πέποννα γλίσχρα διαχωρήματα συχνά.² πῦρ | ξυνεχές,³ γλῶσσα ξηρή. ἐκρίθη ἑκταῖος, ἑβδομαῖον αὐτὶς ἔλαβεν· ἀφῆκεν αὐθημερὸν τρόμῳ. ὥτὸς ῥεῦμα κατ' ἀριστερὸν γλίσχρον παχὺ ἕκτη.

19. Τῷ παιδίῳ τῷ φαγεδαινωθέντι ὀδόντες οἱ ὑποκάτω καὶ τῶν ἄνω καὶ τῶν κάτω οἱ ἐμπρόσθιοι ἀνέπλεον· ἔγκοilon εἶχον. ὁστέον ὦν μὲν ἐκ τῆς ὑπερώης ἀπέρχεται, μέση ἵζει ἢ ρίς, ὦν δὲ οἱ ἄνω ὀδόντες οἱ ἐμπροσθεν, πλατεῖα ἄκρη. ἀριθμούμενος⁴ ὁ πέμπταιος ἀπὸ τῶν ἐμπροσθεν, τέσσαρας ρίζας κατὰ δύο ξυνεζευγμένας ὥς πρὸς ἑκάτερον τῶν γειτόνων ὀδόντων, ἄκρας ἀποκεκαμμένας ἐς τὸ ἔσω μέρος πάσας. παρὰ τὸν τρίτον ὀδόντα ἀποπυήματα πλείω ἢ περὶ τοὺς ἄλλους πάντας, καὶ τὰ ἐκ ῥινῶν παχέα ῥεύματα καὶ ἀπὸ κροτάφων ὀδύναι ἐκ τούτου μάλιστα γίνονται. ἐσθίεται οὗτος μάλιστα. ὁ πέμπτος ἐκ μέσου μὲν κόνδυλον εἶχε, δύο δ' ἐμπροσθεν· ὁ σμικρὸς πρῶτος ἔνδοθεν κατὰ τοὺς δύο ἐβέβρωτο. ρίζαν μίαν παχέην ὀξέην εἶχεν ὁ ἑβδομος. Τῷ Ἀθηνάδεω⁵ παιδίῳ ἄρσενι ὀδῶν ὁ⁶ ἐπ' ἀριστερὰ κάτω, ἄνω δὲ ὁ⁷ ἐπὶ δεξιὰ. τούτου οὗς δεξιὸν ἐνεπύησεν οὐκ ἔτι ἀλγέοντος.

¹ κατὰ τότε μειράκιον HIR

² συχνὰ διαχωρήματα HIR

³ συνεχές HIR

⁴ ἀριθμούμενοι V

⁵ Ἀθηναίῳ δὲ HIR: ἀθῆω δὲ I

⁶ ὀδόντες οἱ V (cf. Epid. 5.44)

⁷ οἱ V

erly and rainy. A young man, feces mucous, bilious, ripe, slimy, frequent. Continuous fever. Dry tongue. Crisis on the sixth day. It seized him again on the seventh, but departed the same day with trembling. Thick, sticky flow from the left ear on the sixth day.

19. The child with the phagedaenic ulcer (eroding sore): his lower teeth and the upper ones in front floated out, leaving a hollow. In those whose bone goes away from the palate, the nose sits down in the middle; in people whose upper front teeth are missing, it has a flattened tip. The number five tooth was separated from the first four, whose roots joined into two—each of the neighboring teeth joined—all of the tips were bent inward. There was more festering around the third tooth than around any other, and thick flows from the nostrils, and pains in the temples came especially from this one. This tooth was consumed especially. The fifth had a "knuckle" in the middle and two in front. The small first tooth was corroded inside by the two adjoining. The seventh had a single, sharp, thick root. The male child of Athenades: lower left tooth, upper right. He had festering in the right ear after the pain had gone.

20. Μετὰ¹ Πληϊάδα εὐδίαί ἐπινέφελοι καὶ ὀμίχλαι.² κρίσιες πεμπταῖαι καὶ ἑκταῖαι καὶ ἑβδομαῖαι, ἔτι δὲ καὶ μακρότεραι. ὑποστροφώδεις οἱ πυρετοὶ καὶ ἔστι³ πλανώδεις καὶ ἀπόσιτοι καὶ χολώδεις, καὶ δυσεντερίαὶ ἀπόσιτοι πυρώδεις. περὶ Πληϊάδων δύσιας νότια ἰσχυρῶς ἦν καὶ⁴ αἱμορραγίαὶ καὶ τριταιοφυεῖς⁵ καὶ ἡπιαλώδεις. ὁ ἐν τῷ σκυτείῳ ἡμορράγησε, κατακορῆς διαχώρησις | ὀλίγη, ἐκρίθη ἑβδομαῖος ῥίγει. ὁ παῖς ὁ παρὰ τὸ ἔσχατον καπηλεῖον ἡμορράγησε τεταρταῖος πολλόν. αὐτίκα ἐφλυήρει· γαστήρ ἀντίσχετο, ὑποχόνδριον ὀδυνῶδες,⁶ σκληρόν. πρὸς βάλανον ἑκταίῳ ὑπῆλθε κακὰ χλωρά. ἑβδόμη πρῶτ' ῥιπτασμός πολὺς, βοή, φλεβῶν σφυγμοὶ παρ' ὀμφαλόν.

20b). Ἐν τοῖσιν ὀξυτάτοισι τῶν πυρετῶν οἱ σφυγμοὶ πυκνότατοι καὶ μέγιστοι. οἷον τὸ ἐς δείλην παροξύνεσθαι, τοιοῦτον ἐν πάσῃ τῇ νούσῳ. πρὸς τὰς ἀρχὰς δὲ καὶ οἱ παροξυσμοί, καὶ τὸ πρῶταίτερον σκεπτέον καὶ τὸ ξυνεχέων καὶ τὸ τοῦ ἐνιαυτοῦ.

20c. Μετὰ Πληϊάδων δύσιας νότια.⁷ πέμπτῃ κρινόμενα, διαλείποντα <μίαν>,⁸ μίαν λαμβάνει. τὰ δὲ φολλικώδεα ἐπιφλυκταινούμενα, οἷα τῷ Ἀκανθίῳ λατύπῳ.⁹

¹ μετὰ δὲ HIR

² ὀμίχλαι HIR

³ Lind.: τὸ mss.

⁴ om. HIR

⁵ τριταιοφυεῖς HIR

⁶ ὀδυνώδεες VHIR: corr. Asul.

⁷ νότια ἦν V

⁸ add. Deichgräber

⁹ λατύπῳ HIR

20. After the Pleiad, pleasant weather with clouds and mist. Crises on fifth, sixth, seventh, and even later days. Fever tended to relapses, to produce delirium, loss of appetite, biliousness, and there were dysenteries with loss of appetite, high fever. About the setting of the Pleiades, much southerly weather. Hemorrhages, tertian-like fevers, nightmare fevers (*epialoi*). The man at the shoe shop had hemorrhage, a few bilious feces. Crisis on the seventh day with shivering. The boy (slave?) in the last shop hemorrhaged much on the fourth day. Straightway talked nonsense. Bowels stopped up. Painful, hard hypochondrium. After a suppository on the sixth day he passed greenish, bad material. On the seventh, early, tossing about, loud crying out, throbbing of blood vessels by the navel.

20b. In the most severe fevers the pulse is strongest and most frequent. When exacerbations are towards afternoon, the same occur through the whole disease. One must examine the exacerbations at the beginning, and what occurs earlier, the character of the continuous fevers and that of the year.

20c. After the setting of the Pleiades, southerly weather. Crises on the fifth day, remissions one day, accessions one. Scaliness and blisters, as with the mason Acanthius.

20d. Περὶ δὲ Πληϊάδων δύσιας ὑποψωρώδεα καὶ τὰ τρηχέα, οὐκ ἐπιδακρύοντα μὲν μᾶλλον¹ ταύτην τὴν ὥρην, ἀτὰρ καὶ τὰ λειχηνώδεα,² οἷα³ τῇ Πυθοδώρου καὶ τῷ καπηλίῳ⁴ ἔξιν πυρετῷ ἅμα ἀρχομένῳ σχεδόν. τῇ Πυθοδώρου ἰσχία ἀκρατέα.

20e. Μετὰ Πληϊάδων δύσιας φρικώδεις, αἰμορραγικοὶ ἐκ ῥινῶν. ὁ μὲν γ' λάβρως, ὁ⁵ σκυτεύς, ἐκρίθη ἑβδομαῖος, μίαν διαλιπών, μίαν ἐλάμβανεν αὐτὶς, τετάρτῃ ἐκρίθη. ἄλλος τῶν παρὰ Λεωκύδεος ἐκρίθη ἑβδόμῃ, ἄλλος τετάρτῃ. Μόσχος, ἐνάτῃ λάβρον ἐξ ἀριστεροῦ, βραχὺ δ' ἐκ δεξιοῦ.⁶ πρὸς τὰς τεσσαρεσκαίδεκα ἐς κρίσιν ἦ ἔδει· ἀρξάμενα παρωξύνετο ἀμαρτάνες βρωμάτων ἰζ' ἐγένοντο.⁷ παρὰ τὸ οὖς ἐπὶ δεξιὰ σμικρὸν ἔσωθεν σκληρόν, ἔξωθεν σμικρὸν χαῦνον ὀδυνῶδες, οὐδὲν ἐπιδιδόν· ἐννεακαιδεκάτῃ ἀπεγέγνετο νυκτός.

160

20f. Τοῖσι πάνυ χολώδεσιν, ἐμπύοισι μάλιστα, ὀλῶ ἰκέλη⁸ ἢ κάθαρσις· οἷον ὁ τὴν σικύην προσβαλλόμενος ἐπεὶ ἐς τὸ ἰσχίον ὀδύνῃ, τούτῳ ἐς σκέλος⁹ κάτω ἦλθε, καὶ ἐρρήϊσεν. ὁ ἀπὸ τοῦ κεραμέου ἱπνοῦ¹⁰ καταπεσών, ᾧ οὐ προσεβλήθη αὐτίκα σικύη, ἐκάμφθη¹¹ ἔσω, καὶ

¹ τρηχέα τὰ κνησιμώδεα οὐκ ἐπιδακρύοντα μᾶλλον μὲν HIR

² The mss. add ἐξαιρόμενα ταῦτα here; I exclude it as a gloss

³ οἷα V: ἦν οἱ I: ἦν οἱ H: ἦν οἱ R

⁴ κατηλίῳ HIR ⁵ ὁ μέντοι HIR

⁶ δεξιοῦ μυκτῆρος HIR ⁷ ἐπεγένοντο V

⁸ ὅλως ἐπὶ σκέλεα V (cf. Epid. 2.3.1, Gal. Gloss. s.v. ὅλον)

20d. Around the setting of the Pleiades, there appeared slightly itchy, hard areas, without weeping to a greater extent in that season. Also the tumified pustules as with Pythodorus' wife and the shopkeeper, virtually at the commencement of fever. Pythodorus' wife had weakness in the hips.

20e. After the setting of the Pleiades, fevers with shivering, hemorrhages from the nose. The shoemaker, who bled vigorously, had a crisis on the seventh: it remitted one day and again came for one; crisis on the fourth day. Another, one of Leocydes' people, had a crisis on the seventh day, another on the fourth. Moschus bled vigorously on the ninth from the left nostril, and briefly from the right: towards the fourteenth he reached the appropriate crisis. It started again, grew worse. There were errors in diet at the seventeenth day. By the ear on the right, a small hardness inside, a small spongy area outside, painful; it did not increase; on the nineteenth day, it disappeared in the night.

20f. Very bilious people, especially when there are abscesses, have purgings like ink of cuttlefish;⁹ for example, the one who had the cupping glass applied, when he had pain at the hip: it went below to the leg, and he was eased. The one who fell from the kiln in the ceramic factory: he did not have the cupping glass immediately; it

⁹ "Like ink of cuttlefish" should perhaps be amended to read "towards the legs," the reading of ms. V and of *Epid.* 2.3.1, a parallel passage.

⁹ σκέλεος V

¹⁰ ἰππου mss.: corr. Struve

¹¹ ἐκαύθη HIR

εἰκοστῇ ἐπαλιγκότησεν, αἱμορραγικὰ¹ καὶ τρυγώδεα καὶ ἐσθιόμενα.

20g. Ἡ Τενεδίη τεταρταίη ἀπέφθειρεν, ὡς ἔφη, τριηκοσταῖον ἄρσεν. γαστήρ ὑγρὰ λεπτά, ξυνεκαύθη γλῶσσα· κρίσις τεταρταίη.

20h. Μετὰ Πληϊάδων δύσιας σπληνώδεα, καὶ μέχρι πέμπτης ἔρρει. ἐκρίθη ἑβδομαίω² ἔόντι, οὖρον οἶον ὀρόβων πλύμα, ὅμοιον αὐτὸ ἐωυτῶ, ἔπειτα καθαρὸν· ὑποστροφή. διέλειπέ τε καὶ τῷ Μεγαρέος, πλὴν αἷμα³ οὐκ ἔρρῦη. οὖρον οἶον τὸ Ἀντιγένεος·⁴ λευκόν, παχύ, ὅμοιον.

21. Ἡλίου χειμερινῶν τροπέων ἄστρον οὐ σμικρόν, πέμπτη δ' ὕστερον καὶ ἕκτη⁵ σεισμός. ὅτ' ⁶ ἐν Περίνθῳ ἦμεν, ἡ ἀσθματώδης ἡ Ἀντιγένεος, ἡ οὐκ ᾔδει⁷ εἰ ἔχει· ἐρυθρὰ ἐπιφαινόμενα ἄλλοτε· | καὶ ἄλλοτε γαστήρ σμικρὴ, ἄλλοτε μεγάλη, οἶομαι. βήσουςσα γὰρ ἐτύγχανεν ὁδοιοπορήσασα⁸ θᾶσσον. μεῖς⁹ ἦν ὄγδοος. ἰδρύθη προπυρεταίνουσα.

¹ αἱμορραγικαὶ V

² ἐβδ. δὲ HIR

³ ὑποστροφή τίς διέλειπε ε' καὶ τὸ μεγαλόσπληνον αἷμα V: Langholf conjectures ὑποστροφή τῇ ε' διέλειπε ε'

⁴ Ἀρτιγένεος HIR

⁵ καὶ ἕκτη] ἐκάστων HIR

⁶ ἢ τ' HIR

⁷ εἰδυῖα HIR

⁸ ὁδοιοπορῆσαι mss.: corr. Erm.

⁹ μὴν HIR

turned inward, and on the twentieth day it became nasty: hemorrhages, thick expectoration which was corrosive.

20g. The woman from Tenedos aborted on the fourth day, so she said, a thirty-day-old male fetus. Intestines watery, thin. Tongue parched. Crisis, fourth day.

20h. After the setting of the Pleiades one had splenic problems, hemorrhage until the fifth day. Crisis on the seventh day, urine like wash-water of vetch seeds, uniform throughout, later pure. Relapse. It remitted also for the son of Megareus, but he had no hemorrhage. Urine, like that of Antigenes, white, thick, uniform.

21. During the winter solstice, a large star. On the fifth and sixth following, earthquake. When we were in Perinthus the asthmatic woman, Antigenes' wife, who did not know whether she was pregnant. She had red patches on her skin sometimes. Sometimes her belly was small, sometimes large, I think. She had come down with a cough after a hurried journey. It was the eighth month. It had become established after a spell of fever.

22. Ἡ δὲ τοῦ Ἀπημάντου ἀδελφεοῦ γυνὴ ἀπέφθει-
 ρεν ἐξηκονθήμερον ὥς ἔφη ἑβδομαίη θῆλυ. περὶ δ'
 ἐνάτην ἐθορυβήθη. μετὰ δὲ κρίσιν¹ τὰ δεξιὰ ἤλγει ὥς
 ἂν ὑπὸ ἀποστροφῆς. αὕτη εἶχε ταχέως καὶ ἀπέφθειρεν
 ἑτέραν² λευκοῖσιν. θυγατέρα ἔτεκεν ἐρυθροῖσιν³ ὥς
 ἔδει.

23. Φρικώδεις ἀσώδεις ἀπόσιτοι ὑποστροφώδεις
 χολώδεις αἰμορραγικοὶ ὑπόσπληνοι ὀδυνώδεα τρόπον
 ἐκ τῶν ἀριστερῶν οἱ πλεῖστοι. τῇ Ἀπημάντου, ἥ
 ἔστραπτο, ταύτη τὸν ὀφθαλμὸν τὸν δεξιόν, τὸν δὲ
 κενεῶνα ἐπὶ τὰ ἕτερα. ἡ Ἀριστοφῶντος θυγάτηρ τῇ
 τρίτῃ καὶ τῇ πέμπτῃ ἐπυρέτηνε. ξηρὴ διετέλει τὰ
 πλεῖστα, γαστήρ μέντοι ταραχώδης. ταύτη δύσκριτα
 ὑπὲρ τριήκοντα ἐπαύσατο. φλύκταιναι μὲν ἐκ κόπων
 οὐ κάρτα ἰσχυρῶν ἀφικνεῦνται, ἐς ἐβδόμην ὑποπέλιοι.
 ῥίγος τῇ ὀπισθεν τοῦ Ἡρώου παιδίσκῃ ἐγένετο. αἱ δὲ
 λευκαὶ μεγάλαι οὐδ' αὐταὶ πάνυ χρησταί. τῶν
 164 κατο|χέων καὶ ὑπνωδέων καὶ μὴ ξυμπιπτόντων καὶ
 χολῆς ἀντεχομένης, καὶ ἦν ὑγρὴ ἢ ἡ σκληρὴ, οὐ ξυμ-
 πίποντες.

Ζωΐλου τοῦ τέκτονος τρομώδεις σφυγμοὶ νωθοί.
 οὖρησις καὶ κοιλίη μετρίως ἀχρόως. ἥτρου ἔντασις
 ἐκατέρωθεν ἐς ἰθὺ μέχρι ὀμφαλοῦ σὺν ὀξεί. ἀπόσιτος,
 διψώδης.

¹ Asul.: κρίσιν mss.

² Smith: ἑτέρη mss.

³ ἐν ἐρυθροῖσιν IIR

22. The wife of Apemantus' brother on the seventh day aborted a female fetus of sixty days, she said. Around the ninth she was upset. After the crisis she had pain in the right side as though it had turned back up. She conceived again immediately, and aborted another girl with white fluxes. She gave birth to a girl with red fluxes, as is proper.

23. Patients were shivering, nauseous, without appetite, relapsing, bilious, hemorrhagic, splenic, mostly of a painful sort on the left. In Apemantus' wife it turned about: she had a painful eye on the right and painful flank on the left. Aristophon's daughter was feverish on the third and fifth day. She was dry throughout for the most part, but her belly was upset. It stopped around the thirtieth day without a clear crisis. Blisters came up from work that was not severe; on the seventh day they were somewhat livid. The young woman behind the Heroon had shivering, and large white ones (blisters?), but they were not very productive. In catalepsy and drowsiness, if there is no collapse, even if the bile (i.e. bilious feces?) be withheld, whether it be wet or dry they do not suffer collapse.^a

Zoilus the carpenter had a sluggish trembling pulse. Urine and intestines slightly off color. Stretching of lower abdomen on both sides in a straight line up to the navel with a point. No appetite. Thirsty.

^a I give the general sense of this apparently corrupt sentence.

24. Ἡ παρὰ τῇ Κόμει¹ ἀγορηνόμου θυγάτηρ· ἐν γαστρὶ ἀσήμεως ἀρξαμένη διμήνου ἔμετος φλεγματώδης, ὅτε δὲ χολώδης, ἔρρηξε. χαλεπῶς ἔτεκε, τελέως ἐκαθάρθη. ἔμετος ὁμοίως μέχρι τριηκοστῆς, ἔπειτα γαστὴρ ἐταράχθη, καὶ ὁ ἔμετος ἐπαύσατο. λειεντερίη. γυναικεῖα οὐκ ἐγένετο δύο ἐτέων.² χειμῶνος ἔσχεν αἱμορροΐδας.

25. Οἱ δύο ἀδελφοὶ οἱ τοῦ Κέκροπος οἰκεῖοι, οἷσι τὰ μέλανα κατ' ἀρχὰς διήκει, ὑπότρυγα καρυκοειδέα,³ ἐκ κατακορέων ἀφρωδέων χλοώδεις⁴ ἦσαν. ὅς τὸν οἶνον⁵ ἐκ ξυνθήκης ἦρεν, ἐπυρέτηνεν⁶ αὐτίκα. τριταίῳ ἡμωράγησεν, τετάρτῃ καὶ πέμπτῃ καὶ ἐβδόμῃ καὶ ὀγδόῃ· ἐκρίθη· κοιλίη ὑγρή. ὁ ἐκ μετάλλων,⁷ ὑποχόνδριον δεξιὸν | ἐκτεταμένον,⁸ σπλὴν μέγας, κοιλίη⁹ ἐντεταμένη, ὑπόσκληρος,¹⁰ πνευματώδης, ἄχρους· τούτῳ ἐς γόνυ ἀριστερόν· ὑποστροφὴ· δι' ὅλου ἐκρίθη. ὁ Τιμένεω εἶχε τι πνεύματος, ὥς χλοώδης εἶναι· ὅτε¹¹ ἐς χεῖρας χλοώδης. ὁ τῆς λεχοῦς ἀνὴρ ὁ παρὰ τὰ σιτοδόκα¹² ὁ ἱκτεριώδης, πρὸς ὃν ἐβδομαῖον ἐσῆλθον,¹³

¹ Τηκομαίω mss.: corr. Meineke

² Foës: ἐτέρων mss.

³ βαρυκοειδεα HIR: καὶ ῥυκκοειδέα V bis (i.e. also in the repetition of this section after *Epid.* 4.60) (cf. *Erot.* 49.6N)

⁴ χολώδεες V bis ⁵ ὄνον HIR

⁶ ἐπυρέταινεν HIR

⁷ τῶν μετάλλων Gal. *Diff. resp.* 7.951

⁸ ἐντεταμένον Gal. ⁹ καὶ κοιλίη HIR

¹⁰ ὑπόσκληρα HIR

¹¹ εἶναι ὅτε] εἰνέω τὲ vel sim. HIR

24. The daughter who lived with the wife of Comes, the market supervisor, conceived with no definite signs; at two months there broke out phlegmatic vomit, sometimes bilious. She had a difficult delivery. Complete purgation. Similar vomiting to the thirtieth day. Then her belly was upset and the vomiting ceased. Lientery. For two years her menses did not occur. She had hemorrhoids in the winter.

25. The two brothers who lived with Cecrops had black stools to begin with, like wine lees, like blood sauce: then after they had very bilious, foamy bowel movements, they were chlorotic. The one who lifted the wine^a from the depository became feverish immediately. He hemorrhaged on the third and again on the fourth, fifth, and seventh and eighth days. Crisis. Moist intestines. The one from the mines: right hypochondrium stretched, spleen large, belly tight, rather hard, flatulent. He was pale. His went to the left knee. Relapse. General crisis. Timenes' son had breathing symptoms and became chlorotic. Paleness sometimes extended to his arms. The husband of the recently delivered woman, the one who lived by the granary, the one with jaundice: I came to him

^a Or, following mss. HIR, "lifted the donkey."

¹² σιτοδόκου HIR

¹³ Gal. *Diff. resp.* 7.951: εἰσῆλθεν mss.

ὀγδόῃ ἀπώλετο οὔτε οὐρῶν οὔτε διαχωρέων· ὑποχόνδρια μεγάλα καὶ σκληρά, καὶ πνεῦμα πυκνόν. οὗτος¹ ἀπολλύμενος οὐδ' ὑπὸ τοῦ² πόνου ἐνότισε τὸ μέτωπον. ἡ τούτου γυνὴ ἐξέβαλε θῆλυ ἐβδόμη ἐν³ ἐβδόμῳ μηνί, ἐφάνη δὲ τετάρτη· ταύτην μὲν ἐν ἀρχῇ ποδῶν ὀδύνη εἶχε, λήγοντος⁴ δὲ τοῦ πυρετοῦ πνεῦμα οὐκ ἐλύθη, ἀλλ' ἐγκατελείφθη·⁵ ἐς χεῖρας ὀδύνη καὶ βραχίονα· ὑποστροφὴ διὰ μηκίστου ἔλαβεν· ῥίγος·⁶ ἐπέσχητο οὔρα πρὸ κρίσιος. τῇ παρὰ Τιμένεω ἀδελφεῇ⁷ ξὺν ῥίγῃ ἐκρίθη· τοῦ χλωώδεος δὲ⁸ λήγοντος ταχέως χεῖρες καὶ ὦμοι, τούτων δὲ ληγόντων κεφαλῆς, ὀφθαλμῶν· τὰ ἄνω βλέφαρα ἐπήρθη, καὶ ἔδακρυρροεῖ· οὐκ οἶδα τὰ λοιπά· ἐκρίθη περὶ ἐβδόμην τοῦ πρώτου. ὁ⁹ Μενάνδρου ἀμπελουργὸς ὡσαύτως, πλὴν ἡ¹⁰ γαστήρ κατ' ἀρχὰς λεπτὰ ἐδίδου, ἔπειτα ἔστη, καὶ τὸ οὔρον· ἐκρίθη· οὐκ ἐρρίγωσεν ἐβδόμη, ἦρα ὅτι γαστήρ προεταράχθη;

Ὁ Ποτάμωνος, τούτῳ¹¹ κοιλίῃ οὐ διήκει ἐβδομαίῳ·¹² πρὸ κρίσιος δύο ἡμέρας οὐκ ἐρρίγωσε· διὰ

¹ οὕτως V² om. HIR³ om. HIR⁴ διαίροντος Gal.⁵ ἐγκατελήφθη HIR⁶ Li.: οἶος mss.⁷ ἀδελφῇ V ⁸ om. V⁹ ὁ δὲ HIR ¹⁰ om. V¹¹ τούτου V¹² after ἐβδομαίῳ V repeats ὁ Ποτάμωνος

on the seventh day, he died on the eighth. No urine, no feces. Hypochondria large and hard. Rapid breathing. As he died he did not have a damp brow, not even from the agony. His wife aborted a female child in her seventh month on the seventh day. There were indications, on the fourth day. A pain of the feet possessed her at the beginning, and when the fever left her she did not lose the breathing symptoms, but they became fixed. The pain went to the hands and arm. The relapse was very lengthy. Shivering. Urine withheld before the crisis. The sister of Timenes (who lived with him) had a crisis with shivering. When the paleness stopped she quickly developed trouble in the hands and shoulders; when they improved, around the head and eyes. Her upper lids swelled. Many tears. I do not know anything more. Crisis on the seventh day the first time. Menander's vinedresser went in the same fashion, except that at first his belly produced thin matter, then stopped; also the urine. Crisis. He did not shiver on the seventh day. Was it because his belly was upset earlier?

Potamon's son: he did not have loose bowels on the seventh, and for two days before the crisis did not have

τοῦτο οὐδὲ τὸ οὖρον ἔσχετο. ὁ ὁδοὺς τοῦ¹ Ἥγησιστρατίου, ὃ τὸ² ἀποπύημα παρ' ὀφθαλμόν, καὶ ἀπεπύησε παρὰ τὸν ἔσχατον, καὶ αὖτις ἐξιήθη ὁ ὀφθαλμὸς καὶ κατὰ ῥίνας πύον ἤκε³ παχύ. παρὰ τὸ οὖλον σαρκία σμικρὰ στρογγύλα ἀπῆλθε. τούτῳ παρὰ τὸν τρίτον ἐδόκει ἀποπυήσιν,⁴ ἔπειτα ἀπετρέπετο. ἐξαίφνης δὲ ὤδησεν ἡ γνάθος καὶ ὀφθαλμοί.

Οἷσιν ἐς τοὺς ὀφθαλμοὺς ἀποστάσεις ἐν καύσοισιν, ἐξέρυθροι γνάθους καὶ αἱμορραγικοί, ἀτὰρ καὶ οἷσι παρὰ τὰ ὠτὰ ἐστιν· ἴσως δὲ καὶ ἀποστάσεις ἐς ἄρθρα μᾶλλον· οὐ μὴν σάφα οἶδα. τὰ ῥίγεα τρομώδεσιν.

Ὑποχονδρίου ἔντασις, γυναικεῖα ἐπεφάνη δεκάτῃ καὶ ἐβδόμῃ. ἐκρίθη διὰ τέλεος. ἡ γε μὴ⁵ οὕτως ἐνέμεινεν, ἐκρίθη τρίτῃ· ἄλλῃ πέμπτῃ· ἄλλῃ ἐβδόμῃ ἐκρίθη.

Τῷ Ἥγησιστρατίῳ οἱ δύο ἔσχατοι⁶ τὰ πρὸς ἀλλήλους ἐβέβρωντο· ὁ ἔσχατος εἶχεν ἄνωθεν τοῦ οὐλου⁷ δύο κονδύλους, ἓνα μὲν κατὰ βρῶμα, ἓνα δὲ ἐπὶ θάτερον· ἡ δὲ οἱ δύο, ταύτῃ ῥίζῃ⁸ πλατεία ἰκέλη ἐκ δυοῖν⁹ |

170 ξυνέπιπτεν· ἐπὶ τὰ ἕτερα μία ἡμίσεια στρογγύλη.¹⁰

¹ τῇ V

² ὃ τὸ] ὅτῳ HIR

³ ἡ καὶ V

⁴ ἀποπύησιν HIR

⁵ εἰ γε μὴ V: ἡ (ἡ R) γε μὴν (μὴ IR) HIR: corr. Li.

⁶ οἱ ἔσχατοι HIR

⁷ ὅλου V

⁸ ῥίζαι mss.: ῥίζα Langholf

⁹ Smith: δύο mss.

¹⁰ πρὸς στρογγύλη HIR

shivering. Because of that his urine was not withheld. Hegesistratius' tooth: he had a suppuration by his eye and also by his back tooth. The eye later healed and he exuded thick pus through the nostrils. At the gum, small, round, fleshy, globs came away. He seemed to be going to suppurate by the third tooth, then it turned back. Suddenly his jaw swelled, and his eyes.

When in burning fevers there are apostases to the eyes, patients get red at the jaws and have hemorrhages. Some have them by the ears. And maybe, also, more frequent apostases to the joints; I do not really know. Shivering is associated with trembling.

One woman: stretching of the hypochondria. Menses appeared on the seventeenth day, complete crisis. In cases where the menses were not held back one had a crisis on the third, another on the fifth, another on the seventh.

In Hegesistratius, his two back teeth were eaten away in the area where they met. The back one had two "knuckles" above the gum, one next to where it was eaten away, the other opposite. Where these two were, there was a single plinth-like root formed from two, and on the other side a single half round root.

Γυναικὶ ἡ¹ ἡμορράγησε τετάρτη καὶ ἕκτη, ἐβδομαίῃ ἐκρίθη· ἐξέρυθρος. γυναικὶ καρηβαρικῇ ἰσχυρῶς, ταύτῃ ἐκρίθη περὶ εἰκοστήν· εἰκοστῇ καυσώδης ὑποχόνδρια· ἐβδόμη οὐ κάρτα ἡμορράγησε· διαχωρήματα λεπτά· ἐς ὀφθαλμὸν δεξιὸν περὶ ὀγδόην. ἀνδρὶ ταῦτα πλὴν ἐβδόμη² ἐκρίθη. ὑπόσπληντος ἐς τὰ ἀριστερὰ ὀγδοηκοσταίῳ· καὶ χρονιώτερα τούτῳ τὰ τοῦ ὀφθαλμοῦ, ἴσως ὅτι ὕστερον τῆς κρίσιος καὶ ὅτι πολλῶ.³

26. Ἡ Τιμένεω⁴ ἀδελφιδῇ⁵ πνευματώδης, ὑποχόνδρια καὶ ἐντεταμένα ἐφάνη διὰ χρόνον· εἰ δὲ καὶ εἶχε τι νήπιον, οὐκ οἶδα. γαστήρ τὰ πρῶτα ἐστηκυῖα καὶ ἐμετώδης τότε, ἔπειτα οὐκ ἔτι. γαστήρ διήκει πολλὰ γλισχρόχολα, ὑποχόνδριον οὐκ ἐκώλυεν. ἐνδεκάτῃ ἐς τὸν μέγαν τῆς δεξιῆς φλεγμονή· κατάρρηξις, καὶ ἐπεὶ ἐχώρει ἀνωτέρω. τούτου γενομένου βελτίων ἐγένετο· καὶ γὰρ καταφορὴ ἦσσαν καὶ πυρετός, καὶ τινι καὶ εὐπνοωτέρῃ, ὅτι ἄνω ἡμεῖς ἐμετον κακόν. ἐξκαιδεκάτῃ ἰσχυρὸν ἐγένετο καὶ πνεῦμα πυκνὸν καὶ πυρετός· ἀπέθανεν. αὕτῃ ἐπύρεξε πρὸ τῆς ἀποστάσιος· ἐβδόμη μετὰ τὴν ἀπόστασιν ἀπώλετο· ἦν καὶ αὕτῃ τοῦ ἐξερύθρου τρόπου. |

172 27. Ὁ παῖς ὃς ἦν τῆς γυναικὸς τῆς τοῦ Ἀπημάντου ἀδελφεῆς, ὑποχόνδρια μεγάλα καὶ σπλὴν.

¹ γυναικείῃ V

² ἐβδόμης mss.: corr. Asul.

³ πολλά HIR

⁴ ἡμένεω (vel -έω) mss.: ἡ Τιμαίνεω Gal. Diff. resp. 7.953 K.

⁵ ἀδελφῇ HIR: om. Gal.

For the woman who had the hemorrhage on the fourth and sixth, the crisis came on the seventh: she was ruddy. The woman who was so heavy-headed had her crisis on the twentieth. On the twentieth burning heat in the hypochondria. No hemorrhage on the seventh. Thin feces. It went to her right eye on the eighth day. A man had the same except for the crisis on the seventh day. His spleen swelled on the left, eightieth day, and his eye problem lasted longer, perhaps because it came after the crisis, and perhaps because it came with much suppuration.

26. Timenes' niece had difficulty breathing. Hypochondria appeared tight for a long period. Was she carrying an infant? I do not know. Bowels stopped at first, when she tended to vomit, then free. They passed much slimy bilious matter. Hypochondrium did not inhibit it. On the eleventh day inflammation went into the large toe of the right foot. Diarrhea, even when there was evacuation upward. After this occurred, she improved: she had less delirium and fever, breathed slightly better, because she vomited up vile matter. On the sixteenth day it deflated; breathing rapid, and fever. Death. She was feverish before the apostasis.⁴ She died on the seventh day after the apostasis. She, too, was a rather ruddy type.

27. The slave (possibly "child") who belonged to the woman who was Apemantus' sister: enlarged hypochon-

⁴ *Apostasis*: the settling of the disease in the toe "which was not able to contain it," as *Epid.* 2.1.7 explains in apparent relation to this passage.

πνεῦμα·¹ διαχώρησις γλισχροχολος² ὑπόκοπος· κοπιώδης ἐξ ἔργων· εἰκοσταῖος ἐς πόδας, καὶ κρίσις.³ ἦρα τοῖσι κοπιώδεσιν ἐς ἄρθρα καὶ οὐκ ἐς ὀφθαλμόν; τὰ ὑποχόνδρια δὲ ἐντεταμένα⁴ ἦν καὶ δὴ καὶ ἦν⁵ τι βηχίον ξηρὸν ἰσχύη.⁶

28. Τὰ ἐγκαταλιμπανόμενα μετὰ κρίσιν ὑποστροφώδεα, καὶ τὰ ἐν αὐτῇσι τῇσι νούσοισιν ἀποκρινόμενα· πτύαλον προπεπαινόμενον,⁷ ἡ γαστήρ. ἀκρισίαι⁸ καὶ ταῦτα.

29. Ἀπημάντω, ὧ τὰ ἐν τῇ ἔδρῃ, ἀλγήματα ἐν τῷ δεξιῷ κενεῶνι, καὶ παρὰ τὸν ὀμφαλὸν κάτωθεν ὀλίγον· καὶ ἐκ δεξιοῦ πρὸ τοῦ ἀλγήματος οὔρει αἵμαλῶδες. ἔληξε τρίτῃ.⁹ καὶ ὁ τέκτων ἐπὶ τὰ ἕτερα· ἐκ τῆς αὐτῆς ἴσιος καὶ οὔτος οὔρει αἵμαλῶδες.¹⁰ λήγοντος δὲ ἀμφότεροι ὑποστάσεις εἶχον, καὶ τοῦτο¹¹ τρίτῃ, ἐπεχλιαίνετο δὲ πλεῖστα Ἀπήμαντος· ὁ ἕτερος οὐκ ἐνόει εἰ μὴ ἐπὶ τὰ ἀριστερά· καὶ Νικοστράτῳ προσεγένετό τι τὰ ὕστατα ἐκ τῶν δεξιῶν, κατώτερον ἢ οἷσιν ἐν τοῖσιν ἀριστεροῖσι, πρόμακρα δὲ πρὸ τοῦ κενεῶνος μέχρι πρὸς ὀμφαλὸν¹² ἀμφοτέροισιν.

¹ πνευματώδης HIR

² πικρόχολος Gal.

³ κρίσις V

⁴ ἐκτεταμένα HIR

⁵ ἦν Gal.

⁶ ἡσυχῇ Gal.

⁷ προσπεπαινόμενον V

⁸ Smith: ἀκρασίαι mss. Gal.

⁹ τῇ τρίτῃ V

¹⁰ Smith (cf. Erot. 64.9 N): προοῦρει αἵματῶδες mss.

¹¹ τούτῳ V

¹² ὀφθαλμόν V

dria and spleen, breathing problems. Slimy bilious feces mixed with normal. Easily tired from labor. On the twentieth day it went to the feet and there was a crisis. In fatigued people does it go to the joints and not the eye? However, the hypochondria were stretched, especially if his dry cough asserted itself.

28. Things left behind after the crisis indicate relapse. Also things separated in the disease itself: sputum that ripens too early, stomach problems. These things are signs of failure of crisis also.

29. Apemantus, who had problems in his seat: pains in the right flank and beside the navel slightly below. Before the pain began, from the right side he made bloody urine. That stopped on the third day. The carpenter, on the other side: he, too, produced bloody urine from the corresponding side. When it stopped, both had deposits, and that on the third day. Apemantus was very warm; the other man did not feel it save perhaps on the left. Nicos-tratus had it on the right at the last, lower down than the spot where he had it on the left, and protrusions on both sides in front of the flank up to the navel.

174 30. Ἡ γραΐη ἢ Κατωσσιλέω¹ λευκοφλέγματος,²
 κνήμαι σκληροῖσιν | οἰδήμασι λευκοῖσι πολλικώδεσι,
 καὶ πόδες, ἥσσον δέ. ἦν δὲ καὶ ἐν τοῖσι κάτω τῶν
 μηρῶν· τοῖσι δὲ πολλοῖσι δυσέξοδον τοῦτο· ἀτὰρ καὶ
 ὀσφύϊ· καὶ λεπτόγαστρος· ὑποχόνδρια ὑπολάπαρα,
 πνευματώδης³ δὲ οὐ κάρτα. ἦν δὲ ληγόντων τῶν πλεί-
 στων καὶ μελέτη⁴ ἄλλη·⁵ ἐγλαυκώθη⁶ ἡ ὄψις. ταύτη
 μὲν τῶν ὁμμάτων ἡσυχώτερα δὴ τι σμικρὸν⁷ ἦν, ἰσχύου
 δὲ καὶ σκέλεος ὑστερικὰ ἦν⁸ δοκέοντα ἀλγήματα εἶναι.
 προσθεμένῃ εὐῶδες ἐξ ἀλήτου καὶ μύρου ξυνέβη
 ταχέως ἀναυδωθῆναι καὶ τελευτῆσαι. χρόνος τῇ ἔς
 ὀφθαλμοὺς ἀποστάσει ἐνιαυτὸν περί· ὁ φακώδης⁹ ὦ
 καὶ τὰ ἐξανθήματα ἐξετάκη οὐ τελέως. ἔστι δὲ καὶ ἀπὸ
 τῶν συρμάτων τοιαῦτα.

31. Ἐν τῇ Ἱππολόχου κώμῃ παῖς, ὦ ἐν τοῖσιν ὑπο-
 χονδρίοις τὸ περιλαμβανόμενον περὶ ἀμφοτέρα ἦν
 ἐν¹⁰ τῷ τῷ, σκληρὸν δὲ καὶ κάτωθεν ἔχον ὑπόλαμψιν,
 ἐμφερῇ τῇ τοῦ χαλκέως τῇ ὑδρωπιώδει ἡ λευκὰ¹¹
 ἐλθόντα μέρος τι ἐλάπαξεν· ἦν δὲ καὶ αὐτὸ τοῦτο πρὸ
 τοῦ δεξιοῦ ὁμαλὸν τι ὑπερεξηρμένον, τῶν ὑπὸ τι περι-
 φέρειαν ἐχόντων. τούτῳ ὁ ὁμφαλὸς¹² ἐκ γυνῆς ἐμε-
 λάνθη καὶ ἔλκος βαθὺ ἐγένετο, καὶ ὁ ὁμφαλὸς¹² οὐ

¹ Gal. Gloss.: κατὰ Σωσιλέω HIR: κατασσωσίλειω V

² λευκοῦ φλέγματος V

³ Li.: πνευματώδες mss.

⁴ μελέτη καὶ HIR

⁵ ἄλλη ἢ VII: ἄλλη ἦν IR: I follow Littré's text.

⁶ ἐγλαυκώθη V

⁷ σμικρῶν HIR

⁸ ἦν VII

⁹ ὁ φακώδης] ὁμφακώδης HIR

30. The old woman in Lower Sosilis had white phlegm. Her lower limbs had hard, white, scabby swellings. Also her feet, but less so. Also below the thighs. In most this is hard to get rid of. Also the lower back. Thin at stomach, soft hypochondria, little difficulty breathing. When most of the symptoms disappeared she had another problem, glaucoma. Then her eye problems improved for a short time, but pains that appeared to be hysterical appeared in her hip and leg. When she was given a fragrant application of ground meal and myrrh she suddenly became voiceless and died. The time for the apostasis in the eyes: about a year. There was freckling where the eruptions were not dissolved completely. Such things come also from chronic scaly ulcers.

31. In the village of Hippolochus, a child: at his hypochondria the surrounding area on both sides was in the same condition, hard and shining underneath, reminiscent of the wife of the bronzesmith, the hydropic one, for whom white matter coming forth emptied out a part. She had the same thing on the front of the right side, similar and protruding, of the sort that have a border below. The boy's navel had become black after birth and a deep ulcer

¹⁰ om. HIR

¹¹ λεπτά HIR

¹² ὀφθαλμός V

176 μάλα οὐλὴ ἐγεγόνει, καὶ τὸ αἰδοῖον ἀκρόφιλον ἐγε-
γόνει, οὐ τοιοῦτον αὐτίκα ἐὼν οὐδὲ ξυγγενικόν. ἐπεὶ τε
μαῖλλον ἐγένετο, οὗτος ἀνήμει τὰ¹ πλεῖστα· πυρετός·
ἀποσιτίη· ὑγιάνθη. περὶ δὲ ἐβδόμην ἀπὸ κατακλί-
σιος,² πρόσθεν γὰρ προέκαμνεν, | ὕδωρ τε πολὺ πίνων
καὶ ἴσως ἄλλως, ὑποκατεφρόνει, ἐρριπτάζετο, καὶ τι
ἐσπᾶτο. λήγοντος δὲ τοῦ σπασμοῦ ἔλαθεν ἀποσβείς.
πρὸ δὲ τούτου οὔρησεν ἀθρόον, καὶ φύσαι διήλθον ἐν
βρόμῳ, καὶ τὰ ἄνω οὐκ ἐλάπαξεν οὐδέν. ἀπογενομένου
τε εὐθέως, κεῖνά τε ἐλαπάχθη ἰσχυρῶς, καὶ τᾶλλα
διεφοινίχθη ὥς μᾶστιξι πᾶν τὸ σῶμα πλὴν τούτου ἧ
μάλιστα τὸ ἔξαρμα ἦν, καὶ θερμὸς ἐπὶ συχνὸν ἦν. ὦ δ'
ἐν Ἀβδηρήροισιν ἐρράγη κάτω, ὧδαι πρόσθεν τὰ ἄνω,
διῆε δὲ ἀπυρέτω.³ τὸ δὲ ἔπαρμα ψαυόμενον εἵκελον
ἐμπύω ἦν.

32. Ἀσθματώδει οἰκέτιδι, ἔνθα τὴν στλεγγίδα,⁴
ἡμορράγησεν ἐν⁵ τοῖσιν ἐπιμηνίοισιν. ἐγένετο δὲ
ἄσθματα, ἐκεῖνα ἐπαύσατο· πυρετὸς ἐγένετο. μαζὸς
ἐνεπύησεν ἀριστερὸς ὑπερθεν, καὶ ἀπ' ἀρχῆς καὶ οὖς.

¹ ἀνήμει τὰ] ἂν ἢ μὴ μετὰ V

² τῆς κατακλίσιος HIR

³ Smith (exempli gratia): ὧδέε προσθέντα ἄνω δειδιότα
ἀπυρέτω V: ὧδ' ἔμπροσθεν ἀνώδαι ἀπυρέτω HIR

⁴ τὴν στλεγγίδα] ὅταν ἐτάγγια mss.: στ(λ)εγγίδα Erot. 77.9 N:
στρεγγίδα Heraclides (Erot.): corr. Heringa

⁵ om. HIR

developed. The navel had not become a scar, and the genital became bare on top, though that was not immediate, nor had it been so at birth. But when he grew worse he vomited most (of what he ate). Fever, lack of appetite. He got better. About the seventh day after taking to bed (he had been ill before that) drinking a lot of water, and perhaps from other causes, he was somewhat irrational, tossed about and had some spasms. When the spasms ceased, his fever had disappeared without his noticing.^a Before that, much urine, much gas passed loudly; the upper parts were not emptied at all. But as soon as there was evacuation, they emptied out powerfully, and on the rest of him he grew red as though he had been whipped over all the body, save in the area where the swelling was greatest, and became exceedingly warm. The male in Abdera who broke forth below had a swelling above initially, but it passed through without fever.^b But the swelling, touched, was like an abscess.

32. The asthmatic servant, when she was using the strigil, hemorrhaged at the time of her menses. She developed asthma, menses stopped. Fever developed. Left breast festered above; also the ear from the beginning.

^a Many interpreters take ἀποσβείς to describe the patient's death rather than the quenching of fever. That would alter the interpretation of other elements in the case history. I take the passage to describe, from the author's point of view, a crisis in which the source of swelling in the hypochondria was finally evacuated by being dispersed to the skin.

^b The text here is corrupt and unintelligible and I have restored it conjecturally. This section seems to express a parallel with that of the boy in Hippolochus' village.

33. Τῇ Ὀλυμπιοδώρου παιδίσκῃ αἷμα ἐκ τοῦ δεξιοῦ, καὶ ἐκρίθη ὡς εἰκοσταίῃ, οἷα καὶ τοῖσι πυρεταίνουσι, καὶ διαχωρήσεις ¹ οἷαι καὶ τοῦ | θέρους ἐπεδήμησαν· καὶ οἷα ἡ Ἰππώνακτος, καὶ οἷα ἡ ² οἰκέτις ἡ Ἀριστῆος ³ ὀγδόῃ.

34. Ἐν τῇσι τῶν φαρμάκων καθάρσεσι ⁴ κάτω σημεῖα· οἷα εὐφόρως φέρουσι, καὶ ἃ μὴ ⁵ παρὰ λόγον γνιούται, καὶ μήτε ἔπαφρα μήτε ὕφαιμα, ἀλλ' οἷα ὡά ἐστιν· οἷα Ἡρακλείδew, ἐκαθάρθη πολλὰ καὶ ῥηϊδίως ἔφερε.

35. Τῇ ἐν τῇ Βουλαγόρεw κώμῃ ⁶ ἀμφιαποφθαρείσῃ ⁷ ἤρξατο πυρεταίνειν ἐπισπλήνw, ἐχούσῃ ⁸ δὲ ⁹ καὶ δεξιὸν ὑπό τι μετέωρον μὲν οὐ, ἐντεταμένον δέ. οὔτοι καὶ ἐξέρυθροι γίνονται. μᾶλλον τι ἐξέρυθρος ἐοῦσα, κοιλὴν ἐν ἀρχῇσι τεταραγμένην. προσεδεχόμεν ἔς ὀφθαλμὸν στήριξιν ταύτῃ. ἐβδόμῃ ἀλμῶδες ἐκ τῶν ὀφθαλμῶν ἦλθε δάκνον δάκρυον, καὶ κατὰ ῥῖνα καὶ κατὰ φάρυγγα καὶ οὗς ἀριστερόν. πεντεκαιδεκάτῃ ἵδρωσε σὺν ῥίγει. οὐκ ἐκρίνετο πρὸ τοῦ ῥίγεος. ἐχλωρίασε κάρτα, καὶ προσώπου περίτασις ¹⁰ καὶ σύμπτωσις. τὸ οὗς κατ' ἴξιν τοῦ σπληνὸς καὶ τοῦ πλευροῦ ἦλγει.

¹ διαχωρήσῃ V

² οἷα Ἰππώνακτος καὶ ὕλη HIR

³ Ἀριστείδου HIR

⁴ καθάρσεις HIR

⁵ καὶ ἃ μὴ Smith: καὶ μὴ mss.

⁶ κω V

⁷ ἀμφιαποκαθαρείσῃ HIR

⁸ ἐπὶ σπληνὶ ἔχουσι HIR

⁹ V writes ἐχούσῃ δὲ twice

¹⁰ περίτασις VIR

33. Olympiodorus' young daughter, blood from the right nostril, crisis on the twentieth day as in those who are fevered, feces as are general in summer. Symptoms like Hipponax' wife and the servant of Aristeus on the eighth day.

34. In purging downward with cathartics, these are the signs: those that they bear easily; those that do not unreasonably prostrate them, and if what is purged is not frothy or bloody, but like eggs: like those of Heraclides who was purged many times but bore it easily.

35. The woman in the village of Boulagoreus, who was wasting generally, began to have fever with an enlarged spleen; her right side, a little below, was not swollen, but a little tight. These patients became quite red. She was rather red and had intestinal upset at the beginning. I expected a determination to the eye for her. On the seventh day a salty biting tear came forth from her eyes, and came down the nose and throat and by the left ear. On the fifteenth day she sweated with shivering. There was no crisis before the shivering. She was very pale, and there was tightness and collapsing of her face. The ear on the same side as the spleen, and the problems in the thorax, was painful.

36. Τοῖσι παιδίοισι γαστέρες ταραχώδεις καὶ βήχες ξηραί. ἐς ὦμον ἔστιν ὅτε ἀπεπύει¹ ἐν τῇσι βήξεσι τῇσιν ὑστέρησιν. Ὁ κναφεὺς τράχηλον, κεφαλὴν· ἐβδόμη χεὶρ ναρκώδης, ἐν τῇ ἐνάτῃ σκέλος. νάρκα, βῆξ ἐπαύσατο. Ἡ τὴν γνάθον ἐρυσθεῖσα· ἐν πέμπτῳ μηνὶ ἐν γαστρὶ εἴλκυστο ἐς τὰ ἀριστερά. |

180

37. Ἐν Κραννῶνι Λυκίνῳ γραμματικῶ² ἐκ πυρετοῦ χολώδεος ἐπὶ σπληνὶ καρηβαρίη· αἰμόκερχνα³ κατὰ σπλῆνα ἐν χείλεσιν ἀμφοτέροισιν, ἔλκεα στρογγύλα ἔνδοθεν σμικρά. ἔπειτά τι καὶ αἷμα ἐκ τοῦ κατ' ἴξιν σμικρὸν ἐρρύη.

38. Τῇ οἰκέτιδι, ἣν νεώνητον ἐοῦσαν κατείδον, ἥ τὸ σκλήρυσμα ἐν τοῖσι δεξιοῖσιν ἐνῆν μέγα, οὐ κάρτα ὀδυνῶδες, καὶ γαστήρ μεγάλη καὶ περιτεταμένη, οὐκ εἰκέλη ὕδατῶδει, καὶ τᾶλλα λαπαρή,⁴ καὶ οὐ πάνυ δύσπνοος, ἄχρωσ δέ· γυναικεῖα ἐπτὰ ἐτέων οὐκ ἐληλύθει. ἐγένετο δυσεντεριώδης καὶ οὐ τεινεσμώδης. καὶ ὑπὸ ταῦτα ὀδυνῶδες τὸ ἐν τῷ δεξιῷ ἦν, καὶ πυρετοὶ βληχροί,⁵ οὐ⁶ πρόσω ἐπτὰ ἡμερέων. καὶ κοιλὴς ταραχὴ ἡλεκτρώδης⁷ ὑπόγλισχρος ὑπέρπολλος ἐφ'⁸ ἡμέρας τινάς. ὑγιής. καὶ γυναικεῖα μετὰ ταῦτα ἐγένετο, καὶ τὰ⁹ κατὰ τὴν γαστέρα λαπαρά, καὶ χρῶμα εὐχροον, καὶ παχὺ ἦν¹⁰ αὐτῷ.

¹ Lind.: ἀποπύει (vel -πτ-) mss.

² γράμματι V

³ Heringa ex Erot. 14.20: αἷμα κέρχα V: ἐκέρχα HIR

⁴ Smith: λιπαρή mss.

⁵ γλίσχροι IR

⁶ καὶ οὐ HIR

36. The children: upset stomachs, dry coughs. Sometimes suppuration towards the shoulder in the last stages of the coughing. In the wool carder's case, neck and head. On the seventh day, his hand was numb, on the ninth, his leg. The numbness and the coughing ceased. The woman with the twisted jaw: in her fifth month of pregnancy it had been drawn to the left.

37. In Crannon, Licynus the school teacher after a bilious fever on top of spleen trouble had heaviness of head. Bleeding dry roughness on both lips on the side of the spleen, small round sores inside. Then some blood from the nostril on the corresponding side, a small amount, flowed out.

38. The newly purchased servant girl whom I saw, who had a large hardening on the right (abdomen), not painful, and a large taut belly; not like one with edema, she was slack elsewhere; not affected with difficult breathing, but with bad color. She had not menstruated for seven years. She got dysentery, but without tenesmus. Under these circumstances the swelling on her right became painful. There were light fevers, not beyond seven days, and intestinal upset producing amber-like feces, slimy, of considerable quantity for some days. She became healthy. Afterwards her menses occurred, the area of the belly, too, became loose, skin color good, substantial flesh with it.

⁷ Li.: κοιλίης ταραχή ἡλεκτριώδης Erot. 49.12: κοιλίη ἐταράχη (-χθη HIR) ἡλεκτριώδης mss.

⁸ ἐς HIR

⁹ om. V

¹⁰ παχείην V

39. Ἡ Μίνως, ἥ ἐκ τομῆς πιεσάντων ἐσφακε-
λίσθη· καθισταμένου ἐς πλεύμονα, ἐπεσήμαινε βρα-
χέως ὅσοις περιῆν ¹ καὶ ἄλλο τι ἐς ἔνδον. |

182

40. Τὰ ἐντεθέντα ἐς τὴν ῥίνα, ἦν ² πυρετήνωσιν, ³
ἦν μὲν λυθῇ ἡ ὀδύνη, παχέα κατὰ τὸν μυκτῆρα ῥεῖ· ἦν
δὲ μήτε ὀδύνη μήτε πυρετός, ⁴ λεπτὰ καὶ ἴσως πυρώ-
δεα, οἷον τὸ μὲν λεπτὸν Ἑγησίππῳ ἐς νύκτα προσθε-
μένῳ, τὸ δὲ παχὺ τῷ ⁵ ἐν Κορίνθῳ εὐνουχοειδεῖ τῷ
Σκελεβρέος. ⁶ ἦν πέπερι.

41. Αἱ ἐπὶ τῇσι νούσοισιν ἀποστάσεις εἰ κρινούσι ⁷
σημεῖον εἰς ⁸ πυρώδεα ἔοντα μὴ πυρεταίνουσι, ⁹ καὶ
δύσφορα ἔοντα εὐφόρως φέρουσιν, ¹⁰ οἷον τὰ ἐν τῇ ἔδρῃ
Χάρωνι. τὰ ¹¹ δὲ Λεαμβίῳ ἐλκώδεος ἐντέρου δοκέοντος
εἶναι ἐν δυσεντερίῃ φαρμακευθέντι· ὦμος καὶ ἔδρῃ
ἐφειλκώθη ¹² ἀπυρέτου ἐν ἀριστερᾷ. ὁ ἀπὸ τῶν φυσέων
μετεωριζόμενος ¹³ ἐπῆρτο καὶ ὑπήλγει ἐν κενεῶνι.
τούτῳ γάλα πλείον καὶ ἀκρητέστερον πιόντι καὶ ἐπι-
κοιμηθέντι αὐτίκα ναυσίῃ καὶ θερμῇ ἐγίνετο· ¹⁴ ἔπειτα
ὀπτῶντι καὶ ἀντὶ ¹⁵ σιτίων ἐσχαροπέπτων ¹⁶ κρίμνων
ἀποφαγόντι ¹⁷ ξυνέστη ἡ γαστήρ, καὶ πυῶδές τι ἐπι-
διῆγεν. ἔδρης δ' ἐπιφλεγμηνάσης ἀπύρετος καὶ ἀνώ-
δυνος ἦν ἱκανῶς· τοῦτο λέγω.

¹ ὅσοις ἢ περίη V² ῥίνα, ἦν Foës: τρίτην mss.³ πυρεταίνουσι V⁴ ὁ πυρετός HIR⁵ τῶν V⁶ κελευρέος HIR⁷ Smith: κρίνουσι mss.⁸ ἦν HIR⁹ πυρεταίνουσι mss.¹⁰ φέρωσι HIR¹¹ τῷ HIR¹² ἐφελκώθη HIR

39. Minos' wife, where the pressing was after an incision (perhaps "a wound"), got gangrene. It went to the lung. She gave brief signs, in the time she survived, of further internal troubles.

40. Things inserted into the nose of fever patients: there is a thick flow from the nostril when the pain is relieved. If the pain and fever are not relieved, it flows thin and perhaps fiery, like the thin flow from Hegesippus for whom it was inserted towards night, and the thick one for the eunuch-like son of Scelebreus in Corinth. Pepper was the substance.

41. Apostases in diseases are a sign whether there will be a crisis, if they do not develop fever in response to feverish conditions, and if they bear difficult conditions comfortably, as in the case of the affection in Charon's seat. And in Leambius' case, after a purge he appeared to have an ulcerated intestine in dysentery. He ulcerated on the left side in the shoulder and seat, but without fever. The man who was inflated with flatulence had swelling and pain in the flank. When he had drunk more milk than usual and less diluted, and had slept, suddenly nausea and hotness developed. Then, when he had roasted and eaten a loaf of coarse barley bread instead of his usual food, his belly became quiet and brought through purulent matter. He was practically without fever and pain, because his seat was inflamed, as I interpret it.

¹³ μεταχειρίζομενος V

¹⁴ ἐγένετο HIR

¹⁵ ἀπτῶντι HIR (ἀπτῶτι H): ἄπτοντι V; corr. Li.

¹⁶ ἐσχαροπέπων HIR

¹⁷ φαγόντι V

42. Ὁ ἐν τοῖσι λιθίνοισι προπύλοισι πρέσβυς ὁσφῦν ἤλγησε καὶ σκέλεα ἄμφω. καὶ θάτερον κατέβαινεν ἐπὶ μηρούς, καὶ ποτὲ κνήμας, καὶ ποτὲ γούνατα. ἐγχρονιζούσης μάλιστα πολλαὶ παλινδρομαίαι¹ | ἐγεγένηντο· οἷδημα ἐν ποσίν, ὁσφύϊ, κνήμη· βραχὺ βουβῶνες καὶ ἔντασις ἡτρου. γαστήρ σκληρὴ² ἢ πᾶσα καὶ ὀδυνώδης τὰ πλεῖστα· εὐρέθη ἔχων καὶ κύστιν σκληρὴν καὶ ὀδυνώδεα· καὶ βλαστήματα, καὶ θερμαί.

43. Ὅτι τοῖσιν ὅμμασι, τοῖσιν οὖασι, τῇσι ρίσι, τῇ χειρὶ αἱ κρίσεις, καὶ τᾶλλα οἷσι γινώσκομεν. ὁ ἀσθενέων, ἢ ἰδῶν³ ἢ θιγὼν ἢ ὁσφρανθεὶς ἢ γευσάμενος, τὰ δ' ἄλλα γνούς· τρίχες, χροίη, δέρματα, φλέβες, νεῦρα, μύες, σάρκες,⁴ ὁστέα, μυελός, ἐγκέφαλος, καὶ τὰ ἀπὸ τοῦ αἵματος, σπλάγχνα, κοιλίη, χολή, οἱ ἄλλοι χυμοί, ἄρθρα.

42b. Καὶ μετὰ ταῦτα ἡλγῇκει παρ' οὗς· ταῦτὸν σύστρεμμα ἀδένος οὐκ ἐπιψαύοντος, ὁστέον οὐκ ἀποπυοῦν, καὶ τοῦτο ἐμολύνθη, καὶ τότε εὐθὺς ἐπυρέτηνε.

¹ παλινδρομαί HIR

² γαστήρ σκληρὴ after βουβῶνες mss.: transp. Langholf

³ ἰδῶν Smith: ἰδρῶν VHIR: ὁ δρῶν Li.

⁴ σάββακες V

42. The old man at the stone gateway had pains in the loins and both legs. It descended on both sides to his thighs and sometimes to his lower legs, sometimes his knees. Especially as time passed there were many recurrences.^a He developed swelling on his feet, at his loins, in the lower leg. For a short time the glands swelled and his lower abdomen was stretched. His whole belly was hard and for the most part painful. He proved to have a hard, painful bladder. There were eruptions and areas of heat.

43. Crises, and the other things that give us knowledge, (are known) by the eyes, ears, nose, hand. (The one who knows them is) the ill person, seeing, touching, smelling, or tasting, and knowing in the other ways. (Our sources of knowledge are) hair, complexion, skin, veins, tendons, muscles, flesh, bones, marrow, brain, the things from blood, the intestines, belly, bile, the other humors, joints.^b

42b. Afterward he had a pain by the ear. In the same area, gathering, the gland not in contact with it, the bone not purulent; this, too, grew soft and he straightway grew feverish at that time.

^a Literally "runnings back." The notion is that the phenomena of the disease move from place to place.

^b Because ch. 42b, the last part of the case history, comes in the middle of the epistemological aphorisms, Littré transposed it to follow ch. 42. He also adjusted the text of chapter 43 to enhance its parallelism with the (epistemological) opening of *In the Surgery* (Loeb, vol. 3, p. 58). I am not satisfied that he was right, and I have restored the manuscript order.

43b. Σφυγμοί, τρόμοι, σπασμοί, λύγγες, ἀμφὶ πνεῦμα, ἄφοδοι, ¹ οἷσι γινώσκομεν.

44. Τοῖσιν ἐμπύοισι τὰ ὄμματα, καὶ ἐκρηγνύμενα μεγάλα ἔλκεα γίνεται, καὶ ταμνόμενα βαθέα. ἀμφοτέρως αἱ ὄψεις ἐλκοῦνται. ²

186 45. 'Ο ἀπ' Ἀμφιλόχου κώμης Ἀριστέης τετάρτη παρέκρουσε. | κοιλή ὑπόχλωρα διήει· καὶ ὕπνοι ὑγιεῖς· λευκόχρως. ἀρχομένων οἶον ὑποτρομῶδεις ³ καὶ δακτύλους καὶ χεῖλεα διαλεγόμενοι, καὶ τᾶλλα ⁴ ταχυγλωσσότεροι προπετέως· ἔρευθος ἐπὶ προσώπου μάλιστα τούτοις ἦν. οὔτοι ἐκ θωρήξιος ⁵ ἢ ἐμέτου χρηστῶς ἐμέσαντες ὦδεον. ὁ δὲ Κατωμοσαδέω ⁶ ὦ λεπτὰ ἄχολα ὕδατῶδεα πολλὰ ⁷ διεχώρει, ὑποχόνδριον ὑπακοῦον καὶ κυρτόν, κωματῶδης ἐγένετο περὶ τεσσαρεσκαιδεκάτην. πρὸς κρίσιν μάλιστα ἰόντι ῥίγος ἄτρομον, διάλυσις, πάρεσις, σύμπτωσις· τὰ τῶν ἀπιόντων· κωματῶδης, παραφερόμενος ἐξ ὕπνου, οὐκ ἐξεμάνη· ἐκρίθη ⁸ περὶ τεσσαρεσκαιδεκάτην, οὐδὲν τῶν κρινόντων ἐναντίον. ὁμοίως ὁ ἕτερος, ἐν ⁹ ἀρχῇσιν ¹⁰ ὑπόγλισχρα διαχωρήματα, ἐξ οἷων τὸ παχὺ κρίσιμον,

¹ ἄμφοδοι V

² ἐλκοῦντο R: ἐκοῦντο I

³ ὑποτρομῶδες VHIR: -ώδες Paris. ms. K

⁴ τᾶλλα καὶ HIR

⁵ Li.: ἐκθώρηξαν I: -ήξαντες II: ἐκθόριξαν R: ἐκ θωρίξης V

⁶ Gal. Gloss. s.v. (cf. Κατωσσιλέω Epid. 4.30): καὶ Μηδοσάδεω or -έω mss.: Μοδοσαέως (ὄνομα τόπου) Erot. 59.20 N.

⁷ πολλὰ ὕδατῶδεα V ⁸ ἐκρίθη ἢ V

⁹ ὁ ἐν HIR ¹⁰ ἀρχῇ εἰσὶν V

43b. The pulse, trembling, spasms, hiccups, things related to breathing, the exits, by which we know.

44. In people with purulence in the eyes, even cracks become large wounds, cut areas grow deep. The iris is wounded on both sides.

45.^a The man from Amphilochoi's village, Aristees, was delirious on the fourth day. Pale, greenish bowel movements, sleep healthy; his complexion was white. At the commencement their fingers trembled somewhat, and their lips when they talked, although otherwise they were rather quick and ready speakers. There was redness of countenance especially in these. After successfully vomiting from drinking heavily of wine, or from a vomitive, they swelled up. The man from Lower Mosades: his feces were thin, not bilious, watery and profuse; his hypochondrium yielded to pressure and was rounded; he became comatose towards the fourteenth day. As he was approaching near the crisis, chill without shivering, loss of faculties, loss of strength, collapse, symptoms of the excrement. Comatose, delirious after sleep, not mad. Crisis around the fourteenth day, with none of the critical signs bad. Similarly the other man; sticky slimy feces at first, the sort which when solid are a critical sign; restlessness. Later

^a This confusing section has some thematic threads running through its notes about various cases: complexion in relation to type of disease, delirium and consistency of excrement as predictors of crises, symptoms of the hypochondria in relation to delirium.

ἀγρύπνω· μετὰ ταῦτα ὑπόγλισχρα, ὑπόχολα, πέποννα, χολώδεα, μὴ λεπτά· ἐπὴν δὴ ἄρξεται ξυνίστασθαι, ταχεῖαι αἱ κρίσιες. ὑποχόνδριον ἐντεταμένον ἐφάνη φλεβονώδεα¹ τρόπον περὶ ἔκτην, ἔπειτα ἐκοιμήθη ἐβδόμη· ἐκρίθη περὶ ἐνάτην. λευκόχροι,² οὐ πυρροί, ἀμφότεροι. διαχωρημάτων ὕδατωδων, ἦν³ ἐς αἰθρίην τεθῆ πέλιον,⁴ ἄνωθεν λεπτὸν κάρτα εἴκελον ἰσατώδει, κάτωθεν γίνεται ὑπόστασιν ἔχον. οἷσι κατὰ τὰ δεξιὰ ὑπολάπαρος ἔντασις, φρενιτικοὶ ἦν μὴ λύηται λήγοντος τοῦ πυρετοῦ. οἷσι δὲ ὑπὸ λαπαρότητος κοιλίης ἐν αὐτῷ τούτῳ οἷον περιλαμβανόμενον ἢ σκληρὸν ὀδυνώδες γίνεται καὶ πάνυ κακότηες, οὐκ ἐθέλει διαχεῖσθαι, ἴσως ἐκ τῶν τοιούτων ἐκπυῖσκονται. ἐν δὲ τοῖσι δεξιόισιν αἱ ἐπάρσιες, ὅσαι μὲν ἐπὶ πολὺ καὶ μαλακαί, μάλιστα⁵ πιέζοντι ἦν ὑποβορβορύζη, οὐ πάνυ τι κακοθήεις,⁶ οἷη τῷ⁷ ἀπ' Ἀμφιλόχου καὶ τῷ Κατωμοσαδέω. οὗτοι κωματώδεις καὶ ἐν τοῖσιν ὕπνοις καταφερόμενοι.

46. Αἱ καταστάσεις, καὶ οἷα⁸ ἐν ἧσι μᾶλλον καὶ ἥσσον γίνεται⁹ ὥρησι, χώρησιν·¹⁰ τὰς ἀκμὰς ὅτε τῶν νούσων, καὶ πρὸς κρίσιν καὶ τὸ καθ' ἡμέρην· καὶ τὸ

¹ HIR: φλεγμονώδεα V: φλεδονώδεα Li. (cf. Erot. 90.5 N)

² λεύκοχροι mss.: corr. Foës ³ ἦν om. HIR

⁴ τεθηπέλειον (-πτ- IR) mss.: corr. Li.

⁵ καὶ μάλα καὶ μάλιστα mss.: corr. Langholf

⁶ κακότηες V

⁷ Li.: οἷη τῶν V: οἷητο τῷ ἐν τοῖσι δεξιόισιν HIR

⁸ οἷαι HIR

⁹ γίνονται HIR

¹⁰ χώρησιν, ὥρησι V

somewhat slimy, somewhat bilious, concocted, bilious, not thin movements. When they start to be composed the crisis is coming quickly. Hypochondrium seemed stretched like painful swelling of veins around the sixth day. Then he slept on the seventh. Crisis toward the ninth. Both were of white complexion, not red. Watery movements: if one put them in the open air they developed a thin dark layer on top, like the bluish color of woad, and underneath a sediment. People who have flaccid stretching on the right became phrenitic unless it is reduced when the fever subsides. For those who because of slackness of the intestinal area have in that spot a sense of seizure around it or hardness,^a it becomes painful and very ill-natured, and will not dissipate. Perhaps from such occurrences they develop a suppuration. Swellings on the right side, as many as are mostly soft, and particularly if they produce rumbling when one presses them, are not ill-natured, like the one in the case of the man from Amphilocheus' village and the man from Lower Mosades. They were comatose and were delirious in sleep.

46. Constitutions, and what kinds of things become greater and less in what seasons and places. When to expect the acmes of diseases, towards the crisis and daily.

^a Perhaps: "those who have a hollowness in the lower abdomen, and a lump or hardness." Liddell and Scott says "loose bowels" for *λαπαρότης*, a word which occurs only here.

πρωΐτερον καὶ ὀψίτερον, τρίτη, τετάρτη περιόδω· καὶ περιόδων, ἐν ᾗσι τὰ κρίνοντα, οἷα τὰ ἐμεύμενα¹ καὶ μὴ· αἱ ἀποστάσεις, ᾗσιν ὑποστροφαί. φλέβες κροτάφων καὶ ξυμπτώσεις καὶ χροίων μεταβολαὶ πρὸ τῶν κρισίων, καὶ οἷσι μὴ κρίνεται, καὶ οἱ ἀλυσμοί, περιτάσεις, χροίων μεταβολαὶ ἐκ τοῦ ἐρυθροῦ ἐς χλωρὸν ἦν μὴ κρίνη· καὶ ἦν² δέρματος περιτάσεις ἄνευ κρίσιος· καὶ ξύμπτωσις³ ὁμματος· τοῦ σώματος σκληρότης καὶ ξηρή.⁴ εἰ⁵ μὲν ἐκόντες δακρύουσιν, οὐ κακόν· οἷσι δὲ ἀκουσίως παραρρεῖ, κακόν.⁶ οἷσι δ' ἐπὶ τῶν ὀδόντων περίγλισχρα γίνεται κακὸν ὑποχάσκειν.

190 47. Ὅς ἐν τῇ κνήμῃ ἔλκος ἔσχε καὶ τῷ ἀττικῷ ἐχρήσατο, τούτῳ | ἐξανθήματα ἐξαιρόμενα ἐρυθρὰ μεγάλα· τοῦτ' ἀντὶ τῆς βηχὸς τῆς ὕστερον· οὐ γὰρ ἔβηξε, τὸ δὲ πρότερον.

48. Ἐν Αἰνῳ ὅσοι φρικώδεις, τραυματαί κεφαλῆς, κακοήθεις καὶ ἐμπυητικοὶ ἐκ τεινεσμοῦ, ὁδοιπορήσει ὀδύνη ποδῶν, καὶ ἐν τῇσι ταραχῇσιν οἱ κόποι· ὧν ἡ Λινία,⁷ ἀπόσιτος, τηκομένη· πυῶδες, ἄλλοτε σμικρὸν αἵματῶδες· πόδες⁸ ἐποῖδεν.

¹ οἷα τὰ ἐμεύμενα] οἰδοῦντα αἰμευμένα HIR

² αἱ HIR

³ ξυμπτώσης V

⁴ ἀκληρωτῆς καὶ ξηρός V: ἀσκληροτῆς ξηρός HIR: corr. ms. D marg.

⁵ οἱ HIR

⁶ οἷσι . . . κακόν om. V

⁷ οἷον κλινία V

⁸ ἄλλοτε . . . πόδες om. V: πυῶδες for πόδες HIR: corr. Li.

What happens earlier and what later, in the third, fourth period. Of periods, in which ones the critical things occur, such as vomiting or not vomiting; apostases, which ones are associated with relapses. Blood vessels in the temples; collapses, change of skin color, those that precede crises and those in cases that do not have crises. Tossing about, stretching, change of color from red to pale if there is no crisis. Whether there are stretchings of skin without crisis. Collapse of the eye. Dry hardness of the body. Intentional crying is not bad; an involuntary flow is bad. For those with stickiness around the teeth, gaping of the mouth is bad.^a

47. The man who had a wound in the calf and who used Atticum:^b eruptions rose on him, large and red: this instead of a cough later. For he did not have a cough, while previously he had.

48. In Aenus, all who had shivering, who had head wounds, who were malignant and festering after tenesmus, who had pains in the feet when they traveled, all also experienced prostration with intestinal upsets. One was Linia: no appetite, wasting away, purulent (excrement), sometimes a little bloody. Her feet swelled up.

^a This list of things to be taken into account seems to represent peculiar interests of the author of *Epid.* 4, with the exception of the borrowed aphorism about voluntary and involuntary tears.

^b Atticum is unparalleled. Littré suggests *κνήκω* (safflower), Langholf *νίτρω* or *λίτρω* (sodium carbonate). I would as soon think that the text is correct, and that the word means honey from Athens.

49. Ἡ Ἰστιαίου¹ ὑδρωπιώδης ἤδη² καὶ ἐπὶ τρία ἔτεα, ἦρος ἀρχομένου ἔβησεν ἐπὶ πλέον.³ διεπύησεν ἐς χειμῶνα, ἐξυδατώθη.⁴ κείνων δὲ φαρμακευθεῖσα ἐρρήϊσεν. ἀπέθανε, παιδίσκη.⁵

50. Τῶν βησσόντων οἱ μὲν τῇσι χερσὶ ταλαιπωρόν-
τες, οἷον ὁ παῖς ὁ τὰ κλήματα στρέφων καὶ ὁ Ἀμύν-
τεω, παραλυθέντες αὐτὴν μούνην⁶ τὴν δεξιὴν ἀμφότε-
ροι. ἐπαύσαντο. ἔπειτα ἔπαθον τοῦτο βήσσοντες. οἱ δὲ
ἢ ἵππευσαν ἢ ὠδοιπόρησαν, ἐς ὄσφυν, ἐς μηρόν. ξηραὶ
δὲ αἱ πλεῖσται, εἰ δὲ μή, βίαιοί γε.⁷ |

192 51. Ἡ ἐν Μύριος⁸ τρόπῳ οὐ νοσῶδει ἐδόκει ἄνευ
πυρετοῦ τυφώδης⁹ εὐῶσα. ἔπειτα ἐς τρόμον οἱ ἦλθε
παντὸς τοῦ σώματος καὶ τῆξιν καὶ ἀποσιτίην καὶ
δίψαν, καὶ ψυχρὴ ἀπεγένετο.¹⁰

52. Οἱ δὲ νυκτάλωπες οἱ πλεῖστον οὐρήσαντες τὸ
ὑστερον βραχύ τι· ἐς δὲ τὰ ὦτα, βήσσοντες καὶ
ἐπιπυρεταίνοντες· ἐκρηγνύμενα περὶ ἐβδόμην ἢ
ὀγδόην.¹¹ ἢ ἐν Μύριος παῖς ἐπυρέτηνε, καὶ ἐξ ὧτὸς
ἐρρὺη πυῶδες περὶ ὀγδόην, οὐκ οἶδα σαφέως. ἔστι δ'
οἷσιν ὁδοὺς¹² ὑπῆρχε βεβρωμένος, μάλιστα ὁ τρίτος

¹ Ἰσπέου IR: Ἰππίου H ² ἦ HIR

³ πλέον δὲ HIR ⁴ ἐξυδατώθη V

⁵ ἢ παιδίσκη HIR ⁶ μούνον HIR

⁷ τε V

⁸ ἢ Ἐνμύριος HI: ὁ ἐνμυρίος R: ἢ Μυρίος V: corr. Meineke

⁹ τυφλώδης IR

¹⁰ ἦν HIR

¹¹ ἢ καὶ ὀγδόην HIR

¹² ὁδῶν I: καὶ ὁδῶν II: ὁδόντων R

EPIDEMICS 4

49. Histiaeus' daughter, already edemic for three years, in early spring her cough increased. She became purulent towards winter. She became very edemic. With purgative drugs, some relief. She died, quite young.⁴

50. Of people with coughs, those who work with their hands, like the slave who tied up the grape vines and the son of Amynteus, they were both paralyzed in the right hand only. It went away and then they developed that affection along with the coughing. People who rode horses or walked got it in the lower back or hamis. Most were dry coughs, otherwise they were quite violent.

51. The slave at Myris' house did not seem ill. She was stuporous without fever, then she began to tremble all over the body, wasted away, lost appetite, had thirst and chills.

52. People with night blindness who urinated a great deal, later very little; it went to the ears, they coughed, they became feverish. It broke through on the seventh or eighth day. The young female slave at Myris' house was feverish, pus ran from her ear about the eighth day, I believe. Some had a tooth eroded, especially the third

⁴ The identity of this patient is uncertain. One could translate "the woman who belonged to Histiaeus," and "She died. A maid servant." The word *παιδίσκη* is ambiguous: from meaning "little girl" it came to be applied to slaves and prostitutes.

τῶν ἄνω· ἀντὶ πάντων δ' οὗτος εὐρίσκεται βεβρωμένος· ἐς τοῦτον ὀδύνη, καὶ ἔστιν οἷσι καὶ παραπύημα. οἷσι δ' ἐς ὧτα ἰσχυρῶς, βήσσοντες μᾶλλον ἢ ἐκεῖνοι. οἷσι δὲ καὶ ἐς πύησιν¹ σὺν πυρετοῖσι καὶ ἀπαλλαγῇ² ἐβδόμη <...>³ ἐπιπαρωξύνθη,⁴ ὑποχόνδριον οὐκ ἐλύθη· μαλαχθείσης ἐνῆν τὰ σμικρὰ ὑπόγλισχρα ξυστρέμματα οὐ χρηστά. οὖρον αἰμοχροῶδες. ἔπτυε δὲ ἀφρώδες.⁵

194 53. Πρὸς ὃν Κυνίσκος⁶ εἰσῆγαγέ με, ἐβδόμη παρωξύνθη, περὶ⁷ τεσσαρεσκαιδεκάτην ἐκρίθη μωλύσει. κεκαθαρμένος, ὃ φάρυγγα | ὀλίγα ἄλμυρά⁹ πέποννα ἀναπτύσας, ἐκ ῥινῶν σμικρὸν ἔσταξεν. ἐκαρηβάρει· χειρῶν καὶ σκελέων κατάλυσις.¹⁰ κοιλή λυθεῖσα ὤνησε. πόδες αἰεὶ θερμοί· ὕπνοι ἦσαν. οἶμαι¹¹ παρ' οὗς οὐ γενέσθαι ὅτι πέποννα ἔπτυσεν.

54. Ἡ Δημαράτου γυνή, πόδες καὶ ἐν τῇσι φρίκησι θερμοί. εἴτε ἐς τὸ ἔμπυον ἢ¹² μή, ἀπολεῖται.

¹ ἐς ἐμπύησιν HIR

² Smith: ἀπαλλάσση V: ἀπαλλάσσει HIR

³ see the note on the translation

⁴ ἐπεὶ παρωξύνθη HIR

⁵ ἀφώδες V: ἀφρώδες HIR: corr. Asul.

⁶ Κύνικος mss.: corr. Li.

⁷ περὶ δὲ HIR

⁸ Smith: κακὰ καθαρῶς V: κακὰ καθαρὸς HIR: "nachdem er erbrochen hatte" Gal. ad Epid. 6.7.10

⁹ Langholf: πλατέα mss.: "Salziges" Gal.

¹⁰ κατάκλυσις mss.: corr. Li.: "Schlaffheit" Gal.

¹¹ Langholf: οἱ καὶ mss.: "ich glaube" Gal.

¹² εἰ HIR

upper: this is most often found eroded. Pain centers there. Some have festering around it. People whose ears were strongly affected coughed more than those (with tooth problems). Those who had festering with fevers got relief in the seventh day.^a It again grew worse, the hypochondrium remained blocked. When the (belly) softened there were small sticky concretions, not of the best. Urine blood colored. †She spat up foamy material.

53. The man to whom Cyniscus took me: he grew worse on the seventh day; crisis on about the fourteenth, with gradual disappearance of the symptoms. After having been purged, and having expectorated through the throat a little salty, concocted matter, he had a small hemorrhage from the nose. His head was heavy, his arms and legs weak. Loosening of the bowels helped. Feet warm continuously. There was sleep. No swelling developed beside his ear, I believe, because he expectorated ripe matter.

54. Demaratus' wife: her feet were warm even during shivering. She was going to die whether or not it developed to suppuration.

^a An apparent lacuna here, perhaps with the patient's name.

55. Οἶον¹ εἶχεν ὁ πρεσβύτης ὁ ἀπογενόμενος· ἅμα ἡσθένει τῇ ἑωυτοῦ γυναικὶ² τῇ κεκριμένῃ·³ μανικόν τι ἐνῆν, ἐλθούσης δὲ⁴ ἔλμιγγος⁵ ὑποπαχέης καὶ σίτου ὀλίγου αὐτίκα ἐπαύσατο, καὶ ἐκοιμήθη καὶ ὑγιῆς ἦν. ὁ πρέσβυς οὕτως,⁶ καὶ τοῦ σώματος περίτασις τοῦ δέρματος, ἄκραια ψυχρά, λαπαρός, τρομώδης ἐν ἀρχῇσι καὶ χεῖλεα καὶ χεῖρας⁷ καὶ φωνήν. παρηνέχθη κοσμίως, ἔχασκεν, οὐ πάνυ δύσπνοος ἦν. ἡμέρησιν οὐκ οἶδα πρόσω εἴκοσιν ἀπέθανεν.

56. Οἷς ὑποχόνδρια καὶ κοιλίη ὑποχωρεῖ πιεζόμενα⁸ ἁλέα σὺν⁹ βορβορυγμῷ, οἷην ἔλμινθα, καὶ ὁ ἐν Ἀβδῆροισι¹⁰ κωλωτοειδέα.

196 ὅτι ἐστὶ πρὸ τῶν¹¹ κρισίμων ἡμερέων· τῇ προτε-
ραίῃ καὶ τὰ κακὰ καὶ τὰγαθὰ σημεῖα γίνεται, τὰς ἡμέ-
ρας ᾗσιν ἐπιπαροξυνόμενοι χρονίζουσι, καὶ ᾗσι λήγον-
τες βραχύνουσι.¹² καὶ τὰ ἄπιστα τῶν ῥηϊζόντων, καὶ
τὰ διὰ σφῶν αὐτῶν παροξύνοντα.¹³ | πτυάλων τοῖσι
περιπνευμονικοῖσιν, οἷσι χολώδεα ὅταν μέλλη λήγειν,
τὰ πάνυ ξανθὰ βραχέα γίνεται· οἷα τὰ ἐν ἀρχῇσιν
έόντα τοιαῦτα ἐπιφαίνεται, οὐ πάνυ δοκέω ταῦτα
ἐκπεπαίνεσθαι, ἀλλὰ κρίνειν, οἶον τῷ¹⁴ παρὰ τῷ διδα-
σκάλῳ καὶ ἄλλοτε οἶον εἶδον.

¹ om. HIR² om. HIR³ κεκρυμμένον HIR⁴ ἐπεὶ δὲ ἐλθούσης HIR⁵ ἔλμινθος R: ἔλμικος HI⁶ Smith: οὗτος mss.⁷ χεῖρες mss.: corr. Lind.⁸ πιεζόμενα HIR⁹ οὐ HIR

55. Like the disease of the old man who died: he was ill at the same time as his wife who reached a crisis. She had some mania, but she passed a rather thick worm, and a small amount of feces. Immediately her trouble stopped, she slept and became healthy. The old man, with similar affection, had in addition stretching of the skin on the body, extremities cold, slackness: at the outset he trembled in lips, hands, voice. He was delirious inoffensively, he gaped without much breathing abnormality. He died approaching twenty days: I am uncertain when.

56. People whose hypochondria and belly, under pressure, pass material in a gush with rumbling, pass matter such as a worm, or such as the lizard-like things passed by the man in Abdera.

What precedes the critical days: both the good and bad signs occur the day before. In accord with the days on which patients grow worse, their disease becomes of long duration, with those on which it is slackening, the disease becomes short. There are also improvements which are untrustworthy, and spontaneous exacerbations. Expectoration in peripneumonics, if it is bilious before a remission, becomes very yellow for a brief time. The disease of people in whom that appears at the beginning does not ripen thoroughly, I think, but it does reach a crisis like that of the man at the teacher's house, and such as I have seen at other times.

¹⁰ οἶν . . . Ἀβδήροισι Smith: βορβολυσμῶ οἷα αὖ ἐλμινθα καὶ ὁ ἐν Ἀβ. V: βορβορημῶ ὡς ἐν Ἀβ. HIR

¹¹ πρὸ τῶν Li.: πρῶτον mss.

¹² Li.: βραδύνουσι mss.

¹³ παρωξύνονται VH: παρωξύνοντο IR: corr. Langholf

¹⁴ Corn.: τὸ mss.

57. Νίκιππος ἐν πυρετοῖσιν ἐξωνείρασε, καὶ οὐδὲν ἐπέδωκεν ἐπὶ τὸ χεῖρον. καὶ τὸ αὐτὸ οἱ τοῦτο πλεονάκις ἐγένετο καὶ οὐδὲν ἔβλαψε. προερρήθη ὅτι παύσεται ὅταν οἱ πυρετοὶ κριθῶσι, καὶ ἐγένετο οὕτω. Κριτίας ἐν πυρετοῖσιν ὑπὸ ἐνυπνίων ὠχλεῖτο ὑφ' οἴων οἰδέομεν.¹ ἐπαύσατο καὶ αὐτὸς ἅμα κρίσει.

58. Ἀλκιππος ἔχων αἰμορροΐδας ἐκωλύετο θεραπευθῆναι. θεραπευθεὶς ἐμάνη. πυρετοῦ ὀξέος ἐπιγενομένου ἐπαύσατο.

59. Ἐν τοῖσιν ὀξέσι πυρετοῖσι² διψώδεις ὑπὸ ἰητρῶν πεπιεσμένοι τῷ ποτῷ³ ἢ⁴ καὶ ὑπὸ σφέων αὐτῶν δοκέουσι πολὺ ἂν ἐκπιεῖν.⁵ ὕδωρ ψυχρὸν δοθὲν ἵνα ἀπεμέσῃ ὠφελεῖ· χολώδεα γὰρ παρέσται.

60. Ὅτι τὰ νεῦρα αὐτὰ ἐφ' ἑωυτὰ ἔλκει, σημεῖον· ἦν μὲν τὰ ἐν τοῖσιν ἄνω τῆς χειρὸς τρωθῇ νεῦρα, ἐς τὸ κάτω νεύσει ἢ χεὶρ ὑπὸ τῶν κάτω νεύρων ἐλκομένη· ἦν δὲ τὰναντία, ἄλλως.⁶

61. Βήσσουσι ξηρὰ οἱ τοὺς ὄρχιας, καὶ ἐκ τῶν βηχέων ἐς ὄρχιν. λύεται φλεβοτομηθέντα. καὶ φλεγμαίνοντες βήσσουσιν. οἱ ἐν τοῖσιν ἐπὶ βουβῶσι πυρετοῖσιν ἐπιβήσσουσιν.

¹ Smith: οἶδαμεν inss.

² V adds μᾶλλον καυσώδεες after πυρετοῖσι

³ Corn.: τόπω mss.

⁴ om. V

⁵ ἐκπίνειν HIR

⁶ ἄλλως om. V

57. Nicippus had a wet dream in fever, and it made him no worse. The same thing repeatedly occurred and did not harm him. It was predicted that it would end when the fever reached crisis, and so it did. In the same way in a fever, Critias was upset by dreams that cause erections: he, too, stopped at the crisis.

58. Alcippus had hemorrhoids, was prevented from being treated. When he was treated he went mad. An acute fever came on and he was cured.^a

59. In acute fevers, people who are thirsty and are urged to drink by the physician, or even by themselves, think that they could drink a great deal. Cold water given to produce vomiting is beneficial because there will be bilious matter present.

60. That tendons draw towards themselves the following is indication: if the tendons on top of the hand be wounded the hand nods down, drawn by the tendons below. And vice versa.

61. People with testicle problems have a dry cough, and from coughs affections go to the testicle. Treated with phlebotomy they are relieved. People troubled with inflammation have coughs. Those with bubonic fevers cough in addition.

^a It is a standard ancient assumption that hemorrhoids are part of Nature's cure: cf. *Epid.* 6.3.23, *Aphorisms* 6.11-12. Apparently Alcippus tried to cure his hemorrhoids contrary to medical advice.

ΕΠΙΔΗΜΙΩΝ ΤΟ ΠΕΜΠΤΟΝ

V 204

Littre

1. Ἐν Ἡλιδι, ἡ τοῦ κηπουροῦ γυνή· πυρετὸς εἶχεν αὐτὴν ξυνεχῆς· καὶ φάρμακα πίνουσα οὐδὲν ὠφελεῖτο· ἐν δὲ τῇ γαστρὶ κάτωθεν τοῦ ὀμφαλοῦ ἦν σκληρόν, καὶ ὑψηλότερον τοῦ ἑτέρου, καὶ ὀδύνας παρείχεν ἰσχυράς· τοῦτο ἐβλιμάσθη τῇσι σὺν ἐλαίῳ χερσί,¹ καὶ μετὰ τοῦτο ἐχώρησεν αἷμά οἱ συχνὸν κάτω, καὶ ἐγένετο ὑγίης, καὶ ἐβίω.

2. Ἐν Ἡλιδι, Τιμοκράτης ἔπιδε πλέον· μαινόμενος δὲ ὑπὸ χολῆς μελαίνης, ἔπιδε τὸ φάρμακον· οὗτος ἐκαθάρθη, τὸ κάθαρμα πολὺ, φλέγμα τε καὶ χολὴν μέλαιναν² δι' ἡμέρης· πρὸς³ δείλῃν ἐπαύσατο τῆς καθάρσιος· καὶ πόνον ἐπόνησεν ἐν τῇ καθάρσει πολύν, καὶ πίων ἄλφιτον, ὕπνος ἔλαβεν αὐτὸν καὶ εἶχε τὴν νύκτα μέχρι ἥλιος ἀνεκὰς⁴ ἐγένετο· ἐν δὲ τῷ ὕπνῳ οὐκ ἐδόκει τοῖσι παρεοῦσιν ἀναπνεῖν οὐδέν, ἀλλὰ τεθνάναι, οὐδὲ ἡσθάνετο οὐδενός, οὔτε λόγου οὔτε ἔργου, ἐτάθη δὲ τὸ σῶμα καὶ ἐπάγη· ἐβίω δὲ καὶ ἐξήγγετο.⁵

Chapters 1–14 mss V and HIR. Chapter 14– mss V and M

¹ τῇσι . . . χερσί| ἰσχυρῶς τῇσι χερσὶ σὺν ἐλαίῳ HIR

² add διήκει HIR

³ καὶ πρὸς HIR

⁴ om. HIR cf. Erot. s.v.

⁵ ἐξηγγέρετο IR: ἐξήγγετο H

EPIDEMICS 5

1. In Elis, a continuous fever held the wife of the gardener; when she drank (purgative) drugs she was not benefited. On her belly below the navel was a hardness, higher than on the other side, and it caused strong pains. She manipulated it with her hands, with olive oil, after which much blood was passed below and she became healthy and survived.

2. In Elis, Timocrates drank too much and went insane from black bile. He took the drug^a and was purged. Much was purged from him: he produced phlegm and black bile throughout the day. Towards afternoon he stopped the purging. He had much pain in the purging. He drank barley broth; sleep took him and held him all night until the sun was high. In sleep he did not seem to those who were present to be breathing, but to have died. He perceived nothing, speech or action, and his body was stretched out and rigid. But he survived and waked up.

^a Probably hellebore, a "violent gastrointestinal poison, having hydragogue, cathartic and emmenagogue properties" *Dorland's Illustrated Medical Dictionary*, used by the ancients as the cathartic of choice in mental affections especially.

3. Σκόμφος ἐν Οἰνειαῖδῃσι, πλευρίτιδι ἐχόμενος, ἀπέθανεν ἐβδομαῖος παρακόπτων· φάρμακον δὲ ἔπιε κατωτερικὸν ταύτῃ τῇ ἡμέρῃ, τῇ πρόσθεν κατανοέων, καὶ ἐκαθάρθη οὐ πολλά· καθαιρόμενος δὲ παρέκοψεν.

206 4. Φοίνικι ἐν Οἰνειαῖδῃσι καὶ Ἀνδρεῖ, ἀδελφεοῖσιν¹ ἐοῦσιν,² ἡ γνάθος ὥδησεν ἡ ἑτέρα καὶ τὸ χεῖλος τὸ πρὸς τῆς γνάθου καὶ τοῦ | ὀφθαλμοῦ, καὶ οὔτε ἔνδοθεν σκοπέοντι οὐδὲν ἐφαίνετο, οὔτε θύραζε³ ἀπεπύει, ἀλλ' οἰδέουσα⁴ σαπρὴ ἐγένετο ξηρῇ σηπεδόνι, καὶ ἀπέθανεν, καὶ θάτερος τὰ αὐτά· ἀπέθανε δὲ ὁ μὲν ἐβδομαῖος, καὶ ἔπιε φάρμακον, καὶ οὐδὲν ὠφελήθη. τῷ δὲ Φοίνικι ἐξετμήθη κύκλος σαπρός, καὶ τὸ ἔλκος ἐκαθάρθη⁵ μὲν τὸ πλεον πρὶν ἀποθανεῖν·⁶ ὅμως⁷ δὲ ἀπέθανε⁸ καὶ οὗτος, πλείονα χρόνον βιούς.

5. Εὐρυδάμας, ἐν Οἰνειαῖδῃσιν, ἐν περιπλευμονίῃ δεκαταῖος ἤρχετο παρακόπτειν· ἰητρευόμενος κατενόησέ τε καὶ τὰ⁹ πτύαλα ἐγένετο καθαρώτερα, καὶ προχωρεύουσα ἡ νοῦσος ἐπὶ τὸ βέλτιον, ὕπνος τε αὐτῷ κατεχύθη πολὺς, καὶ τὰ ὅμματα ἰκτερώδεα ἐγένετο,¹⁰ καὶ ἀπέθανε πρὸς τὰς εἴκοσιν ἡμέρας.

¹ Ἀνδρουὶ ἀδελφ. V: ἀνδρυσυαδελφεοῖς HIR: Ἀνδρέα ἀδελφ. Corn.: corr. Li.

² om. HIR

³ θύραθεν HIR

⁴ ἦδε οὔσα V

⁵ ἐκαθαρίσθη HIR

⁶ αὐτὸν ἀποθανεῖν HIR

⁷ om. HIR

⁸ ἀπέθανε δὲ HIR

⁹ om. HIR

¹⁰ ἐγένοντο V

3. Scomphus, in Oeniadae, possessed by pleurisy, died on the seventh day, delirious. He drank a drug that purges downward that day, having been mentally all right the previous day. Not much was purged, but in the purgation he became delirious.

4. In Oeniadae, the brothers Phoenix and Andreus: in each, one jaw swelled up, and the lip in front of that jaw, and the area around that eye. Nothing was visible to one looking inside, nor was there a discharge of pus outside. The area swelled up and grew rotten with a dry putrefaction, and he died. And the other also with the same affection. The one died on the seventh day. He drank a (purgative) drug and was not helped. But in Phoenix's case, a round putrid area was cut out and the wound was purged for the most part before he died. But still he too died, after surviving a longer time.

5. Eurydamas, in Oeniadae, in the tenth day of peripneumonia, began to be delirious. He was treated and regained sanity, the sputa became purer and the disease turned for the better. Sleep poured over him and he became jaundiced in the eyes; he died towards the twentieth day.

6. Ἐν Οἰνειάδῃσιν ἀνὴρ νούσω εἶχετο· ὁκότε ἄσιτος εἶη ἔμυξεν¹ αὐτοῦ ἐν τῇ γαστρὶ ἰσχυρῶς, καὶ ὠδυνᾶτο· καὶ ὅτε φαγόντι τὰ σιτία τριφθείη,² καὶ χρόνος ἐπιγένοιτο μετὰ τὴν βρῶσιν τοῦ σιτίου, μετ' οὐ πολὺ ταῦτο τοῦτο ἔπασχεν. καὶ ἔφθινε τὸ σῶμα, καὶ ἐτήκετο, καὶ τροφή οὐχὶ ἐγένετό οἱ ἀπὸ τῶν σιτίων ἐσθίοντι· καὶ ὑπεχώρει ὁ σῖτος πονηρὸς καὶ ξυγκεκαυμένος. ὁκότε δὲ νεωστὶ βεβρωκῶς εἶη, αὐτὸν τοῦτον τὸν χρόνον ἥκιστα ἔμυξε καὶ τὸ ἄλγος εἶχεν αὐτόν. οὗτος φάρμακα πίνων παντοδαπὰ καὶ ἄνω καὶ κάτω οὐδὲν ὠφελεῖτο· φλεβοτομούμενος δὲ ἐν μέρει ἐκατέρῃν τὴν χεῖρα ἕως ἑξαιμοῦ ἐγένετο, ἔπειτα ὠφελήθη, καὶ ἀπηλλάγη τοῦ κακοῦ.

7. Εὐπόλεμος ἐν Οἰνειάδῃσιν ὠδυνᾶτο ἰσχυρῶς³ ἰσχίον τὸ δεξιόν, καὶ τὸν βουβῶνα, καὶ τὴν πλησίον ξυμβολὴν πρὸς τοῦ ἰσχίου ἀπὸ τοῦ βουβῶνος, καὶ τοῦ ἰσχίου τὸ πρόσθεν. τούτῳ αἷμα ἀφηρέθη ἀπὸ τοῦ σφυροῦ πολὺ πάνυ, καὶ μέλαν, καὶ παχύ· καὶ φάρμακον ἔπιεν | ἐλατήριον, καὶ ἐκαθάρθη πολλά· καὶ ῥῆϊων μὲν τι ἐγένετο. αἱ δὲ ὀδύναι οὐκ ἐξέλιπον, ἀλλ' ἔμπυον ἔσχε τό τε ἰσχίον, καὶ τὴν κοχώνην, καὶ τὸ ἀμφὶ τὸν βουβῶνα, ἅπερ ὠδυνᾶτο καὶ ἐπὶ πλέον· τὸ δὲ πύον ἐγένετο πρὸς τὸ ὀστέον μᾶλλον ἢ πρὸς τὸ⁴ τῆς σαρκὸς κατὰ βάθος· καὶ ἐλελήθει χρόνον οὕτως ἔχων ἕως ἀσθενῆς⁵ ἐγένετο. ἔπειτα ἐκαύθη. ἔσχαραι πάνυ πολ-

¹ ἔμυσεν V: ἔμυσσεν HIR (cf. Erotian 36.10.N and Erotianstud. 301)

² Asul.: τρεφθείη VIII: τερφθείη R

6. In Oeniadae, a man was held by a disease. When he went without food there was strong grumbling in his stomach, and pain. Whenever he had eaten and the food was used up and time had passed after the eating of the food, he soon suffered the same thing. He wasted in body and grew thin, he got no nourishment from his food when he ate, and the food passed out useless and burned. But when he had just eaten, there was little grumbling precisely at that time, and the pain was least severe. He drank various drugs to purge upward and downward, and was not benefited. But when he was bled in each arm in turn until he was bloodless, then he was benefited and freed from the trouble.

7. Eupolemus in Oeniadae had severe pains in the right hip and groin and at the connection between hip and groin and in the front of the hip. Very much blood was extracted from his ankle, black and thick. And he drank a purgative drug. He was purged of much material and became easier. But the pains did not leave him: pus possessed the hip, and the perineum, and the groin area, all of which were even more painful. The pus was nearer the depth of the bone than of the flesh, and it was not obvious for a time that he was in that condition until he grew weak. Then he was cauterized. The scars were numerous, large.

³ om. HIR

⁴ om. V

⁵ πάνυ ἀσθενῆς HIR

λαὶ¹ καὶ μεγάλαι ἐγένοντο καὶ πλησαὶ ἀλλήλων, καὶ πύον ἐρρύη πολὺ καὶ παχύ· καὶ ἔθανεν ὀλίγησιν ἡμέρησι μετὰ ταῦτα, καὶ ὑπὸ μεγέθεος τῶν ἐλκέων καὶ πλήθεος, καὶ ἀσθενείης τοῦ σώματος. οὗτος ἐδόκει ἄν, εἰ ἐτμήθη εὐροον μίαν τομήν, καὶ πρὸς τόμον ἀφίετο τὸ πύον, καί, εἰ προσέδει τομῆς ἐτέρης, ταμεῖν εὐροον, ταῦτα παθὼν ἐν τῇ ὥρῃ ἐδόκει ἄν ὑγιῆς γενέσθαι.

8. Λύκων, ἐν Οἰνείαδῃσι, τὰ μὲν ἄλλα ταῦτα ἔπασχεν, αἱ δὲ ὀδύναι καὶ ἐς τὸ σκέλος οὐ πάνυ διεφοίτων, καὶ οὐκ ἐγένετο ἔμπυος· ὑγιῆς δὲ πολλῶ χρόνῳ· φάρμακα δὲ ἔπινε, καὶ σικύας προσεβάλλετο, καὶ ἐφλεβοτομεῖτο, καὶ ἐδόκει ῥῆϊον γίνεσθαι ταῦτα πάσχοντι.

9. Ἀθήνησιν, ἄνθρωπος ξυσμῶ εἶχετο πᾶν τὸ σῶμα, μάλιστα δὲ τοὺς ὄρχιας καὶ τὸ μέτωπον· εἶχετο δὲ πάνυ σφόδρα, καὶ τὸ δέρμα παχὺ ἦν καθ' ἅπαν τὸ σῶμα, καὶ οἷόν περ λέπρη τὴν πρόσοψιν· καὶ οὐκ ἂν ἀπέλαβες² οὐδαμόθεν τοῦ δέρματος ὑπὸ τῆς παχύτητος· τοῦτον οὐδεὶς ἐδύνατο ὠφελῆσαι· διελθὼν δὲ ἐς Μῆλον ἦ τὰ θερμὰ λοετρά,³ τοῦ μὲν κνησμοῦ ἐπαύσατο καὶ τῆς παχυδερμίας· ὑδρωπιήσας δὲ ἔθανεν. |

210

10. Ἀθήνησιν ἄνδρα χολέρη ἔλαβεν, ἡμεῖ τε καὶ κάτω διήει, καὶ ὠδυνᾶτο, καὶ στῆναι οὐκ ἐδύνατο οὔτε ὁ ἔμετος οὔτε ἡ ὑποχώρησις, καὶ ἥ τε φωνὴ ὑπολελοίπει, καὶ κινεῖσθαι οὐκ ἐδύνατο ἐκ τῆς κλίνης,⁴ καὶ οἱ

¹ ἐσχάραις πάνυ πολλαῖς III R

² ἀπέλαβεν IR

³ ὑποβὰς γὰρ ἐς Μῆλον ἐς θερμὰ λοετρά Erot. s.v. ξυσμῶ

⁴ ἐκ τῆς κλίνης οὐκ ἠδύνατο III R

and close together. Much thick pus ran out. He died a few days after that, from the size and number of the wounds and from weakness of his body. It would appear that, if there had been a single incision adequate for drainage and the pus had been drawn toward the incision and, if another incision had been needed, one adequate for drainage had been cut: if this had been done to him at the right time, it seems that he would have become healthy.

5. Lycon, in Oeniadae, in other respects had the same affections, but the pains also went into the leg, not far, and he was not purulent. He was healthy for a long time. And he drank (purgative) drugs, and applied the cupping glass, and was bled, and it seemed to get easier when he was so treated.

9. In Athens, a man was taken by itching over his whole body, but especially on his testicles and forehead. It was very severe, and his skin was thick over the whole body, and like lepra (white scale) to the view, and one could not pull out any part of the skin because of its thickness. No one could help him. But he went to Melos where the warm baths are, and was cured of the itching and thick skin. But he became dropsical and died.

10. At Athens, cholera seized a man. He vomited and had diarrhea and pain. Vomiting and diarrhea could not be stopped, and his voice failed, and he could not move from his bed, his eyes were misty and hollowed, he had

ὀφθαλμοὶ ἀχλυνώδεις καὶ ἔγκοιλοι ᾗσαν, καὶ σπασμοὶ εἶχον [ἐκ τῆς κοιλίης]¹ ἀπὸ τοῦ ἐντέρου ὁμοίως² λυγγί.³ ἡ δ' ὑποχώρησις πολλῶ πλείων⁴ ἦν τοῦ ἐμέτου. οὗτος ἔπιεν ἐλλέβορον ἐπὶ φακῶν χυλῶ, καὶ ἐπέπιε φακῶν χυλὸν ἕτερον ὅσον ἐδύνατο, καὶ ἔπειτα ἐξήμεσε,⁵ καὶ προσηναγκάσθη, καὶ ἔστη αὐτῷ ἄμφω· ψυχρὸς δὲ ἐγένετο· ἐλούετο δὲ μέχρι τῶν αἰδοίων κάτω πάνυ πολλῶ ἕως καὶ τὰ ἄνω διεθερμάνθη. καὶ ἐβίω· τῇ δ' ὑστεραίῃ ἄλφита ἔπιδε λεπτὰ ἐφ' ὕδατι.

11. Ἐν Λαρίσῃ γυναικὶ Γοργίου τὰ ἐπιμήνια τεσσάρων⁶ ἐτέων ἴσχετο πλὴν ὀλίγων πάνυ· ἐν δὲ τῇ μήτρῃ, ἐφ' ὁκότερα ἂν⁷ κλιθῇ, σφυγμὸν παρείχε καὶ βάρος. αὕτη ἡ γυνὴ ἐκύησε,⁸ καὶ ἐπεκύησε,⁹ καὶ ἀπελύθη τὸ παιδίον ἐνάτῳ μηνί, ζῶον,¹⁰ θῆλυ, ἕλκος ἔχον ἐν τῷ ἰσχύῳ· καὶ τὰ ὕστερα ἐπόμενα, καὶ αἵματος ῥεῦμα πολὺ πάνυ ἐπεγένετο καὶ τῇ ὑστεραίῃ καὶ τῇ τρίτῃ καὶ τῇ τετάρτῃ, καὶ θρόμβοι πεπηγότες, καὶ πυρετὸς εἶχε μέχρι δέκα ἡμερέων¹¹ τῶν πρώτων· καὶ ὑπεχώρει τὸ λοιπὸν αὐτῇ αἷμα ἐρυθρόν· καὶ ὥδει τὸ πρόσωπον ἰσχυρῶς, καὶ τὰς κνήμας, καὶ τὴν πόδε, καὶ ἕτερον¹² μηρόν· καὶ σιτία οὐ προσίετο, δίψος δὲ εἶχεν ἰσχυρῶς·¹³ καὶ τὸ ψυχρότατον ὕδωρ ξυνέφερεν, οἶνος δὲ οὐδαμῶς· ἡ δὲ γαστήρ μετὰ τὸ πρῶτον παιδίον¹⁴ ὀλίγῳ μὲν τινὶ ἐλαπάχθη,¹⁵ πάνυ δὲ οὐ ξυνέπεσεν,

¹ ἐκ (ὑπὸ HIR) τῆς κοιλίης mss.: secl. Smith

² om. HIR

³ λυγγί HIR

⁴ πλέον V

⁵ ἐπήμεσε HIR

spasms from the intestine like hiccups. The bowel movements were greater than the vomit. He drank hellebore in lentil broth and drank lentil broth in addition, all he could. Then he vomited and was forced (to eat again). Both (vomiting and diarrhea) stopped, but he grew cold. He bathed the lower parts up to the genitals in much water, until the upper parts too were warm. And he survived. The following day he drank thin barley in water.

11. In Larissa the menses of Gorgias' wife had stopped for four years, save for a very small amount. In her uterus, on whichever side she lay, she had a throbbing and heaviness. She became pregnant and pregnant again (superfétation). The child was delivered in the ninth month; a live girl, with an ulcer on her hip. And the rest came out following, and a very copious flow of blood came on the next and on the third and fourth days, and firm clots. Fever held her for the first ten days. For the remaining time she passed bright red blood. She swelled up greatly in the face and calves and feet and one thigh. She had no interest in food, but was very thirsty. She could take very cold water, but no wine. Her belly after the first baby was a little emptied but did not entirely collapse, but was rather hard. But

⁶ διὰ τεσσάρων HIR ⁷ ἦν V

⁸ ἐκλύισε V: ἐκλύησε HI: corr. R

⁹ ἀπεκύησε HI

¹⁰ ζῶν V

¹¹ ἡμερ. δέκ. R

¹² τὸν ἔτερον HIR

¹³ ἰσχυρόν HIR

¹⁴ παιδίον ἥτοι παιδίω HI

¹⁵ ἐπαλλάχθη V

212 ἀλλὰ | σκληροτέρῃ ἦν. ὀδύνη δὲ οὐ προσῆν. τεσσαρακοστῇ δὲ ἡμέρῃ ἀπὸ τῆς πρώτης ἐξέπεσε τὸ ἐπικύημα, σάρξ· καὶ ἡ γαστήρ ξυνέπεσε, καὶ τὰ οἰδήματα πάντα. καὶ τὸ ρεῦμα τὸ λευκόν, καὶ τὸ αἷμα τὸ ὄζον, καὶ ὑγιὲς ἐγένετο.

12. Γυνὴ ἐν Φερῇσι περιωδύνει κεφαλὴν πολὺν χρόνον, καὶ οὐδεὶς οὐδὲν ἐδύνατο ὠφελῆσαι, οὔτε καθαιρομένη τὴν κεφαλὴν· ῥηϊστή δὲ ἐγένετο ὁκότε τὰ ἐπιμήνια εὐχερῶς οἱ ᾗει.¹ ταύτῃ² ὁκότε περιωδύνει τὴν κεφαλὴν, προστιθέμενα προσθετὰ εὐώδεα πρὸς τὴν μήτρην ὠφέλει, καὶ ἀπεκαθάρθη ὀλίγον τι, καὶ ὁκότε ἐκύησεν ἐξέλιπον αἱ ὀδύναι τὴν κεφαλὴν.

13. Γυνὴ ἐν Λαρίσῃ κύουσα· τῷ δεκάτῳ μηνὶ αἷμα ἐχώρει αὐτῇ πολὺ τεσσαρεσκαίδεκα ἡμέρας, πλεῖστον δὲ τὰς τρεῖς τὰς πρὸ τοῦ παιδίου τῆς ἀπολύσιος. τῇ τεσσαρεσκαιδεκάτῃ ἐξέπεσεν ἐκ τῆς γαστρὸς τὸ παιδίον τεθνεὺς, ἔχον τὸν δεξιὸν βραχίονα προσπεφυκότα τῇ πλευρῇ· καὶ τό χορίον τρίτῃ ἡμέρῃ τῆς νυκτὸς τὴν αὐτὴν ὥρην ὥς ὅτε τὸ παιδίον· καὶ τὰ λευκὰ ἔπειτα μετὰ ταῦτα ἐχώρει τρεῖς ἡμέρας καὶ νύκτας μετρίως τὰ πολλὰ·³ μετὰ δὲ τοῦτο πυρετὸς ἔλαβε δύο ἡμέρας καὶ νύκτας δύο, καὶ ὠδυνᾶτο τὴν γαστέρα πᾶσαν καὶ τὸ ἰσχίον,⁴ τὸ δὲ ἥτρον μάλιστα.

¹ ᾗ V

² αὐτῇ III R

³ τὰ πολλὰ Smith: τί πολλὰ VIII: om. R

⁴ τὰ ἰσχία III R

there was no pain. On the fortieth day after the first the second fetus aborted, simply flesh. And her belly collapsed, and all the swellings. The flow was white and the blood the odorous sort, and she became healthy.

12. In Pherae, a woman had pain in the head for a long time, and no one could help her, not even when she was purged in the head. But she was very much eased whenever her menses flowed freely. Whenever the pains in her head came, pleasant-smelling applications to the uterus helped, and there was some purging. When she became pregnant the pains left her head.

13. A woman in Larissa, who was pregnant, lost much blood for fourteen days in the tenth month, but mostly in the three before the delivery of the child. On the fourteenth day the child was born dead, with the right arm attached to its side. On the third day the afterbirth, at the same time of night as the child, was born. The white flows came after that for three days and nights, moderately in general. After that fever seized her two days and nights and her whole belly and hips were in pain, the lower abdomen most of all.

14. Ἐν Λαρίσῃ Ἰπποσθένης περιπλευμονίῃ ἐδόκει τοῖσιν ἰητροῖσιν ἔχεσθαι.¹ ἦν δὲ οὐδαμῶς· ἀρχῇ² μὲν παλαίων ἔπεσε σκληρῶ χωρίῳ ὑπτιος, καὶ ἐπέπεσεν³ αὐτῷ, καὶ ἐλούσατο ψυχρῶ, καὶ ἐδείπνησε.⁴ καὶ ἐδόκει⁵ βαρύτερος γίνεσθαι. τῇ δ' ὑστεραίῃ ἐπύρεξε, καὶ βῆξ ἔσχε ξηροτέρῃ, καὶ τὸ πνεῦμα πυκνόν. πεμπταῖος δὲ αἵματῶδες ἐχρέμψατο, οὐ πολὺ, καὶ παρακόπτειν ἤρχετο· | ὁκότε βήσσοι, τότε ὠδυνᾶτο τὰ στήθεα καὶ τὸν νῶτον.⁶ ἑκταίῳ δὲ αἷμα ἐρρῦν ἐκ τῶν ῥινῶν πταρέντι, ὅσον τέσσαρες κοτύλαι πρὸς τὴν ἐσπέρην· οὔτε ἐφθέγγετο, οὔτε ἡσθάνετο οὔτε ἔργου οὔτε λόγου. ἑνδεκαταῖος δὲ ἔθανεν. τὰς δὲ πέντε ἡμέρας τοτὲ μὲν ἔμφρων ἦν, τοτὲ δὲ οὐ· ἐγένετο καὶ ἀπύρετος· σίαλον δὲ οὐδὲν ἀπεχώρει, οὐδὲ ῥέγχος⁷ εἶχεν, οὐ γὰρ ἦν σίαλον.

15. Σκάμανδρος ἐν Λαρίσῃ ἰσχίον ἐσφακέλισε, καὶ ὁστέον ἀφεστηκὸς χρόνιον· ὁ δὲ ἐτμήθη τομὴν μεγάλην καὶ πρὸς τοῦ ὁστέου· ἔπειτα⁸ ἐκάη, τότε ἡμέρῃ δωδεκάτῃ ἤρξατο μετὰ τὴν τομὴν σπασμός, καὶ εἶχε μᾶλλον· ἐσπάσατο δὲ τὸ σκέλος τοῦτο μέχρι τῶν πλευρῶν· διεφοίτα δὲ καὶ ἐπὶ θάτερα ὁ σπασμός· ξυνεκάμπτετο δὲ τὸ σκέλος καὶ ἐξετείνετο, καὶ τᾶλλα μέλεια ἐκίνει, καὶ αἱ γνάθοι ἐπάγησαν· οὗτος ἔθανε σπῶμενος ὀγδόῃ μετὰ τὴν τοῦ σπασμοῦ ἐπίληψιν. ἐθεραπεύετο δὲ χλιάσμασιν ἀσκίοισι καὶ πυρίησιν⁹ ὀρόβων ὅλον τὸ

¹ συνέχεσθαι Gal. Diff. resp. (7.955 K)

² ἀρχὴν Gal.

³ ἐπενέπεσεν HIR

⁴ ἔμεινε Gal. Ms. M commences at this point.

14. In Larissa Hipposthenes seemed to the physicians to have peripleumonia. But that was not it. At the beginning, when he was wrestling, he fell on his back on a hard place and his opponent fell on him. He washed in cold water, ate dinner, and seemed to become rather heavy. On the following day he had fever, with a dry cough and rapid breathing. On the fifth day he spat up bloody matter, not much of it, and began to be delirious: when he coughed he had pain in the chest and back. On the sixth day the blood ran from his nose after he sneezed, about four cotyls,^a toward evening. He did not speak and could not perceive speech or action. On the eleventh day he died. But for five days he was sometimes conscious, sometimes not. He became free of fever. No sputum flowed out, nor did he have wheezing, since there was no sputum.

15. Scamandrus in Larissa had mortification in the hip: in time the bone came free. A large incision up to the bone was cut, and then cauterized. Then on the twelfth day after the incision, spasm began, and it increased. That leg was drawn up right to the ribs. And the contraction migrated to the other side. The leg was bent double and very tense and his other limbs trembled and his jaws were fixed. He died drawn up on the eighth day after the spasm came on. He was treated with fomentations made from leather bottles, and with heated vetch seeds over the

^a About one quart.

⁵ ἔδοξε Gal.

⁶ τὰ νῶτα Gal.

⁷ Gal.: ῥίγος mss.

⁸ καὶ ἔπειτα M

⁹ πυρίοισιν MV: corr. mss. recc.

σῶμα, καὶ ὑπεκλύσθη, καὶ ὑπῆλθε παλαιὴ κόπρος ὀλίγη· καὶ τὸ κατακορὲς φάρμακον ἔπιδε καὶ προσκατέπιδε, καὶ ὑπῆλθε μὲν, οὐδὲν ἀπὸ τοῦ καταπότου ὠφελήθη· καὶ ὕπνος ὀλίγος ἦλθεν· καὶ αὗτις πιὼν τὸ κατακορὲς ἰσχυρὸν ἐσπερινός, ἡλίου ἀνιόντος ἔθανεν. ἐδόκει δ' αἶν πλείονα χρόνον διενεγκεῖν, εἰ μὴ κατὰ τοῦ φαρμάκου τὴν ἰσχύν.

216 16. Ἰπποκόμος Παλαμήδεος ἐν Λαρίσῃ, ἐνδεκα-
ετῆς, ἐπλήγη κατὰ τοῦ μετώπου ὑπὲρ τὸν ὀφθαλμὸν
τὸν δεξιὸν ὑφ' ἵππου, καὶ ἐδόκει τὸ ὀστέον οὐχ ὑγιὲς
εἶναι, καὶ ἐπίδυνεν¹ ἐξ αὐτοῦ ὀλίγον αἷμα. οὗτος
ἐπρίσθη μέγα μέχρι τῆς διπλῆς· καὶ ἰητρεύετο οὕτως
| ἔχων τὸ ὀστέον, ὃ καὶ πρόσθεν αὐτίκα² ἐκπύει.³ ἐπὶ
εἴκοσιν, οἰδημα παρὰ τὸ οὖς ἤρξατο, καὶ πυρετός, καὶ
ρίγος· καὶ ἡμέρη μᾶλλον ὠδίσκετο καὶ⁴ ὠδυνᾶτο τὸ
οἰδημα· καὶ ἐπύρεσεν ἀρχόμενος ἐκ ρίγος· καὶ οἱ
ὀφθαλμοὶ ὠδησαν, καὶ τὸ πρόσωπον· ἔπασχε δὲ ταῦτα
ἐπὶ δεξιὰ μᾶλλον τῆς κεφαλῆς, παρῆλθε δὲ καὶ ἐς τὰ
ἀριστερὰ τὸ οἰδημα· οὐδὲν οὖν τοῦτο ἔβλαπτεν· τελευ-
τῶν δὲ πυρετὸς ξυνεχῆς ἔσχεν ἥσσον· ταῦτα ἦν μέχρι
ἡμερέων ὀκτώ. ἐβίω δὲ καυθεῖς, καὶ καθηράμενος αὐτὸ
καταπότου, καὶ περιπλασσόμενος τὸ οἰδημα· τὸ δὲ
ἔλκος τῶν κακῶν οὐδὲν αἴτιον ἦν.

¹ ἐπήδα mss. (cf. Erotian 36.14 N.)

² The mss. repeat τὸ ὀστέον after αὐτίκα: corr. Erm.

³ Smith: ἔκυν mss.: πρισθέν . . . ἔκην Li.

⁴ δὲ καὶ M

whole body. He was given an enema and a little old excrement came out. He took the saturated (purgative) drug and repeated it. He did pass excrement. There was no help from what he drank. He slept a little. Having drunk the saturated drug again at evening, he died at sunrise. It seemed that he would have survived longer if not for the strength of the medicine.

16. Hippocoonus son of Palamedes in Larissa, eleven years old, was struck on the forehead above the right eye by a horse. The bone did not seem sound and a little blood spurted out of it. He was trephined extensively down to the diploe. And he was cured, despite this condition of the bone, which before was readily festering.⁴ On the twentieth day a swelling began by the ear, and fever and shivering. And in the daytime the swelling and pain were greater. He became fevered, beginning with shivering. His eyes swelled, and his face. He was affected more on the right than the left of the head, but the swelling spread also to the left. That did no harm. Finally the fever was less continuous. These things continued until the eighth day. He survived, after being cauterized, purging it with medicine for drinking, and treated with plasters on the swelling. The wound was not responsible for his problems.

⁴ The text is uncertain here and I am translating my conjectural restoration. The author appears to be defending his treatment and arguing that the boy's later problems did not stem from the trephination.

17. Ἐν Λαρίσῃ Θεοφόρβου παῖς ἐλέπρα τὴν κύστιν, καὶ διούρει γλίσχρον, καὶ ὠδυνᾶτο καὶ ἀρχόμενος καὶ τελευτῶν τῆς οὐρήσιος, καὶ ἔτριβε τὸ πόσθιον.¹ οὗτος πίων τὸ διουρητικὸν δριμύ ἐς μὲν τὴν κύστιν οὐδὲν ἐχώρησεν, ἐξήμεσε δὲ συχνὸν πυῶδες καὶ χολήν, καὶ κάτω ἕτερα τοιαῦτα διεχώρει, καὶ ὠδυνᾶτο τὴν γαστέρα, καὶ ἐκαίετο ἔνδοθεν, τὸ δὲ ἄλλο σῶμα ψυχρὸν ἐγένετο, καὶ παρελύθη ὅλως,² καὶ προσδέχεσθαι οὐδὲν ἤθελεν. τούτῳ ἠλκώθη³ κοιλίῃ ἰσχυρῶς ὑπὸ ἰσχύος τοῦ φαρμάκου ἄγαν· ἀποθνήσκει δὲ μετὰ τὴν πόσιν τριταῖος.

215 18. Γυνὴ Ἀντιμάχου ἐν Λαρίσῃ ἐκυΐσκετο ἡμέρας ὡς πεντήκοντα, καὶ ἡσιτεῖτο⁴ τὸν⁵ ἄλλον χρόνον, καὶ ἡμέρας ἑπτὰ τὰς ὑστέρας καὶ ὠδυνᾶτο τὴν καρδίην, καὶ πυρετὸς ὑπελάμβανεν. οὐχ ὑπεκεχωρήκει⁶ τοῦ χρόνου τούτου· ταύτῃ ἐδόθη ἐλατήριον κατάποτον ἰσχυρότερον τοῦ δέοντος, καὶ ἀπήμεσε⁷ χολήν ξυγκεκαυμένην ὑπὸ τε τῆς ἀσιτίης καὶ τοῦ πυρετοῦ, καὶ γὰρ οὐδὲ ποτὶ ἐχρῆτο οὐδενί, ὀλίγην δέ, καὶ ἀπήμεσε καὶ βιαίως καὶ θρομβώδεα· κᾶπειτα ἡσᾶτο,⁸ καὶ ἠφίει αὐτήν,⁹ καὶ ἐδόκει ἀσθeneῖν, καὶ οὐκ ἤθελε πίνουσα ὕδωρ ἐξεμεῖν. μετὰ δὲ τοῦτο ὁδύνη ἴσχει ἰσχυρὴ τὴν κάτω κοιλίην, ἠλκωτο γὰρ ὑπὸ τοῦ φαρμάκου, καὶ ἐχώρει αὐτῇ μετὰ τὴν κόπρον αὐτίκα ὕφαιμον καὶ ξυσματῶδες· αἰεὶ δὲ πλείων ἐγίνετο καὶ ἡ ἀσθένεια

¹ πρόσθιον MV: corr. H

² ὅλος M

³ εἰλκώθη M

17. In Larissa, the son of Theophorbus had leprosy in the bladder. He urinated sticky material and had pain at the beginning and end of urination, and rubbed his penis. When he drank the acrid diuretic none of it went to the bladder, but he vomited a large quantity of pus and bile, and passed more by the bowels; he had stomach pains and internal fever though the rest of his body was cold. He was entirely prostrate, and was not willing to take anything; his intestines were ulcerated by the excessive strength of the drug. He died three days after the draught.

18. The wife of Antimachus in Larissa was about fifty days pregnant. She had no appetite for the rest of the time, and the last seven days she also had heartburn, and fever seized her. There were no bowel movements during that time. She was given a purgative to drink, stronger than needed, and she vomited bile which was burned by the fasting and by the fever (for indeed she had taken no drink). But it was a small amount, and she vomited violently material full of clots. Then she was nauseous, and laid herself down; she seemed weak, and was not willing to drink water and vomit it. Afterward strong pain seized her lower intestine, for it was ulcerated by the drug, and immediately after the feces she passed bloody scrapings. The weakness and nausea kept increasing. There

⁴ εἴσιτε M: ἤσιτε V: ἡσιτέετο Asul.

⁵ τόν τ' M

⁶ ὑπεχωρήκει MV: corr. Asul.

⁷ ἀπήμεσέ τε M

⁸ ἤσατο V

⁹ Smith: αὐτήν mss. and edd.

καὶ ἡ¹ ἄση· καὶ τοῦ καθάρματος ἦσαν πέντε κοτύλαι. ἔστη δὲ ἡ κοιλίη ὕδατος καταχεομένου πολλοῦ κατὰ τῆς γαστροῦ· ἄλλο δὲ οὐδὲν ἐδυνήθη προσδέξασθαι· ἔθανε περὶ μέσας νύκτας. ἐδόκει δ' ἂν βιῶναι εἰ ἐδύνατο πίνειν τὸ ὕδωρ καὶ ἐμεῖν αὐτίκα πρὶν ὑπιέναι.

19. Οἰκέτις Αἰνησιδήμου² ἐν Λαρίσῃ ἠλκώθη κοιλίην καὶ τὸ ἔντερον ὑπὸ χολῆς αὐτομάτης κινηθείσης, καὶ ἐξεχώρει καὶ ἄνω καὶ κάτω χολὴ καὶ αἷμα, καὶ πυρετὸς εἶχεν. ταύτῃ ἐδόθη ἀσθνεοῦση ἐλατήριον ἀσθενές, ποτὸν ὕδαρὲς καὶ ὀλίγον, καὶ ἡμεσὲ τε ἀπ' αὐτοῦ πολὺ, καὶ κάτω ὑπῆλθε πλέον· καὶ τῆς ἐσπέρης ἐπανῆλθεν. τῇ δ' ὑστεραίῃ πυρετὸς ἦν, ἀσθενῆς δὲ ἦν·³ ἡ δὲ κοιλίη ἠλκωτό τε καὶ ἔτι ὑπεχώρει ταυτά. τρίτῃ δὲ ἔθανε δείλης, πυρετοῦ ἐπιλαμβάνοντος πάνυ ἰσχυροῦ. αὕτῃ ἐδόκει ἀποθανεῖσθαι πάντως, ἥκιστα δ' ἂν ὕδωρ πίνουσα ψυχρὸν ἕως ἔμετος εἶχεν· ἐπεὶ δὲ ἐψύχθη ἡ ἄνω κοιλίη, ἀποκαθαρθεῖσα τῷ ὕδατι, χυλὸν μεταπιούσα ψυχρὸν, οὕτω μετεκλύσθη. |

220 20. Εὐδημος ἐν Λαρίσῃ αἰμορροΐδας ἔχων ἰσχυρὰς πάνυ, καὶ χρονίσας ἑξαιμος ὢν. χολὴ ἐκινήθη, ἀλλ' ἠπίωσε τῷ σώματι, καὶ ἡ κοιλίη ἐταράχθη κάτω· ὑπεχώρει χολώδεα, καὶ αἰμορροΐδες ἐπέειχον.⁴ φάρμακον κατωτερικὸν πιὼν ἀπεκαθάρθη καλῶς, καὶ αὗτις μετέπινε χυλὸν καὶ ἔτι ἐτετάρακτο, καὶ ὀδύνη πρὸς τὰ ὑποχόνδρια προσίστατο. τούτῳ ἐπεχειρήθη τῇσιν⁵

¹ om. M

² Ἐνεσιδήμου MV: corr. Li.

³ om. M

⁴ αἰμορροῶς ἀνείχον M

⁵ τοῖσιν V

were five cotyls^a of purged material. Her bowel became stable when much water was poured over her stomach, but she was unable to take anything else. She died in the middle of the night. It looked as though she would have survived if she could have drunk water and vomited immediately, before it went below.

19. The servant of Aenesidemus in Larissa was ulcerated in the stomach and lower intestine by bile which was aroused spontaneously, and she passed bile and blood above and below, and was feverish. She was given a weak purgative, since she was weak, a small amount well diluted, and she vomited much as a result of it, and passed much material by the bowel. And it came on again in the evening. The next day there was fever and she was weak. The bowel was ulcerated and she was still passing the same things. On the third day she died in the afternoon, seized by a very strong fever. It appeared that she would have died in any case, but would have had the best chance if she had drunk cold water until she vomited. And when the upper intestine had been chilled, purged by the water, if she had drunk cold liquid she would have been flushed out in that way.

20. Eudemus in Larissa had severe hemorrhoids, and as time passed was anemic. Bile was aroused but he was quiet in the body. His lower intestine was upset. He passed bilious material. The hemorrhoids projected. He drank a medicine for purging below and was well purged. Again he drank a barley gruel and was again upset. Pains lodged in the hypochondria. In his case one was treating

^a About 2½ pints.

αίμορροῖσι τὴν κοιλίην οὐ καλῶς πως ἔχοντι, ἀλλὰ θεο-
μένῳ θεραπείης ἔτι καὶ ἀπεμέσαι· ¹ ἔπειτα δὲ ἐπαλει-
φθέντος τοῦ καρκίνου πυρετὸς ἐπέβαλε καὶ οὐκ ἀφῆκε
πρὶν ἀπέκτεινεν· ὅτε δὲ καὶ ἀφῆκε ῥίγος ὑπολαβὼν ²
ἦκεν ὁ πυρετός, καὶ ὑπεχώρει αὐτῷ χολή καὶ ³ φῦσα· ἡ
μὲν διεξήκει, ἡ δὲ ἐνῆν, καὶ ὀδύνη ἐν τῇ κοιλίῃ. αἱ δὲ
αἰμορροῖδες ἔξω ἦσαν τοῦ ἀρχοῦ ἀπὸ τῶν ὑποκαθαρ-
σίων ἀρξάμεναι τὸν ἄλλον χρόνον, καὶ ἡ φῦσα διὰ ταύ-
τας ὑπεγίνετο· καὶ πρὸς πταρμὸν ἐπεγίνετο ἡ ἀρχή.

21. Ἐν Λαρίσῃ ἀνὴρ ἐτρώθη ἐκ χειρὸς λόγχῃ πλα-
τείῃ ὀπισθεν, καὶ τὸ ἄκρον διήνεγκε κάτω ⁴ τοῦ ὀμφα-
λοῦ, πελιόν, ἀποιδέον, καὶ διήλθε χωρίον πολὺ. ἐπεὶ ⁵
δὲ ἐτρώθη, ἔπειτα ὀδύνη ἔσχε τὰ πρῶτα ἰσχυρή· καὶ
ἐπωδίσκετο ἡ γαστήρ. τούτῳ ἐδόθη τῇ ὑστεραίῃ κατω-
τερικόν, καὶ διεχώρησεν ὀλίγον ὑφαιμον, καὶ ἔθανεν.
ἐδόκει τούτου τὰ ἔντερα εἶναι οὐχ ὑγία, καὶ αἵματος ἡ
κοιλίη ⁶ πλέη εἶναι.

22. Ἀπελλαῖος Λαρισαῖος εἶχε μὲν ἡλικίην ὡς
ἐτέων τριήκοντα, ἣ ὀλίγον ἀπέλιπεν· εἶχετο δὲ τῇ
νούσῳ· ἐλαμβάνετο δὲ τὰς νύκτας μᾶλλον τῶν ἡμε-
ρέων, ἐν τῷ ὕπνῳ. ἐνόσει δὲ ὡς δύο ἔτεα | πρὸ τοῦ
222 θανάτου· ἡμεῖς δὲ χολὴν πυρρὴν. ἐνίοτε ἐπιδιέγροιο,
ἡμεῖς δὲ καὶ μέλαιναν. οὗτος ἀπὸ τῆς κεφαλῆς καθάρ-
σιος ἰσχυρῆς πάνυ καὶ ἐπὶ πολὺν χρόνον καθαιρόμενος,
καὶ φάρμακον δις πιών· ἔξ μῆνας αὐτὴ ⁷ διέσχευ. ἦν δὲ

¹ ἀπέμεσε M² ὑπολαβὸν V³ καὶ χολή καὶ V⁴ μέχρι V⁵ ἐπὶ M⁶ πλέης M⁷ Smith: αὐτὸν mss.

the hemorrhoids while he was not well in the intestines, but needed therapy and vomiting. Later, after the sore had been anointed, fever came on him and did not leave him before it had killed him. When the shivering left him, the fever would come on and seize him, and he would pass bile and gas: some was passed, but some remained, and he had pain in the belly. The hemorrhoids were outside the anus the whole time, beginning from the purgations; and the gas developed because of them. The beginning followed on a sneeze.

21. In Larissa a man was wounded from behind by a hand-thrown broad spear. The tip passed through below the navel. Livid, swollen over a large area. When he was wounded there was much pain at first, and the belly swelled up. The next day he was given a laxative and passed some bloody matter, and he died. It appeared that his entrails were not healthy and that his lower belly had filled with blood.

22. Apellaeus of Larissa was about thirty or slightly less. He was taken by the illness.^a He was taken more at night than in the daytime. He was ill about two years before his death. Sometimes he vomited reddish bile. Sometimes he was wakeful. He also vomited black bile. After a powerful purgation of the head, when he was purged strongly and for a long time and drank the drug twice, it stayed away for six months. He was a copious

^a As Littré notes, the symptoms as well as the therapy employed here suggest an epileptiform disease.

πολυφάγος· ἔχων δὲ τὸ σῶμα ἐπίχολον, παλαίσας πολλά, μάλα ἐρρίγωσε, καὶ πυρετὸς ἐπέλαβε καὶ ἡ νοῦσος ἐς νύκτα· τῇ δ' ὑστεραίῃ ἐδόκει ὑγιῆς εἶναι αὐτῷ, καὶ τῇ ἐτέρῃ· τῇ δὲ ἐπιούσῃ νυκτὶ ἡ νοῦσος ἐπέλαβε δεδειπνηκότα ἀπὸ πρώτου ὕπνου, καὶ εἶχε τὴν νύκτα καὶ τὴν ἡμέρην μέχρι δορπιστοῦ· ἔθανε πρὶν ἐμφρονῆσαι. ἐσπᾶτο περὶ τὰ δεξιὰ πρῶτον τό τε πρόσωπον καὶ τὸ ἄλλο σῶμα, ἔπειτα ἐπὶ τὰ ἀριστερά· καὶ ὅτε δοκέοι διαναπεπαῦσθαι, κῶμα εἶχε, καὶ ἔρρεγχε, καὶ αὐτὶς ἐξεδέχετο ἡ νοῦσος.

23. Εὐμηλος Λαρισαῖος ἐπάγη τὰ σκέλεα καὶ χεῖρας καὶ γνάθους, καὶ οὐκ ἐδύνατο οὔτε ἐκτείνειν οὔτε ξυγκάμπτειν, εἰ μὴ ἕτερος ξυγκάμπτοι καὶ ἐκτεῖνοι, οὔτε τὰς γνάθους διαίρειν εἰ μὴ ἕτερος διαίροι· ἄλλο δὲ οὐδέν· οὔτε ὠδυνᾶτο, οὔτε ἥσθιεν εἰ μὴ μάζαν, καὶ μελίκρητον ἔπινεν. εἰκοσταῖος ὕπτιος πίπτει καθήμενος καὶ τύπτει τὴν κεφαλὴν πρὸς λίθον σφόδρα, καὶ αὐτοῦ σκοτός κατεχύθη· καὶ ὀλίγον ὕστερον ἀναστὰς ὑγιῆς ἦν, καὶ ἐλέλυτο πάντα, πλὴν μετὰ τὸν ὕπνον ὅτε ἐξέγροίτο ὀλίγον τι ξυνεδέδετο τὰ ἄρθρα· ἔτεα δὲ ἦν ἤδη δώδεκα ἢ δεκατρία· ἔκαμε δὲ μῆνας τρεῖς ἢ τέσσαρας. |

224 24. Ἐν Λαρίσῃ, παρθένος αἷμα ἐμέσασα οὐ πολὺ, ἔμπυος γενομένη· πυρετῶν ἐπιλαβόντων οὐκ ἀπηλλάσσετο πρὶν τελευτῶσα ἀπέθανε τρίτῳ μηνί· πρὸ δὲ τοῦ θανάτου, ἐκωφώθη τὰ οὖατα, καὶ οὐκ ἤκουεν εἰ μὴ τις πάνυ μέγα βοῶν. πρὸ δὲ τοῦ ἐμέτου τοῦ αἵματος προσησθένει.

eater, and, having a bilious body, when he had wrestled a great deal he had severe chills, fever seized him, and the illness seized him towards night. On the next day he felt healthy, and the next. The following night, after he had dined, the sickness seized him after his initial sleep, and continued that night and the next day until supper time. He died before coming to himself. He was drawn up on the right side at first, in the face and the rest of the body, later on the left. And whenever he seemed to get better, coma came on him, he would wheeze, and again the sickness possessed him.

23. Eumelus of Larissa grew rigid in his legs, arms, and jaws. He could not extend them or bend them unless someone else extended or bent them, nor open his jaws unless someone else opened them. But no other symptoms. He had no pain and he did not eat, except barley cakes, and he drank honey water. On the twentieth day he fell backwards while sitting and severely struck his head on a stone, and darkness poured over him. Shortly later he stood up and was better. All was relaxed except that when he wakened after sleep his joints were slightly bound. He was then twelve or thirteen years old. He was troubled for three or four months.

24. In Larissa, a maiden vomited a small amount of blood when she had become purulent. Fevers seized her, and did not leave her before she finally died in the third month. Before death she grew deaf and could not hear except when one was shouting very loudly. She had been weak before the vomiting of blood.

25. Ἐν Λαρίσῃ ἀμφίπολος Δυσήριδος, νέη ἐοῦσα ὁκοτε λαγνεύοιτο περιωδύνει ἰσχυρῶς, ἄλλως δὲ ἀνώδυνος ἦν. ἐκύησε δὲ οὐδέποτε. ἐξηκονταέτης¹ γενομένη ὠδυνᾶτο ἀπὸ μέσου ἡμέρης, ὡς ὠδίνουσα ἰσχυρῶς· πρὸ δὲ μέσου ἡμέρης² αὕτη πράσα τρώγουσα πολλά, ἐπειδὴ ὀδύνη αὐτὴν ἔλαβεν ἰσχυροτάτῃ τῶν πρόσθεν, ἀναστᾶσα ἐπέψασέ τινος τρηχέος ἐν τῷ στόματι τῆς μήτρης. ἔπειτα, ἥδη λειποψυχούσης αὐτῆς, ἑτέρῃ γυνὴ καθεῖσα τὴν χεῖρα ἐξεπίεσε λίθον³ ὅσον σπόνδυλον ἀτράκτου, τρηχύν· καὶ ὑγιῆς τότε αὐτίκα⁴ καὶ ἔπειτα ἦν.

26. Ὁ Μαλιεύς, ἅμαξα αὐτῷ ἐπῆλθεν ἄχθος ἔχουσα ἐπὶ τὰς πλευράς, καὶ κατῆξε τῶν πλευρέων, καὶ χρόνον αὐτῷ ὑπέστη πύον κάτωθεν τῶν πλευρέων. ὑπὸ τὸν σπλῆνα καυθεῖς, ἔμμοτος ὢν, ἀφίκετο ἐς δέκα μῆνας. ἀνατμηθὲν τὸ δέρμα, ὁπῇ ἐφάνη ἐς τὸ δέρτρον ἐπὶ θάτερα ἀφίκουσα, καὶ πρὸς τὸν νεφρὸν καὶ πρὸς τὰ ὀστέα ἐπῆλθε σαπρὴ. τούτου ἢ τε σχέσις τοῦ σώματος παρέλαθεν ἐπίχολος ἐοῦσα, καὶ ἐν τῷ σώματι καὶ ἐν τῷ νοσήματι ἦν σηπεδῶν⁵ τοῦ δέρτρου πολλὴ καὶ ἄλλων σαρκῶν, αἷς ἔδει αὐτίκα ἐκβάλλειν, εἴ τις ἐδύνατο, ξηρῷ φαρμάκῳ, ἕως ἰσχύν τινα εἶχεν ὁ ἄνθρωπος· |
226 ἀπὸ γὰρ τῶν ὑγρῶν οὐδὲν ἐπεδίδου, ἀλλ' ἐσήπετο. ἀπὸ δὲ τῶν μόνων ἰσχομένου τοῦ ὑγροῦ, ῥίγός τε ἐλάμβανε καὶ πυρετὸς ἐπελάμβανε, καὶ ἐσήπετο μᾶλλον· ἐπέρρει

¹ ἐξηκοντ. δὲ M ² ὡς . . . ἡμέρης om. V

³ λίθῳ M ⁴ καὶ αὐτίκα V

⁵ καὶ ἐν τῷ νοσήματι ἦν σηπεδῶν | τὴν σηπεδῶνα ξηρὴν M

25. In Larissa, the servant of Dyseris, when she was young, whenever she had sexual intercourse suffered much pain, but otherwise was without distress. And she never conceived. When she was sixty she had pain from midday, like strong labor. Before midday she had eaten many leeks. When pain seized her, the strongest ever, she stood up and felt something rough at the mouth of her womb. Then, when she had already fainted, another woman, inserting her hand, pressed out a stone like a spindle top, rough. She was immediately and thenceforth healthy.

26. The man from Malia: a loaded cart ran over him in the rib area, and broke some of his ribs, and in time pus gathered below the ribs. Cauterized below the spleen and treated with a tampon, he continued for ten months.^a When the skin was cut, an opening into the peritoneum appeared which led in both directions: a rotten channel ran to the kidney and to the bones. The state of his body was bilious, though one did not notice it. In his body generally and at the site of the disease there was much putridity of the peritoneum and of other flesh, which one needed to remove immediately, if one could, with a drying drug so long as the man had any strength, since he did not improve from the damp drugs, but grew purulent. Because the moisture was held by the tampons, shivering and fever seized him and he suppurated more.

^a A lint plug will have been inserted into the wound made by the cautery to keep the wound open and maintain drainage. Even so, a fistula developed.

δὲ αὐτῷ σαπρὸν ὑπόμελαν¹ δυσῶδες, πρὶν δὲ ἐπιχειρεῖν ἰητρεύεσθαι, οἷον ἐκάστης ἡμέρης συχνὸν διεπέρα ἔξω· ἦν δ' οὐκ εὖροον. ἐγνώσθη τὸ εἶναι πορρωτέρω τὴν φύσιν τοῦ νοσήματος ἢ ὑπὸ τὸ δέρμα· πάντα ἂν ὀρθῶς πάσχων, ὅμως οὐκ ἂν ἐδόκει σωθῆναι· καὶ διάρροια² ἐπέλαβεν.

27. Αὐτόνομος ἐν Ὀμίλῳ ἐν κεφαλῇς τρώματι ἔθανεν ἐκκαιδεκάτῃ ἡμέρῃ θέρεος μέσου λίθῳ ἐκ χειρὸς βληθεὶς κατὰ τὰς ῥαφὰς μέσῳ τῷ βρέγματι. τοῦτο παρέλαθέ με δεόμενον πρισθῆναι· ἔκλειψαν δέ με τὴν γνώμην αἱ ῥαφαὶ ἔχουσαι ἐν σφίσιν ἐωυτῇσι τοῦ βέλεος τὸ σῖνος· ὕστερον γὰρ καταφανὲς γίνεται. πρῶτον μὲν ἐς τὴν κληῖδα, ὕστερον δὲ ἐς τὴν πλευρὴν, ὀδύνη ἰσχυρὴ πάνυ, καὶ σπασμὸς ἐς ἄμφω τὰ χεῖρε ἦλθεν, ἐν μέσῳ γὰρ εἶχε τῆς κεφαλῇς καὶ τοῦ βρέγματος τὸ ἔλκος. ἐπρίσθη δὲ πεντεκαιδεκάτῃ, καὶ πύον ὑπῆλθεν οὐ πολὺ·³ ἡ δὲ μῆνιγξ ἀσαπὴς ἐφαίνετο.

28. Παιδίσκη,⁴ ἐν Ὀμίλῳ, ἐκ τρώματος κεφαλῇς ὥς δωδεκέτις θνήσκει ἐν μέσῳ θέρει τεσσαρεσκαideκάτῃ ἡμέρῃ· θύρην τις αὐτῇ ἐνέβαλε καὶ τὸ ὀστέον φλᾶ καὶ ῥήγνυσιν· καὶ ἐν τῷ ἔλκει αἱ ῥαφαὶ⁵ ἦσαν. τοῦτο ἐγνώσθη ὀρθῶς πρίσεως δεόμενον· ἐπρίσθη δὲ οὐκ εἰς τὸ δέον, ἀλλ' ὅσον ὑπελείφθη, πύον ἐν αὐτῷ ἐγένετο. ὀγδόῃ, ῥίγος καὶ πυρετὸς ἐπέλαβεν· εἶχε δὲ οὐκ εἰς τὸ δέον, ἀλλ' ὅσον καὶ τῶν πρόσθεν ἡμερέων.

¹ ὑπὸ μέλανα M ² διάρροιαι M

³ πολὺν M ⁴ παιδίσκει M

⁵ αἱ ῥαφαὶ ἐν τῷ ἔλκει M

There flowed forth a black, foul-smelling corruption, and before one took the treatment in hand it flowed out in quantity every day, but it did not flow freely. It was recognized that the nature of the disease was farther off than below the skin. Had he been properly cared for in all respects, it still does not seem that he would have survived. Diarrhea also seized him.

27. Autonomus in Omilus died on the sixteenth day from a head wound in midsummer. The stone, thrown by hand, hit him on the sutures in the middle of the *bregma* (front of head). I was unaware that I should trephine, because I did not notice that the sutures had the injury of the weapon right on them, since it became obvious only later. First he had sharp pain towards the collarbone, later in the sides, and convulsions into both arms, for he had the wound in the middle of the head and the *bregma*. He was trephined the fifteenth day and some pus came out. But the membrane appeared uncorrupted.

28. At Omilus, a young girl of about twelve years died in midsummer from a wound in the head, on the fourteenth day. Someone hit her with a door and crushed and shattered her skull. The sutures were in the wound. This was recognized properly as needing trephination. It was trephined, but not sufficiently. As some bone was left, pus developed there. On the eighth day shivering and fever seized her. When free from fever she was not as she should have been, but was as on the previous days. On the

225

ὅτε πυρετὸς οὐκ εἶχεν. ἐνάτῃ δὲ τὸ λοιπὸν ἐξεπρίσθη. | καὶ ὑπεφάνη ὀλίγον πάνυ πύον ξὺν αἵματι· καὶ ἡ μῆνιγξ¹ καθαρὴ ἦν. καὶ ὕπνος μὲν ἐπέλαβεν· ὁ δὲ πυρετὸς αὐτὶς οὐκ ἀφίει· σπασμὸς δὲ χεῖρα τὴν ἀριστερὴν ἐπελάμβανεν· ἐν γὰρ τοῖσι δεξιόισι μᾶλλον εἶχε τὸ ἔλκος.

29. Κυρηναῖος² ἐν Ὀμίλῳ ἔμπυος γενόμενος τὴν κάτω κοιλίην ἐκαύθη ὕστερον ἡμέρησι τριήκοντα τοῦ δέοντος· καὶ ἔσχεν ἐπιεικῶς, καὶ ἐξηράνθη τὸ πύον ἐν τῇ κοιλίᾳ. ἐν δὲ τῇ θερμοτάτῃ ὥρῃ ἐσθίων ὀπώρην καὶ ἄλλα σιτία ἀξύμφορα, πυρετὸς ἐπέλαβε, καὶ διάρροια, καὶ ἔθανεν.

30. Ἐκάσων ἐν Ὀμίλῳ ὥσπερ χᾶτερος ὕστερον ἐκαύθη· ὅμως δὲ ἐξηράνθη πλὴν ὀλίγου ἡ κοιλίη· δυσεντερική δὲ ἐπέλαβε, καὶ αὐτὴν ἀποφυγὼν ἤσθιε τὸ πᾶν ἕως ὅλος³ ᾤδησε, καὶ ἐρράγη αὐτῷ πύον κάτω, καὶ διάρροια, καὶ ἔθανεν.

31. Ἐκάσων ἐν Ὀμίλῳ ἀπὸ ἀκαθαρσίας καὶ πονηρῆς καθάρσιος ἐς τὸ ἰσχίον ἐπέστη αὐτῷ ὀδύνη ὀξείη· καὶ αὐτὴ μὲν ἀπηλλάχθη, πυρετοὶ δὲ αὐτὸν ὑπέλαβον· καὶ χρόνον πολὺν κλινοπετῆς ὢν, οὔτε πίνων οὐδέν, οὔτε διψῶν, ἀσθενής τε ὢν καὶ φρικώδης. τούτῳ ἀφηρέθη μὲν τὸ νόσημα· χρηστῶς ὥς ἔδει τὸ σῶμα, ὠφελεῖτο δὲ ἀπὸ τῶν προσφερομένων· τελευτῶντι δὲ ἐρράγη τὸ νόσημα κάτω, καὶ ἐχώρει πᾶν ὑπὸ πολλῇ χολῇ, καὶ παρέκοψε, καὶ ἔθανεν· ἐδόκει δ' αὖ ἐκφυγεῖν τὸ νόσημα. |

¹ μῆνιξ M

ninth day the rest was trephined, and a little pus with blood appeared. The membrane was clean. Sleep seized her, but the fever did not go away again. Spasms seized her left hand, since the wound was on the right.

29. The man from Cyrene at Omilus, when he became purulent in the lower belly, was cauterized later than he should have been by thirty days. He was all right, and the pus dried up in the belly. But in the hottest season, as he was eating fruit and other inappropriate foods, fever seized him and diarrhea, and he died.

30. Hecason, in Omilus, was cauterized late like the other one. Still his belly almost dried up. Dysentery seized him, and when he escaped it he used to eat everything, until he swelled up all over, and pus broke out below, and diarrhea, and he died.

31. Hecason, in Omilus: from lack of purging and poor purging a sharp pain developed in his groin. It went away, but fever seized him. He was bedridden for a long time; he drank nothing, nor was he thirsty, but was weak and trembling. His illness was cured, his body was in very good condition, and he benefited from the things administered. But at the end, the illness broke out below, and everything was passed, with much bile, and he lost consciousness and died. It had appeared that he would survive the disease.

² Smith: *κυρῖνος* V: *κυρίνος* M: *κυρίνιος* recc.

³ ὅλως V

32. Ἐν Σαλαμῖνι ὁ περὶ τὴν ἀγκύρην περιπεσὼν ἐπὶ γαστέρα ἐτρώθη.¹ περιωδύνει δέ· φάρμακον δὲ ἔπιε, καὶ οὐ διεχώρησε κάτω, οὐδὲ ἀνήμεσεν.

33. Ἡ γυνὴ ἣ ἀπέσφαξεν αὐτὴν ἐπνίγετο· καὶ ἐδόθη αὐτῇ ὕστερον πολλῶ κατὰποτον ἐλατήριον, καὶ ἐξεχώρησεν αὐτῇ.

34. Ὁ ἐξ Εὐβοίης ἐλθὼν νεηνίσκος, πολλὴν κάτω κεκαθαρμένος διαλιπὼν, πεπαυμένος πυρέσσων, εἶτα δοκέων ἄλλου² δεῖσθαι, ἔπιεν ἀσθενῇ, ρίζην ἐλατήριον. μετὰ τὴν πόσιν τεταρταῖος ἔθανεν ἐκκαθαρθεὶς οὐδέν· ἀλλ' ὕπνος εἶχε, καὶ οὐκ ἐδύνατο παύσασθαι ἢ δίψα.

35. Ἡ δούλη ἥ ἀπὸ καταπότου ἄνω μὲν ἐχώρησεν ὀλίγη καὶ ἐπνιγε, κάτω δὲ πολλή· τῆς νυκτὸς δὲ ἔθανε· βάρβαρος δὲ ἦν.

36. Ὁ Εὐβίου ἄνθρωπος πιών ἐλατήριον τρεῖς ἡμέρας ἐκαθαίρετο· καὶ ἔθανε· τὴν δὲ χεῖρα ἔμπυον εἶχε μέχρι τοῦ ἀγκῶνος.

37. Ὁ Συμμάχου παῖς ὑπὸ χολῆς ἀπεπνίγη νύκτωρ καταδαρθῶν, καὶ πυρετοῦ ἐπέχοντος· φάρμακον δὲ πιών, οὐ κατέσχευ, οὐδὲ ἐκαθήρατο ἡμέρησι³ πρὶν ἀποθανεῖν ἕξ.

38. Ὁ παρὰ τὸν δρόμον οἰκέων τῆς νυκτὸς αἷμα ἐμέσας, τῇ ὕστεραίῃ ἔθανεν, αἷμα ἐμέων πολὺ, καὶ πνιγόμενος· ἐς σπλῆνα δέ, καὶ κάτω αἱματώδες αὐτῷ ἐχώρει πολὺ.

¹ διετρώθη M: διεχώρηχ V

² Francis Clifton: ἄνω miss.

³ ἡμέρης καὶ M

32. In Salamis, the man who fell on the anchor received a wound in the belly. He had great pain. He drank a (purgative) drug and there was no evacuation below, nor did he vomit.

33. The woman who cut her throat: she choked. She was later given much purgative medicine which produced bowel movements.

34. The young man who came from Euboea: he was purged of much bile below and had a quiet period. Stopping he was feverish. Then, thinking he needed another, he drank a weak medicine, root of *claterion*,^a and died four days after drinking it: nothing had been purged, but sleep held him, and his thirst could not be quenched.

35. The slave woman: after a potion she evacuated a little bile above, and choked: passed much below. She died that night. She was a barbarian.

36. The man from Eubius, having drunk *claterion*, was purged for three days. He, too, died. His arm was suppurating up to the elbow.

37. The child of Symmachus choked from bile while asleep at night, while fever, too, held him. Although he drank a drug, it did not hold back the disease, nor was he purged in the six days before his death.

38. The man who lived by the race course: he vomited blood at night, and died the next day, vomiting much blood and choking. And it went to the spleen, and he passed much bloody material below.

^a The squirting cucumber.

39. Παιδίον ὑπὸ οὐρέος¹ πληγέν² τὴν γαστέρα καὶ τὸ ἥπαρ, ἀπέθανε τετάρτῃ,³ τὸ δὲ⁴ πνεῦμα πυκινὸν⁵ εἶχε, καὶ οὐ κατενόει, καὶ πυρετὸς εἶχεν. |

232

40. Ἑρμοφίλου υἱὸς ἔκαμεν ἡμέρας ἑνδεκα, πυρετὸς δὲ εἶχε, καὶ ἡσίτει,⁶ καὶ οὐχ ὑπῆει τὰ σιτία· καὶ πρῶτον μὲν παρενόησε, τῆς δὲ νυκτὸς ἐπαύσατο. τῇ δὲ ἐπιούσῃ ἡμέρῃ ἄφωνος ἔκειτο ῥέγχων, διεστραμμένα ἔχων τὰ ὄμματα, πυρέσσων· πτεροῦ δὲ καθιεμένου ἤμεσε χολὴν μέλαιναν· καὶ κλυσθέντι κόπρος ὑπῆλθε πολλή.

41. Ἀριστίωνος δούλης αὐτόματος ὁ ποῦς ἐσφακέλισε κατὰ μέσον τοῦ ποδὸς ἔνδοθεν ἐκ πλαγίου, καὶ τὰ ὀστέα σαπρὰ γενόμενα ἀπέστη, καὶ ἐξῆει κατὰ σμικρὸν σηραγγώδεα,⁷ καὶ διάρροια ἐπεγένετο, καὶ ἔθανεν.

42. Γυνὴ ὑγιαίνουσα, παχεῖα, κυήσιος ἕνεκεν ἀπὸ καταπότου ὀδύνη εἶχετο τὴν γαστέρα, καὶ στρόφος ἐς τὸ ἔντερον, καὶ ὥδαι, πνεῦμα δὲ προΐστατο, καὶ ἀπορίη ξὺν ὀδύνῃ· καὶ ἐμημέκει οὐ πολὺ· καὶ ἐξέθανε πεντάκις ὥς τεθνάναι δοκεῖν· καὶ οὔτε ἐμέσασα ἀπὸ ὕδατος ψυχροῦ ἐχάλα οὔτε τῆς ὀδύνης ἐπιούσης οὔτε τὴν πνοήν. ὕδατος δὲ κατεχύθησαν ψυχροῦ ἀμφορεῖς ὥς τριάκοντα κατὰ τοῦ σώματος, καὶ ἐδόκει τοῦτο μόνον ὠφελεῖν· καὶ ὕστερον κάτω ἐχώρησε χολὴ συχνή· ὅτε δὲ ἡ ὀδύνη εἶχεν οὐδὲν ἐδύνατο χωρῆσαι· καὶ ἐβίω.

¹ Erot. 64.16N: σός mss.: ὀρέος Gal. Diff. resp. (7.956K)

² ἐπλήγη Gal.

³ τεταρταῖον Gal.

⁴ om. Gal.

⁵ πυκνὸν Gal.

⁶ ἡσίτε M

⁷ συριγγώδεα mss.: corr. Ern.

39. The child, struck in the belly and liver by a mule, died on the fourth day. His breathing was rapid, he was not conscious, and fever held him.

40. Hermophilus' son was sick eleven days. Fever held him, he could not eat and did not pass the food. At first he was delirious but that stopped during the night. The next day he lay voiceless, wheezing, eyes rolled back, feverish. When a feather was introduced he vomited black bile. With an enema he passed much feces.

41. The foot of Aristion's female slave spontaneously ulcerated in the middle of the foot on the inner side. The bones became corrupted, separated and came off little by little, eroded. Diarrhea developed; she died.

42. A stout woman, who was healthy, after drinking a purgative for the sake of conception was possessed in the belly by pain; she had twisting in the intestines, and swelled up. Breathing (difficulty) became prominent, and weakness with pain. She vomited a little. Five times she fainted dead away, so as to appear dead. Having vomited after cold water she got no relief, either when the pain came on or in relation to the breathing. But, when about thirty amphorae of cold water were poured over her body, that alone seemed to benefit her. Afterwards much bile passed below, but when the pain possessed her she could not move her bowels. She lived.

43. Ἄντανδρος ἀπὸ καταπότου, ἐξάντης ἐὼν¹ τᾶλλα περὶ δὲ τὴν κύστιν ἐδόκει ἄλγος ἔχειν· ἐκαθή-
ρατο αὐτίκα ὀξέως πολὺ κάθαρμα· καὶ ἀπὸ μέσου ἡμέ-
ρης ὀδύνη εἶχεν ἰσχυρὴ πάνυ ἐς τὴν γαστέρα· πνῖγμα
καὶ ἀπορίη καὶ ῥιπτασμός· καὶ ἡμεὶ καὶ ἐχώρει οὐδέν,
καὶ τὴν νύκτα ἔπασχε, καὶ ὕπνος οὐκ ἐπήει. τῇ δ'
ὑστεραίῃ, ἐχώρει πολλόν, ὕστερον αἷμα, καὶ ἔθανεν. |

234

44. Τῷ Ἀθηνάδεω παιδὶ ἄρρενι, τῷ φαγεδαινω-
θέντι, ὀδῶν ὁ ἐν ἀριστερᾷ κάτω, ἄνω δὲ ὁ² ἐν δεξιᾷ· τὸ
οὗς τὸ δεξιὸν ἐνεπύησεν, οὐκ ἔτι ἀλγέοντος.

45. Ὁ σκυτεύς, κάσσυμα κεντῶν ἐν τῷ ἡπητίῳ³
ἐκέντησεν ἐαυτὸν ἐπάνω τοῦ γούνατος ὡς ὁ μηρός,⁴
καὶ ἔβαιψεν ὡς δάκτυλον. τούτῳ αἷμα μὲν οὐδὲν ἐρρύη,
τὸ δὲ τρῶμα ταχὺ ἔμυσεν, ὁ δὲ μηρός ὅλος ἐμετεωρί-
ζετο,⁵ καὶ διέτεινεν ὁ μετεωρισμός ἐς τε τὸν βουβῶνα
καὶ τὸν κενεῶνα· οὗτος τῇ τρίτῃ ἔθανεν.

46. Ὁ δὲ⁶ παρὰ τὸν βουβῶνα πληγεὶς τοξεύματι,
ὃν ἡμεῖς ἐωράκειμεν,⁷ παραδοξότατα ἐσώθη· οὔτε γὰρ
ἀκὶς ἐξηρέθη, ἦν γὰρ ἐν βάθει λίην, οὔτε αἱμορραγίη
οὐδεμία ἐγένετο ἀξίη λόγου, οὔτε φλεγμονή, οὔτε
ἐχώλευσεν. τὴν δὲ ἀκίδα ἔστε καὶ ἡμεῖς ἀπηλλασσό-
μεθα, ἐτέων ἐόντων ἕξ, εἶχεν· ὑπενοεῖτο δὲ τούτῳ

¹ ἐξανθήσεων M: ἐξανθήσεων V

² Lind.: τὸ mss.

³ ὀπιτίῳ M

⁴ Smith: ὡς ὁμηρος MV

⁵ μετεωρίζετο V

⁶ ὁ δὲ om. M

⁷ ἐωράκαμεν M

43. Antandrus, after a purgative, seemed otherwise healthy but seemed to have a pain around the bladder. He was purged immediately of much material very quickly. From the middle part of the day strong pain held him in the belly. Choking, weakness, tossing. He vomited nothing, passed nothing by the bowels. He suffered in the night: sleep did not come. The next day he passed much feces, then blood, and died.

44. The male child of Athenades, who had phagedaena^a in the lower left tooth, and the upper right. And his right ear became purulent when the pain had stopped.

45. The shoemaker, sewing the sole of a shoe, stabbed himself on his needle, above the knee where the thigh is: he pierced it about a finger's depth. No blood flowed out, the wound quickly closed up, the whole thigh became elevated. The swelling extended to the gland at the groin and to the flank. He died on the third day.

46. The man hit by an arrow in the gland at the groin, whom we had seen, was preserved in a most unexpected manner. The point was not removed because it was in too deep, nor was there any notable hemorrhage, nor inflammation, nor was he lamed. He had carried the point for six years up to the time of our departure. The suspi-

^a The eroding disease; cf. *Epid.* 4.19.

μεσηγὺ τῶν νεύρων κεκρύφθαι κάτω¹ τὴν ἀκίδα, φλέβα τε καὶ ἀρτηρίην οὐδεμίαν διαιρεθῆναι.

47. Ὁ πληγεὶς ὁξεῖ² βέλει ἐς τοῦπισθεν σμικρὸν κάτω τοῦ τραχήλου, τὸ μὲν τρῶμα ἔλαβεν οὐκ ἄξιον λόγου ἐσιδεῖν· οὐ γὰρ ἐν βάθει ἐγένετο. μετὰ δὲ οὐ πολλὸν χρόνον, ἐξαιρεθέντος τοῦ βέλεος, ἐτιταίνετο ἐς τοῦπισθεν ἐρυσθεὶς ὡς οἱ ὀπισθοτονικοί· καὶ αἱ γένυες ἐδέδεντο· καὶ εἴ τι ὑγρὸν ἐς τὸ στόμα λάβοι, καὶ τοῦτο ἐγχειροίη καταπίνειν, πάλιν ἀνέκοπτεν ἐς τὰς ρίνας, καὶ τὰ λοιπὰ αὐτίκα ἐκακοῦτο, καὶ δευτέρῃ ἡμέρῃ ἔθανεν. |

236 48. Νεηνίσκος ὁδὸν τρηχείην τροχάσας ἤλγει τὴν πτέρνην, μάλιστα τὸ κάτω μέρος, ἀπόστασιν δὲ ὁ τόπος οὐκ ἐλάμβανεν οὐδεμίαν ὡς ξυνάγων³ ὑγρὸν. ἀλλὰ τεταρταίῳ τε ἐόντι αὐτῷ ἐμελαίνετο πᾶς ὁ τόπος ἄχρι τοῦ ἀστραγάλου καλεομένου καὶ τοῦ κοίλου τοῦ κατὰ τὸ στῆθος τοῦ ποδός, καὶ τὸ μελανθὲν οὐ περιερράγη, ἀλλὰ πρότερον ἐτελεύτα· τὰς πάσας δὲ ἐβίου ἡμέρας εἴκοσιν⁴ ἀπὸ τοῦ δρόμου.

49. Ὁ δὲ ἐς τὸν ὀφθαλμὸν πληγεὶς ἐπλήγη μὲν κατὰ τοῦ βλεφάρου, ἔδυ δὲ ἡ ἀκὺς ἱκανῶς· ὁ δὲ ἀθήρ⁵ προσυπερεῖχε. τμηθέντος τοῦ βλεφάρου, ἦρθη πάντα· οὐδὲν φλαῦρον· ὁ γὰρ ὀφθαλμὸς διέμεινε, καὶ ὑγιὲς ἐγένετο ξυντόμως· αἷμα δὲ ἐρρὺν λάβρον, ἱκανὸν τῷ πλήθει.

¹ Smith: κατὰ mss.

² ὁξὺ M

³ συνάγων M

⁴ καὶ εἴκοσιν M

⁵ αἰθήρ mss.: corr. Foës (cf. Gal. Gloss. 19.70K)

cion was that the point was buried beneath in the midst of his tendons, and that no vein and artery were lacerated.

47. The man hit by a sharp dart from behind just below the neck: the wound he got was insignificant to look at, since it was not deep. But after a short time, when the dart had been removed, he was stretched and drawn backwards like those with *opisthotonos*.^a And his jaws were fixed: if he took liquid in his mouth and tried to swallow it, he rejected it again into the nostrils. His condition otherwise deteriorated and he died on the second day.

48. A young man who had sprinted on a rough road had pain in his heel, especially the lower part, but the area did not allow an apostasis because it was collecting moisture.^b But on the fourth day the whole area became black, up to the so-called *astragalos* (ankle joint) and to the hollow behind the ball of the foot, and the blackness did not break out: rather, he died first. He lived a total of twenty days after his run.

49. The man struck in the eye was hit in the eyelid, and the point penetrated some distance, though the barb stuck out. His eyelid was cut and everything removed. Nothing bad: the eye survived and became quickly healthy. There was vigorous bleeding of an adequate amount.

^a The kind of tetanus that draws the patient backwards into a bow shape.

^b By conjecture *στενυγρός ὤν* for *συνάγων ὑγρόν*. Littré produced an interpretation opposite to the one I offer. Littré says, "The place was too dry to receive any abscession." I think, however, that the author's notion is that the area kept absorbing moisture and did not permit the noxious matter to move up the leg and out. This interpretation requires the assumption that he used *ἐλάμβανεν*, "accepted," to mean "allowed."

50. Ἡ παρθένος ἡ καλὴ ἡ τοῦ Νερίου ἦν μὲν εἰκοσαέτης, ὑπὸ δὲ γυναιίου φίλης παιζούσης πλατέῃ τῇ χειρὶ ἐπλήγη κατὰ τὸ βρέγμα. καὶ τότε μὲν ἐσκοτώθη καὶ ἄπνοος ἐγένετο, καὶ ὅτε ἐς οἶκον ἦλθεν αὐτίκα τὸ πῦρ εἶχε, καὶ ἤλγει τὴν κεφαλὴν, καὶ ἔρευθος ἀμφὶ τὸ πρόσωπον ἦν. ἐβδόμη ἐούση, ἀμφὶ τὸ οὖς τὸ δεξιὸν πύον ἐχώρησε δυσῶδες, ὑπέρυθρον, πλεῖον κυάθου, καὶ ἔδοξεν ἄμεινον ἔχειν, καὶ ἐκουφίσθη. πάλιν ἐπετείνετο τῷ πυρετῷ, καὶ κατεφέρετο, καὶ ἄναυδος ἦν, καὶ τοῦ προσώπου τὸ δεξιὸν μέρος εἵλκετο,¹ καὶ δύσπνοος ἦν, καὶ σπασμὸς τρομώδης ἦν. καὶ γλῶσσα εἶχετο,² ὀφθαλμοὺς καταπλήξ· ἐνάτῃ ἔθανεν.

51. Ὁ Κλεομένεος³ παῖς, χειμῶνος ἀρξάμενος, ἀπόσιτος, ἄνευ πυρετοῦ ἐτρύχετο, καὶ ἡμεὶ τὰ σιτία καὶ φλέγμα· δύο μῆνας ἀσιτίῃ παρείπετο.

235 52. Τῷ μαγεῖρῳ ἐν Ἀκάνθῳ τὸ κύφωμα ἐκ φρενίτιδος ἐγένετο· | τούτῳ φαρμακοποσίῃ οὐδεμία ξυνήνεγκεν, οἶνος δὲ μέλας καὶ ἀρτοσιτίῃ· καὶ λουτρῶν ἀπέχεσθαι, καὶ ἀνατρίβεσθαι <μῇ> λίην,⁴ θάλπεσθαι τε μῆτε⁵ πολλῷ πυριήματι,⁶ ἀλλὰ πρηέως.

53. Τῇ Σίμου τὸ τριηκοσταῖον ἀπόφθαρμα· πιούση τι ἢ αὐτόματον τοῦτο· ξυνέβη πόνος, ἔμετος χολωδῶν πολλῶν ὡχρῶν καὶ πρασοειδέων ὅτε πίοιο· σπασμὸς εἶχε, γλῶσσαν κατεμασᾶτο. πρὸς τεταρταίην εἰσῆλ-

¹ ἤλκοῦτο V² ἐπέιχετο V³ Κλεομένεω M⁴ μῇ λίην Smith: λίην MV: λείως recc.⁵ μῇ V⁶ πυρήματι V

50. The pretty virgin daughter of Nerius was twenty years old. She was struck on the *bregma* (front of the head) by the flat of the hand of a young woman friend in play. At the time she became blind and breathless, and when she went home fever seized her immediately, her head ached, and there was redness about her face. On the seventh day foul-smelling pus came out around the right ear, reddish, more than a cyathus (one-fifth of a cup). She seemed better, and was relieved. Again she was prostrated by the fever: she was depressed, speechless; the right side of her face was drawn up; she had difficulty breathing; there was a spasmodic trembling. Her tongue was paralyzed, her eye stricken. On the ninth day she died.

51. Cleomenes' son, beginning in the winter, had no desire for food, wasted away without fever, and vomited his food and phlegm. Aversion to food lasted two months.^a

52. The butcher at Acanthus developed a humpback after phrenitis. No drug helped, but red wine and eating bread, refraining from bathing, being massaged with restraint, and being warmed with not much fomentation, but gently.^b

53. Simus' wife aborted at thirty days. This was either from drinking something or spontaneously. Pain recurred, vomiting of much bilious material, yellow and green, whenever she drank anything. Spasms possessed her, she kept biting her tongue. Towards the fourth day

^a Cf. *Epid.* 7.70.

^b Cf. *Epid.* 7.71.

θον· γλῶσσα μεγάλη, μέλαινα· τοῖν ὀφθαλμοῖν δὲ τὰ λευκὰ ἐρυθρὰ ἦν· ἄγρυπνος· τετάρτη δὲ ἔθανεν ἐς νύκτα.

54. Ὀρίγανον¹ ὀφθαλμοῖσι κακὸν πινόμενον, καὶ ὁδοῦσιν.

55. Ἡ ἀπὸ τοῦ κρημνοῦ κόρη πεσοῦσα, ἄφωνος· ῥιπτασμός εἶχε, καὶ ἤμεσεν ἐς νύκτα αἷμα² πολὺ· κατὰ ἀριστερὰ πεσοῦσης, συχνότερον ἐρρῦη· μελίκρητον χαλεπῶς κατέπινεν· ῥέγκος, πνεῦμα πυκνόν, ὡς τῶν θνησκόντων· φλέβες ἀμφὶ τὸ πρόσωπον τεταμέναι· κλίσις ὑπτίη· πόδες χλιηροί·³ πυρετὸς βληχρὸς· ἀφωνίη. ἐβδομαίη, φωνὴν ἔρρηξεν· αἱ θέρμαι λεπτότεραι ἔσχον· περιεγένετο.

56. Πυθοκλῆς τοῖσι κάμνουσιν ὕδωρ, γάλα πολλῶ τῷ ὕδατι μιγνύς ἐδίδου.

57. Χιμέτλων, κατασχᾶν, ἀλεαίνειν τοὺς πόδας, ὡς δὲ μάλιστα ἐκθερμαίνειν πυρὶ καὶ ὕδατι.

240 58. Ὀφθαλμοῖσι⁴ πονηρόν, φακῇ, ὀπώρη, τὰ γλυκέα, καὶ λάχανα· τοῖσι δὲ περὶ ὀσφῦν καὶ σκέλεα καὶ ἰσχίον ἀλγήμασιν ἐκ | πόνων, θαλάσση, ὄξει, θερμοῖσι καταιονᾶν, καὶ σπόγγους βάπτοντα πυριᾶν, ἐπικαταδεῖν δὲ εἰρίοισιν οἰσυπηροῖσι καὶ ῥηνικῇσι.⁵

¹ Smith: ὀρίγανος MV

² om. V

³ χλιηροὶ πόδες V

⁴ ὀφθαλμοῖς ὡς εἰ MV (cf. Epid. 7.76)

⁵ ῥηνίकाσι V

they went into her tongue:^a it became black and large. The whites of her eyes were red. Sleepless. She died towards the night of the fourth day.

54. Oregano is a bad thing for eyes when drunk, and for teeth.^b

55. The girl who fell from the cliff became speechless; restless tossing persisted: she vomited much blood towards night. She had fallen on her left side, and there was a large flow. She had trouble drinking melicrat. Rasping in the throat, rapid breathing as of dying people. Blood vessels around the face tense. She lay on her back: feet warm; mild fever; voicelessness. On the seventh day she broke forth her voice. The fevers were lighter. She survived.^c

56. Pythocles gave ill people water, and milk which he had mixed with much water.^d

57. Chilblains: incise them, warm the feet, heat as much as possible with fire and water.^e

58. Bad for eyes: lentils, fruits, sweets, garden vegetables. For pains of lower back and legs and hip from exertion, pour over them a mixture of sea water, vinegar, hot water, and, dipping sponges in it, give fomentations and bind them up with wool which still has the oil in it, and with sheepskins.^f

^a "They" refers to the symptoms or disease material; my interpretation here is based on the parallel passage, *Epid.* 7.74.

^b Cf. *Epid.* 7.76d.

^c Cf. *Epid.* 7.77.

^d Cf. *Epid.* 7.75.

^e Cf. *Epid.* 7.76a.

^f Cf. *Epid.* 7.76b, c.

59. Τῶν γναφέων οἱ βουβῶνες ἐφυματοῦντο σκληροὶ καὶ ἀνώδυνοι, καὶ περὶ ἥβην καὶ ἐν τραχήλῳ, ὅμοια, μεγάλα· πυρετὸς· πρόσθε δὲ βηχῶδεις· τρίτῳ μηνὶ ἡ¹ τετάρτῳ γαστῆρ ξυνετάκη· θερμαὶ ἐπεγένοντο· γλῶσσα ξηρή· δίψα· ὑποχωρήσεις κάτω χαλεπαί· ἔθανον.

60. Ὁ τὴν κεφαλὴν ὑπὸ Μακεδόνοιο καὶ λίθῳ πληγεὶς . . .² καὶ ἔπεσεν· τρίτῃ ἄφωνος ἦν· ἀλυσμός· πυρετὸς οὐ πάνυ· λεπτὸς σφυγμὸς ἐν κροτάφοισιν· ἤκουεν οὐδέν, οὐδὲ ἐφρόνει, οὐκ ἀτρεμέως. ἀλλὰ τῇ τετάρτῃ ἐκινεῖτο· νοτὶς περὶ μέτωπόν τε καὶ ὑπὸ ῥίνα καὶ ἄχρις ἀνθερεῶνος, καὶ ἔθανεν.

61. Ὁ Αἰνιήτης ἐν Δήλῳ³ ἄκοντι πληγεὶς ὅπισθε τοῦ πλευροῦ κατὰ τὸ ἀριστερὸν μέρος, τὸ μὲν ἑλκος ἄπρονος· τρίτῃ δὲ γαστρὸς ὀδύνη·⁴ οὐχ ὑπεχώρει· κλυσθέντι⁵ δὲ κόπρος ἐς νύκτα· ὁ⁶ κόπος διαλιπών. ἔδρη ἐς τοὺς ὄρχιας τετάρτῃ, καὶ ἥβην καὶ | κοιλίην πόνος καταιγίζων·⁷ ἀτρεμεῖν οὐκ ἐδύνατο· χολώδεα ἤμεσε κατακορέα· ὀφθαλμοὶ οἱ τῶν λειποθυμεόντων. μετὰ τὰς πέντε ἐτελεύτησεν· θερμὴ λεπτὴ τις ἐνῆν.

¹ add. Smith: om. MV

² I indicate a lacuna here in accordance with *Epid.* 7.32

³ ἐν Ἰδιῳ MV (cf. *Epid.* 7.33)

⁴ ὀδύνη δεινὴ M

⁵ καυσθέντι mss. (cf. *Epid.* 7.33)

⁶ οὐ mss. (cf. *Epid.* 7.33)

⁷ κατέχει ζῶν MV (cf. *Epid.* 7.33)

59. The glands of the fullers swelled up hard, painless, both in the groin and at the neck, similar large swellings. Fever. This had been preceded by coughing. In the third or fourth month, bowels liquified. Fevers came on. Tongue dry; thirst; painful bowel movements. They died.^a

60. The man hit on the head with a stone by the Macedonian . . . fell down.^b On the third day he was voiceless. Tossing about; mild fever; light throbbing in the temples. He heard nothing, was not conscious, nor was he still. But on the fourth day, he showed movement; he had moisture around the forehead, under the nose, and down to the chin; and he died.

61. The man from Aenea, struck by a javelin at Delos in the left side of the upper back. He had no pain in the wound, but on the third day he had pain in the stomach. No bowel movements, but feces in the evening with an enema. The prostration was intermittent. In his seat towards the testicles, on the fourth day, and to the pubis and the intestines, pain like a thunderclap. He could not keep still. He vomited bilious strongly-colored matter. He had the eyes of those who have fainted. He died after five days. There was a slight fever.^c

^a Cf. *Epid.* 7.81.

^b I infer from the parallel passage, *Epid.* 7.32, that a sentence has been omitted here because a copyist skipped from the first *πληγής* to the second ("he was struck above the left temple, a superficial wound. When hit, he blacked out and fell").

^c Cf. *Epid.* 7.33.

62. Τῷ δὲ καθ' ἡπαρ πληγέντι ἄκοντι εὐθὺς τὸ χρώμα κατεχύθη νεκρῶδες· τὰ ὄμματα κοῖλα· ἀλυσμῶν¹ δυσφορίῃ· ἔθανε πρὶν ἀγορὴν λυθῆναι, ἅμ' ἡμέρῃ πληγεῖς.

63. Τῇ Πολεμάρχου, χειμῶνος κυναγχικῇ, οἶδημα ὑπὸ τὸν βρόγχον, πολὺς πυρετός· ἐφλεβοτομήθη· ἔληξεν ὁ πνιγμός ἐκ τῆς φάρυγγος· ὁ πυρετὸς παρείπετο. περὶ πέμπτην γούνατος ἄλγημα, οἶδημα ἀριστεροῦ· καὶ κατὰ τὴν καρδίην ἔφη τι ξυλλέγεσθαι αὐτῇ, καὶ ἀνέπνει² ὥς ἐκ τοῦ βεβαπτίσθαι ἀναπνέουσι, καὶ ἐκ τοῦ στήθεος ὑπεψόφει·³ ὥσπερ αἱ ἐγγαστρίμυθοι λεγόμεναι, τοιοῦτό τι ξυνέβαινεν. περὶ δὲ τὰς ἑπτὰ ἢ ἑννέα ἐς νύκτα κοιλίῃ κατερράγη· ὑγρὰ κακά, πολλὰ νομιζόμενα· ἀφωνίῃ· ἐτελεύτησεν.

64. Ὑποκαθαίρειν τὰς κοιλίας ἐν τοῖσι νοσήμασιν, ἐπὴν πέποινα ἦ· τὰς μὲν κάτω, ἐπὴν ἰδρυμένα ἰδῆς· σημεῖον, ἦν μὴ ἀσώδεις ἢ καρηβαρικοὶ ἔσωι, καὶ ὅταν αἱ θέρμαι πρηῦταται, ἢ⁴ ὅταν λήγωσι μετὰ τοὺς παροξυσμούς· τὰς δὲ ἄνω ἐν τοῖσι παροξυσμοῖσι, τότε γὰρ καὶ αὐτόματα μετεωρίζεται, ἐπὴν ἀσώδεις καὶ καρηβαρεῖς καὶ ἀλύοντες ἔωσιν.

65. Ἐκ πτώματος τρωθέντος πήχεως, ἐπὶ σφακε-

¹ ἀλυσμὸν M: ἀλυσμῶν V: corr. Smith

² ἀνέπλεεν V

³ ὑποψόφει MV: ὑπεψόφει Asul.

⁴ οἶ V

62. The one hit by a javelin at the liver was immediately suffused with a deathly color; hollow eyes; distressful restlessness. He died before the closing of the marketplace (he was struck at daybreak).^a

63. Polemarchus' wife had quinsy in the winter. Swelling by the windpipe, much fever. She was phlebotomised. The choking in her pharynx was relieved; the fever persisted. About the fifth day, pain and swelling in the left knee. She said she had gathering around the heart, and she breathed like a diver who has surfaced. She made a noise from her chest. It was something like the so-called ventriloquists make. On the seventh or ninth day her intestines broke loose towards night. Much moist excrement of a bad sort, an amount considered to be a lot. Voicelessness. She died.^b

64. Purge the intestines in diseases when the diseases are ripe (concocted); the lower intestine when you see the diseases are settled. Indication: if the patients are not nauseous or heavy-headed, when the fever is mildest, or when it abates after the exacerbations. The upper intestines during the exacerbations, because then it comes upward spontaneously, when the patients are nauseous, heavy-headed, and fretful.^c

65. When his forearm was wounded in a fall, besides

^a Cf. *Epid.* 7.31.

^b Cf. *Epid.* 7.28.

^c Cf. *Epid.* 7.60.

244 λισμῷ πυοῦται πῆχυς· πεπαινομένου δὲ ἤδη γλίσχρος
 ἰχὼρ ἐκθλίβεται, ὥς καὶ Λεογενίσκῳ¹ καὶ Δημάρχῳ
 τῷ Ἀγλευτέλεος· ὁμοίως δὲ καὶ πάνυ ἐκ τῶν αὐτῶν
 πύον οὐδέν, οἷον τῷ² Αἰσχύλου παιδί ξυνέβη· πυουμέ-
 νοισι δὲ τοῖσι πλείστοισι φρίκη καὶ πυρετὸς ἐπε-
 γίνοντο.

66. Τῷ Παρμενίσκου παιδί, κωφότης· ξυνήνεγκε
 μὴ κλύζειν, διακαθαίρειν δὲ εἰρίῳ· μῦνον ἐγχεῖν
 ἔλαιον ἢ νέτῳπον·³ περιπατεῖν, ἐγείρεσθαι πρῶτ', οἶνον
 πίνειν λευκόν.

67. Τῇ Ἀσπασίου ὀδόντος δεινὸν ἄλγῃμα· καὶ
 γνάθοι ἐπήρθησαν· καστόριον καὶ πέπερι διακλυζο-
 μένη ὠφελεῖτο.

68. Τῷ Καλλιμέδοντος ξυνήνεγκε πρὸς τὸ φῦμα τὸ
 ἐν τῷ τραχήλῳ, σκληρὸν ἐὼν καὶ μέγα καὶ ἄπεπτον καὶ
 ἐπώδυνον, ἀπόσχασις⁴ βραχίονος, λίνον καταπλάσσειν
 πεφυρημένον ἐν οἴνῳ λευκῷ καὶ ἐλαίῳ δεύοντα ἐπιδεῖν
 . . . ἐφθὸν ἄγαν. ἢ ξὺν μελικρήτῳ ἐψεῖν καὶ ἀλεύρῳ
 τήλῃος,⁵ ἢ κριθῶν, ἢ πυρῶν.

69. Μελισάνδρῳ τοῦ οὐλοῦ ἐπιλαβόντος, καὶ ἔοντος
 ἐπωδύνου, καὶ σφόδρα ξυνοιδέοντος, ἀπόσχασις βρα-
 χίονος· στυπτηρίῃ αἰγυπτίῃ ἐν ἀρχῇ παραστέλλει.

¹ M: Λεονίσκῳ V: Λεωγενίσκῳ ms. D

² om. M

³ ἡβειωπόντεον M: ἡνεπότεον V (cf. Epid. 7.63)

⁴ ἀπόστασις MV (cf. Epid. 7.65)

⁵ τίλλῃος V

mortification, the forearm began to fester. When it had already ripened, a sticky serum was expressed, as in the cases of both Leogeniscus and Demarchus, son of Agleteles. Similarly, it happens that there is no pus from very much the same condition, as happened to Aeschylus' child. When patients became purulent, most had chills and fever.^a

66. Parmeniscus' child, deafness. Not to wash it the ear?² out was helpful, but to clean with wool, and only to pour in olive oil or oil of bitter almonds: walking about, rising early, drinking white wine.^b

67. Aspasius' wife had a severe pain in the tooth, and her jaws were swollen. She was helped when she rinsed it with castorium and pepper.^c

68. For Callimedon's son, what helped for the swelling on the neck, which was hard, large, unripe, and painful, was opening the vein of the arm, putting on a plaster of linen saturated in white wine and oil, soaking it and binding it on . . .^d boiled too much. Or boil it with melicrat and meal of fenugreek, barley, or wheat.

69. In Melisander's case, when his gum took a disease?²,^e and was painful and very swollen: opening of the vein of the arm. Egyptian alum reduces it at the beginning.

^a Cf. *Epid.* 7.61.

^b Cf. *Epid.* 7.63.

^c Cf. *Epid.* 7.64. Castorium is a potion derived from the beaver's musk gland.

^d Cf. the parallel passage, *Epid.* 7.65, "not hot or too much boiled."

^e Cf. *Epid.* 7.66.

70. Ὑδρωπιώδει τάλαιπωρεῖν, ἰδροῦν, ἄρτον ἐσθίειν θερμὸν ἐν ἐλαίῳ, πίνειν μὴ πολὺ, λούεσθαι καὶ κεφαλῆς χλιηρῶ· οἶνος δὲ λευκὸς λεπτός¹ καὶ ὕπνος ἀρήγει.

71. Βίαντι τῷ πύκτῃ, φύσει πολυβόρῳ ἐόντι, ξυνέβη ἐμπεσεῖν ἐς πάθεα χολερικὰ ἐκ κρηφαγίης, μάλιστα δὲ ἐκ χοιρείων ἐναιμοτέρων καὶ μέθης εὐώδους² καὶ πεμμάτων καὶ μελιτωμάτων καὶ | σικύου πέπονος καὶ γάλακτος καὶ ἀλφίτων νέων· ἐν θέρει τὰ χολερικὰ καὶ οἱ διαλείποντες πυρετοί.

72. Τιμοχάρει χειμῶνος κατάρρους μάλιστα ἐς τὰς ῥίνας· ἀφροδισιάσαντι ἐξηράνθη πάντα· κόπος, θερμὴ ἐπεγένετο· κεφαλὴ βαρεῖη· ἰδρῶς ἀπὸ κεφαλῆς πολὺς, ἦν δὲ καὶ ὑγιαίνων ἰδρώδης· τριταῖος ὑγιής.

73. Μετὰ κύνα, οἱ πυρετοὶ ἐγένοντο ἰδρώδεις, καὶ οὐ περιεψύχοντο παντάπασι μετὰ τὸν ἰδρώτα· πάλιν δὲ ἐπεθερμαίνοντο, καὶ μακροὶ ἐπιεικῶς, ἄκριτοι, καὶ οὐ πάνυ διψῶδεις· ὀλίγοισιν ἐν ἑπτὰ καὶ ἐννέα ἐπαύοντο, ἐνδεκαταῖοι, καὶ τεσσαρεσκαίδεκαταῖοι, καὶ ἑπτακαίδεκαταῖοι, καὶ εἰκοσταῖοι ἐκρίνοντο. Πολυκράτει πυρετός καὶ τὰ τοῦ ἰδρώτος οἶα γέγραπται· ἀπὸ φαρμάκου κάθαρσις κάτω ἐγένετο· καὶ τὰ τοῦ πυρετοῦ ἥπια· πάλιν κροτάφοισιν ἰδρώτια, καὶ περὶ τράχηλον ἐς δειλὴν, εἶτα ἐς ὅλον·³ καὶ πάλιν ἐπεθερμάνθη. περὶ δὲ

¹ λεπτός λευκὸς M

² δυσώδους corr. to εὐώδ- V

³ πάλιν . . . ὅλον] πάλιν καὶ περὶ τράχηλον καὶ κροτάφους ἰδρωτία. εἶτα ἐς ὅλον. V

70. For hydropics: exercise, sweat, eating hot bread dipped in oil, drinking little, washing the head with warm water, light white wine, and sleep are of help.^a

71. Bias the boxer, a naturally big eater: it happened that he fell into a choleric condition after eating meat: especially after rather bloody pork, and fragrant wine and pastry, honey cakes, ripe cucumber, milk, and young barley. In summer choleric problems and remittent fever.^b

72. Timochares in winter had catarrhs, especially to the nose. When he had sexual activity all was dried up. Fatigue, fever came on; heavy head; much sweat from the head, but he used to sweat when in health. He was healthy the third day.^c

73. After the Dogstar, fevers were accompanied with sweat, nor did they cool down entirely after the sweat. They got hot again, were significantly long, did not reach proper crises, did not produce much thirst. In a few cases they stopped in seven and nine days, and on the eleventh and fourteenth and seventeenth and twentieth they reached crises. For Polycrates, fever and the phenomena of the sweat were such as have been described. There was purging below after a drug, and the fever became mild. Again, small sweats at the temples and around the neck toward evening, then over the whole body. And he

^a Cf. *Epid.* 7.67b.

^b Cf. *Epid.* 7.82.

^c Cf. *Epid.* 7.69.

τὰς δεκαδύο καὶ δεκατέσσαρας¹ ἡμέρας² ἐπέτεινεν ὁ πυρετός· καὶ ὑποχωρήσεις βραχεῖαι· ῥυφήμασι μετὰ τὴν κάθαρσιν ἐχρήσατο. περὶ τὰς δεκαπέντε γαστρὸς ἄλγημα κατὰ σπλῆνα καὶ κατὰ κενεῶνα ἀριστερόν· θερμῶν προσθέσεις ἦσσαν ἢ ψυχρῶν προσωφέλεον· κλύσματι δὲ μαλακῶ χρησαμένῳ ἔληξεν ἡ ὁδύνη.

74. Τῷ ἐκ τοῦ μεγάλου πλοίου διόπῳ ἡ ἄγκυρα λιχανὸν δάκτυλον καὶ τὸ κάτω ὀστέον ξυνέφλασε δεξιῆς χειρός· φλεγμασίῃ³ ἐπεγένετο, καὶ σφάκελος καὶ πυρετός· ὑπεκαθάρθη μετρίως· θέρμαι ἥπιοι καὶ ὀδύναι· δακτύλου τι ἀπέπεσεν. μετὰ τὰς ἑπτὰ ἐξῆι ἰχώρ ἐπιεικῆς. μετὰ ταῦτα, γλώσσης, οὐ πάντα ἔφη δύνασθαι | ἐρμηνεύειν· προρρήσιος, ὅτι ὀπισθότονος⁴ ἦξει·⁵ ξυνεφέροντο αἱ γνώθοι ξυνερειδόμεναι, εἴτα ἐς τράχηλον· τριταῖος δὲ ὅλος⁶ ἐσπᾶτο ἐς τοῦπίσω ξὺν ἰδρῶτι. ἑκταῖος ἀπὸ τῆς προρρήσιος ἔθανεν.

75. Ὁ δὲ Ἀρπάλου ἐκ τῆς ἀπελευθέρης Τηλεφάνης στρέμμα κάτω μεγάλου δακτύλου ἔλαβεν· ἐφλέγμηνε, καὶ ἐπώδυνος ἦν· καὶ ἐπεὶ ἀνῆκεν, ὥχετο ἐς ἀγρόν. ἀναχωρέων, ὀσφῦν ἥλγησεν· ἐλούσατο· αἱ γένυες ξυνήπτοντο ἐς νύκτα, καὶ ὀπισθότονος παρῆν· τὸ σίε-
λον ἀφρῶδες μόγισ διὰ τῶν ὀδόντων ἕξω διήει·⁷ τρι-
ταῖος ἔθανεν.

¹ τέσσαρας V ² om. M

³ φλέγμασιν ἢ V: -μασι ἢ M: corr. recc.

⁴ ὀπισθότονοι MV ⁵ ἦξει V

⁶ ὅλως V

⁷ ἐξωδιῆν MV (cf. Epid. 7.37)

became fevered again. Around the twelfth and fourteenth days the fever increased. Few feces. He took gruel after the purge. About the fifteenth day pain in the belly by the spleen and left abdomen. Applications of heat benefited less than cold. His pain was relieved when he used a soft clyster.^a

74. The commander of the large ship: the anchor crushed his forefinger and the bone below it on the right hand. Inflammation developed, gangrene, and fever. He was purged moderately. Mild fevers and pain. Part of the finger fell away. After the seventh day satisfactory serum came out. After that, problems with the tongue: he said he could not articulate everything. Prediction made: that *opisthotonos* would come. His jaws became fixed together, then it went to the neck, on the third day he was entirely convulsed backward, with sweating. On the sixth day after the prediction he died.^b

75. Telephanes, son of Harpalus and his freedwoman, got a sprain behind the thumb. It grew inflamed and was painful. When it desisted he went into the fields. On his way home he had pain in the lower back. He bathed. His jaws became fixed together towards night and *opisthotonos* developed. Saliva, frothy, passed out through the teeth with difficulty. He died on the third day.^c

^a Cf. *Epid.* 7.1.

^b Cf. *Epid.* 7.36.

^c Cf. *Epid.* 7.37.

76. Θρίνων ὁ τοῦ Δάμωνος,¹ περὶ κνήμης σφυρὸν ἔλκος κατὰ νεῦρον ἤδη καθαρὸν·² τούτῳ δηχθέντι ὑπὸ φαρμάκου ξυνέβη ὀπισθοτόνῳ θανεῖν.

77. Ἡρά γε ἐν πᾶσι τοῖσιν ἐμπυήμασι, καὶ τοῖσι περὶ ὀφθαλμόν, ἐς νύκτα οἱ πόνοι;

78. Αἱ βῆχες χειμῶνος, μάλιστα δ' ἐν νοτίοισι. παχέα καὶ πολλὰ λευκὰ χρεμπτομένοισι πυρετοὶ ἐπεγίνοντο, ἐπιεικῶς καὶ πεμπταῖοι ἐπαύοντο· αἱ δὲ βῆχες περὶ τὰς τεσσαράκοντα, οἷον Ἡγησιπόλει.³

79. Εὐτυχίδης ἐκ χολερικῶν ἐπὶ τῶν σκελέων τετανώδεα· ἔληξεν ἅμα τῇ κάτω ὑποχωρήσει. κατακορέα χολὴν πολλὴν ἤμεσεν ἐπὶ τρεῖς ἡμέρας καὶ νύκτας, καὶ λίην ἐρυθρὴν· καὶ ἀκρατὴς ἦν καὶ ἀσώδης· οὐδὲν δὲ κατέχειν ἐδύνατο οὔτε⁴ ἐκ τῶν σιτίων· καὶ οὔρου πολλὴν σχέσις, καὶ τῆς κάτω διόδου· διὰ τοῦ ἐμέτου τρυῖς⁵ μαλακὴ ἦλθε, καὶ κατέρριψε κάτω.

250 80. Ἀνδροθάλει⁶ ἀφωνίῃ, λήρησις· λυθέντων δὲ τούτων, περιῆν | ἔτη συχνά, καὶ ὑποστροφὰι ἐγίνοντο· ἡ δὲ γλῶσσα διετέλει πάντα τὸν χρόνον ξηρή· καὶ εἰ μὴ διακλύζοιτο, διαλέγεσθαι οὐχ οἷος ἦν, καὶ πικρὴ λίην ἦν τὰ πολλὰ· ἔστι δ' ὅτε καὶ πρὸς καρδίην ὀδύνη. φλεβοτομή ἐλυσεν· ταύτῃ ὑδροποσίῃ ἢ μελίκρητον ξυνήνεγκεν. ἐλλέβορον ἔπιε μέλανα, οὐδὲ τὸ χολῶδες διήει, ἀλλ' ὀλίγον. τέλος δέ, χειμῶνος κατακλιθεῖς,

¹ Δάνωνος V: δαίμωνος M (cf. Epid. 7.38)

² om. V

³ Ἡγησίπολι mss. (cf. 7.58)

⁴ οὔτε ὁ M

⁵ στρυῖς MV (cf. 7.58)

⁶ Ἀνδροθαλή M

76. Thrinon, son of Damon, a wound by the ankle of the lower leg, in the tendon; it was clean. When he was eroded by a drug, the event was that he died of *opisthotonos*.^a

77. Is it true that in all suppurations, including those around the eye, the distress comes towards night?^b

78. There were coughs in winter, especially in southerly weather. In people who brought up much thick white matter, fevers came on and stopped normally on the fifth day. But the coughs stopped about the fortieth day, as with Hegesipolis.^c

79. Eutyichides went from a choleric affection to convulsions in the legs. He got better at the same time as purgation through the bowel. He vomited much pure bile for three days and nights, exceedingly red. He was weak and nauseous. He could keep nothing down, and no solid food. Much blockage both of urine and of the bowels. Throughout the vomit soft "wine lees" came out and he cast them out below.^d

80. Androthales had voicelessness, delirium. These passed; he survived many years and there was a relapse. His tongue was dry throughout; unless he rinsed his mouth he could not speak, and it was very bitter most of the time. Sometimes he had pain at the heart; which phlebotomy stopped. Drinking water or melicrat helped the heart. He drank black hellebore, but bilious matter did not pass, save a little. Finally, having taken to his bed in

^a Cf. *Epid.* 7.38.

^b Cf. *Epid.* 7.57.

^c Cf. *Epid.* 7.58.

^d Cf. *Epid.* 7.67.

ἔξω ἐγένετο, καὶ τὰ τῆς γλώσσης παθήματα ὅμοια, θέρμη λεπτή, ἄπονός, γλῶσσα ἄχρους, φωνὴ περιπλευμονική, ἀπόσταξις· εἶμα ἀπεδύετο, καὶ ἐξάγειν αὐτὸν ἐκέλευεν, οὐδὲν δὲ ἐδύνατο σάφα εἰπεῖν· ἐς νύκτα ἐτελεύτα.

81. Τὸ Νικάνορος πάθος, ὅποτε ἐς ποτὸν ὀρμῶτο,¹ φόβος τῆς αὐλητρίδος· ὁκότε φωνῆς αὐλοῦ ἀρχομένης ἀκούσειεν αὐλεῖν ἐν ξυμποσίῳ, ὑπὸ δειμάτων ὄχλοι· μόγις ὑπομένειν ἔφη, ὅτε εἶη² νύξ· ἡμέρης δὲ ἀκούων οὐδὲν διετρέπετο· τοιαῦτα παρείπετο συχνὸν χρόνον.

82. Δημοκλῆς ὁ μετ' ἐκείνου ἀμβλυώσσειν καὶ λυσισωματεῖν³ ἐδόκει, καὶ οὐκ ἂν παρῆλθε παρὰ κρημνὸν οὐδὲ ἐπὶ γεφύρης οὐδὲ τοῦλάχιστον βάθος τάφρου διαπορεύεσθαι, ἀλλὰ δι' αὐτῆς τῆς τάφρου οἶος ᾗ· τοῦτο χρόνον τινὰ ξυνέβη αὐτῷ.

83. Τὸ⁴ Φοίνικος, ἐκ τοῦ ὀφθαλμοῦ τοῦ δεξιοῦ τὰ πολλὰ ὥσπερ ἀστραπὴν ἐδόκει ἐκλάμπειν· οὐ πολὺ δὲ ἐπισχόντι ὀδύνῃ ἐς τὸν κρόταφον τὸν δεξιὸν ἐνέστη δεινὴ, εἶτα ἐς ὅλην τὴν κεφαλὴν καὶ ἐς τράχηλον, καθὼς δέδεται ἢ κεφαλὴ ὅπισθεν σπονδύλῳ·⁵ | καὶ ξύντασις, 252 καὶ σκληρότης ἀμφὶ τοὺς ὀδόντας· καὶ διοίγειν⁶ ἐπειρᾶτο ξυντεινόμενος. ἔμετοι, ὁκότε γενοίαιτο, ἀπέτρεπον τὰς εἰρημένας ὀδύνας, καὶ ἡπιωτέρας ἐποίεον· φλεβοτομή⁷ ὠφέλει, καὶ ἐλλεβοροποσίῃ ἀνῆγε παντοδαπά, οὐχ ἥκιστα δὲ πρασοειδέα.

¹ ὀρμῶτο MV² ἦ V³ λυσισωματην δὲ (sic) M⁴ τῷ V⁵ ἐνέστη . . . σπονδύλῳ] ἐνεστηθεῖν ἢ σφονδύλῳ (om. εἶτα . . . ὀπισθεν) M

the winter, he became delirious. The affections of the tongue were similar, light fever, no pain, tongue colorless, voice peripneumonic, nosebleeds. He tossed the covers off. He asked that someone take him out, but he could say nothing clearly. He died towards night.^a

51. Nicanor's affection, when he went to a drinking party, was fear of the flute girl. Whenever he heard the voice of the flute begin to play at a symposium, masses of terrors rose up. He said that he could hardly bear it when it was night, but if he heard it in the daytime he was not affected. Such symptoms persisted over a long period of time.^b

52. Democles, who was with him, seemed blind and powerless of body, and could not go along a cliff, nor on to a bridge to cross a ditch of the least depth, but he could go through the ditch itself. This affected him for some time.^c

53. Phoenix's problem: he seemed to see flashes like lightning in his eye, usually the right. And when he had suffered that a short time a terrible pain developed towards his right temple, then in the whole head, and then into the part of the neck where the head is attached to the vertebra behind, and there was stretching and hardness around the teeth. He kept trying to open them, straining. Vomits, whenever they occurred, averted the pains I have described, and made them more gentle. Phlebotomy helped. A draught of hellebore produced variegated matter, not least leek-colored.^d

^a Cf. *Epid.* 7.85.

^b Cf. *Epid.* 7.86.

^c Cf. *Epid.* 7.87.

^d Cf. *Epid.* 7.88.

⁶ διοργεῖν M: διοιργεῖν V

⁷ καὶ φλεβ. M

84. Παρμενίσκῳ καὶ πρότερον ἐνέπιπτον ἀθυμῖαι καὶ ἀπαλλαγῆς βίου ἐπιθυμία, ὅτε δὲ πάλιν εὐθυμία.

85. Ἡ δὲ Κόνωνος θεραπεία, ἐκ κεφαλῆς ὀδύνης ἀρξαμένη,¹ ἔκτοσθεν ἐγένετο· βοή, κλαυθμοὶ πολλοί, ὀλιγάκις ἡσυχία. περὶ δὲ τὰς τεσσαράκοντα ἐτελεύτησεν· ὅτε δὲ ἔθνησκε,² δέκα ἡμέρας ἄφωνος καὶ σπασμώδης ἐγένετο.

86. Νηηνίσκος δέ τις πολὺν ἄκρητον πεπωκὼς ὕπτιος ἐκάθευδεν ἐν τινι σκηνῇ· τούτῳ ὄφεις ἐς τὸ στόμα παρεισεδύετο ἀργῆς. καὶ δὴ ὅτε ἤσθετο, οὐ δυνάμενος φράσασθαι, ἔβρυξε τοὺς ὀδόντας, καὶ παρέτραγε τοῦ ὄφιος,³ καὶ ἀλγηδόνι μεγάλη εἶχετο, καὶ τὰς χεῖρας προσέφερεν ὥς ἀγχόμενος, καὶ ἐρρίπτει ἐωυτόν, καὶ σπασθεὶς ἔθανεν.

87. Καὶ ὁ τοῦ Τιμοχάριος θεραπείων ἐκ μελαγχολικῶν δοκεόντων εἶναι καὶ τοιούτων καὶ τοσούτων, ἔθανεν ὁμοίως περὶ τὰς αὐτὰς ἡμέρας.

88. Τῷ Νικολάου περὶ ἡλίου τροπᾶς χειμερινάς, ἐκ ποτῶν ἔφριξεν, ἐς νύκτα πυρετοί. τῇ ὑστεραίῃ, ἔμετος χολώδης, ἄκρητος, ὀλίγος. τῇ τρίτῃ ἀγορῆς πλήρεος ἐούσης ἰδρῶς ὅλου τοῦ σώματος· ἔληξεν. |

¹ ἀρξαμένης MV (cf. Epid. 7.90)

² τὰς ὅτε ἔθνησκε δὲ M

³ τὴν ὄφιν V (in marg. λέγεται καὶ τῆς ὄφιος)

84. Parmeniscus previously was visited by depressions and desire to end his life, but sometimes again with optimism.^a

85. Conon's female servant, who began with a pain in the head, became delirious. Crying, much weeping, seldom quiet. She died about the fortieth day. When she died she had been for ten days voiceless and having convulsions.^b

86. A youth who had drunk much undiluted wine was sleeping on his back in a tent. A shining snake went into his mouth.^c When he felt it, unable to consider what to do, he ground his teeth together and bit off part of the snake. He was seized by a great pain and brought up his hands as though choking, tossed himself about, and died in convulsions.

87. Timochareus' male servant, after what appeared melancholic affections of that kind and degree, died similarly about the same day.^d

88. Nicolaus' son, about the winter solstice, had shivering after drinking. Towards night, fever. The next day, bilious vomit, unmixed, small in quantity. On the third day while the agora was full,^e sweat over his body. He was cured.

^a Cf. *Epid.* 7.89.

^b Cf. *Epid.* 7.90.

^c ἀργῆς is interpreted as "white" by Erotian (frg. 22 N.). LSJ take the word to be the name of a snake, on the basis of Galen 19.89 K. This case is not paralleled in *Epid.* 7.

^d Cf. *Epid.* 7.91. "Similarly" refers back to the case described in ch. 85, which in *Epid.* 7 immediately precedes this one.

^e I.e., before noon. For this case, cf. *Epid.* 7.92.

99. Τῇ Διοπίθεος ἀδελφεῇ, ἐν ἡμιτριταίῳ δεινὴ καρδίῃ περὶ τὴν λῆψιν, καὶ συμπαρείπετο ὅλη τῇ ἡμέρῃ· καὶ ἡ καρδιαλγία, καὶ τῇσιν ἄλλησι παραπλησίως ὑπὸ Πληϊάδος δύσιν· ἀνδράσι σπανιώτερα ἐγένετο τὰ τοιαῦτα.

90. Τῇ Ἐπιχάρμου πρὸ τοῦ τεκεῖν δυσεντερία, πόνος,¹ ὑποχωρήματα ὕφαιμα, μυζώδεα· τεκοῦσα παραχρῆμα ὑγίης.

91. Τῇ Πολεμάρχου ἐν ἀρθριτικοῖσιν, ἰσχίου ἀλγῆματι δεινῶ ἐξ αἰτίας γυναικείων μὴ² γινομένων, ἡ φωνὴ ἔσχετο νύκτα ἄχρι μέσον ἡμέρης· ἤκουε δὲ καὶ ἐφρόνει, καὶ ἐσήμαινε τῇ χειρὶ³ περὶ τὸ ἰσχίον εἶναι τὸ ἄλγημα.

92. Ἐπιχάρμῳ, περὶ Πληϊάδων δύσιν, ὥμου⁴ ὀδύνῃ, καὶ βάρος ἐς βραχίονα, νάρκη. ἔμετοι συχνοί, ἰδροποσίῃ.⁵

93. Τῷ Εὐφάνορος παιδί, τὰ ἐξανθήματα οἷα ὑπὸ κωνώπων, ὀλίγον δὲ χρόνον· τῇ ὕστεραίῃ ἐπεπυρέτηνεν.

94. Αὐχμοὶ⁶ μετὰ ζέφυρον ἐγένοντο μέχρι ἰσημερίας φθινοπωρινῆς· ὑπὸ κύνα, πνίγεα μεγάλα θερμά· πυρετοὶ ἰδρώδεις· φύματα παρ' οὓς συχνοῖσιν ἐγένοντο.

¹ ὁ πόνος MV (cf. *Epid.* 7.99)

² om. MV (cf. *Epid.* 7.100)

³ τῇ χειρὶ om. V

⁴ ὀμοῦ MV (cf. *Epid.* 7.103)

⁵ ἰδρωπωσίῃ M ⁶ λύχμοι M

89. Diopeithes' sister in a semitertian fever had terrible heartburn at its onset and it continued all day.^a The heartburn was similar for other women at the setting of the Pleiades. Such symptoms were more rare with men.

90. Epicharmus' wife before delivery had dysentery, fatigue, bloody feces with phlegm. When she had given birth she suddenly became healthy.^b

91. Polemarchus' wife, in an arthritic condition, with a terrible pain in the hip joint, caused by the failure of her menses, lost her voice during the night and until midday. But she could hear, her mind was sound; she indicated with her hand that the pain was around the hip joint.^c

92. Epicharmus, at the setting of the Pleiades, had pain in the shoulder, heaviness in the arm, loss of sensation. Frequent vomiting and water drinking.^d

93. Euphanor's son had breaking out like the bites of mosquitoes for a short time. He was feverish besides on the following day.^e

94. There was drought after the Zephyr until the fall equinox. At the Dogstar stifling, very hot weather. There were fevers with sweats, swellings developed by the ears of many.^f

^a *Cardie* and *cardialgia* can refer either to the heart or, as here, to the entrance of the stomach. For this case, cf. *Epid.* 7.95.

^b Cf. *Epid.* 7.99.

^c Cf. *Epid.* 7.100.

^d Cf. *Epid.* 7.103.

^e Cf. *Epid.* 7.104.

^f Cf. *Epid.* 7.105.

95. Τύχων ἐν τῇ πολιορκίῃ τῇ¹ περὶ Δάτον ἐπλήγη ὑπὸ καταπέλτη² ἐς τὸ στήθος, καὶ μετ' ὀλίγον γέλωσ ἦν περὶ αὐτὸν θορυβώδης· ἐδόκει δέ μοι ὁ ἰητρὸς ἐξαιρέων τὸ ξύλον ἐγκαταλιπεῖν τι τοῦ δόρατος κατὰ τὸ διάφραγμα, δοκέοντος δὲ αὐτοῦ. πρὸς τὴν ἐσπέρην ἔκλυσέ τε καὶ | ἐφαρμάκευσε κάτω. νύκτα διήγαγε τὴν πρώτην δυσφόρως· ἅμ' ἡμέρῃ δὲ ἐδόκει καὶ τῷ ἰητρῷ καὶ τοῖσιν ἄλλοισι βέλτιον ἔχειν· πρόρρησις, ὅτι σπασμοῦ γενομένου οὐ βραδέως ἀπολείται. τῇ ἐπιούσῃ νυκτὶ δύσφορος, ἄγρυπνος, ἐπὶ γαστέρα τὰ πολλὰ κλινόμενος. τῇ τρίτῃ ἅμ' ἡμέρῃ ἐσπᾶτο, καὶ περὶ μέσον³ ἡμέρης ἐτελεύτησεν.

96. Τῷ Βίλλῳ πληγέντι ἐς τὸν νῶτον, τὸ πνεῦμα πολὺ κατὰ τὸ τρῶμα μετὰ ψόφου⁴ ἐχώρειν· καὶ⁵ ἡμορράγει· τῷ ἐναίμῳ καταδεθεὶς ὑγιῆς· καὶ τῷ Δυσλύτῳ ξυνέβη τωυτό.

97. Τῷ τῆς Φίλλης⁶ παιδί, ψιλώματος ἐν μετώπῳ γενομένου, ἐναταίῳ πυρετός· ἐπελιάνθη τὸ ὀστέον· ἐτελεύτησεν. καὶ τῷ Φανίου καὶ τῷ Εὐεργέτου· πελιαινομένων δὲ τῶν ὀστέων, καὶ πυρεταινόντων, ἀφίσταται τὸ δέρμα ἀπὸ τοῦ ὀστέου, καὶ πύον ὑποφαίνεται.

¹ om. M

² κατα πελτην (sic) M

³ om. M

⁴ ψου M

⁵ om. M

⁶ Φίλλης V

95. At the siege of Datum, Tychon was struck in the chest by a catapult. Shortly later he was overcome by a raucous laughter. It appeared to me that the physician who removed the wood left part of the shaft in the diaphragm, and the patient thought so. The physician gave him an enema towards evening and a drug by the bowel. He spent the first night in discomfort. At daybreak he seemed to the physician and others to be better. Prediction: spasms would come on and he would die quickly. On the subsequent night discomfort, sleeplessness. He lay on his stomach for the most part. Convulsions began with daybreak the third day and he died at midday.^a

96. When Billus was wounded in the back, much breath came out through his wound noisily. And he hemorrhaged. Bandaged with drugs for stopping blood, he recovered. The same thing happened to Dyslytas.^b

97. The son of Phile whose skull was laid bare on his forehead had fever on the ninth day. The bone became livid. He died. Also the sons of Phantias and Euergetes, whose bones became livid, had fever: their skin came away from the bone and pus showed from beneath.^c

^a Cf. *Epid.* 7.121.

^b Though this passage and 7.34 are versions of the same report, the names have become garbled. Meineke suggests that the original name in the first line was Ἀβδελος. He would suggest Δυσλώ-
τας for the name of the second.

^c Cf. *Epid.* 7.35.

98. Ἀρίστιππος ἐς τὴν κοιλίην ἐτοξεύθη ἄνω βίη χαλεπῶς· ἄλγος κοιλίης δεινόν· καὶ ἐπίμπρατο ταχέως· κάτω δὲ οὐ διεχώρει· ἀσώδης ἦν· χολώδεα κατακορέα· ὅτε ἀπήμεσεν,¹ ἐδόκει ῥῆϊων² εἶναι, μετ' ὀλίγον δὲ πάλιν τὰ ἀλγήματα δεινά· καὶ ἡ κοιλίη ὥς ἐν εἰλεοῖσιν· θέρμαι, δίψαι· ἐν τῇσιν ἑπτὰ ἡμέρησιν ἐτελεύτησεν.

99. Ὁ δὲ Νεάπολις πληγεὶς ὁμοίως ταῦτα³ ἔπασχεν· κλυσθέντι δριμεῖ, κοιλίη κατερράγη· χρώμα κατεχύθη λεπτόν, ὠχρόν, μελανόν,⁴ ὄμματα αὐχμηρὰ καρώδεα⁵ ἐνδεδινημένα ἀτενίζοντα.

258 100. Ἐν Καρδίῃ⁶ τῷ Μητροδώρου παιδί ἐξ ὀδόντος ὀδύνη, | σφακελισμὸς τῆς γνάθου, καὶ οὖλων ὑπερσάρκωσις·⁷ μετρίως ἐξεπύησεν· ἐξέπεσον οἱ γόμφιοι⁸ καὶ ἡ σιηγών.

101. Γυναικί, ἐν Ἀβδήροισι καρκίνωμα ἐγένετο περὶ στῆθος, διὰ τῆς θηλῆς ἔρρει ἰχώρ ὕφαιμος· ἐπιληφθείσης δὲ τῆς ῥύσιος ἔθανεν.

102. Ἐκ κατάρρου κατὰ τὸ ἥμισυ τῆς κεφαλῆς ἐπόνεον, καὶ κατὰ ῥίνας ὑγροῦ χωρέοντος ἐπυρέταινον,⁹ ἐπιεικῶς ἐν τῇσι πέντε ἡμέρησι περιεψύχοντο.

¹ ἐπήμεσεν MV (cf. *Epid.* 7.29)

² ῥῆϊον M

³ Lind.: ταῦτ' mss.

⁴ μέλαν ἐόν MV: corr. Smith from *Epid.* 7.30

⁵ καθαρώδεα M

⁶ κραδίη MV (cf. *Epid.* 7.113)

⁷ ὑπερσάρκησις MV (cf. *Epid.* 7.113)

⁸ γομφίοι M

⁹ ἐπυρέτηνον V

95. Aristippus was severely wounded by being shot in the upper belly by an arrow. Terrible pain in the intestine. It was quickly inflamed, but no excrement passed below. He was nauseous; very bilious matter; when he had vomited he seemed better, but shortly later had the terrible pains again. His intestine as in intestinal obstructions. Fever, thirst. He died in seven days.^a

99. Neapolis, similarly wounded, had the same experience. But after an enema with astringent medicine his bowel was freed up. A light color was diffused over him, yellow and black. Eyes dry, stuporous, rolling inwards, staring.^b

100. In Cardia, Metrodorus' son had pain from the teeth, mortification of the jaw. Flesh grew over the gums. He was moderately purulent. The molars and the jawbone collapsed.^c

101. A woman in Abdera had cancer on the chest and through her nipple a bloody serum flowed out. When the flow was interrupted, she died.^d

102. After a catarrh they suffered in half the head. Moisture flowed from their noses, they were feverish. They grew properly cool again generally in five days.^e

^a Cf. *Epid.* 7.29.

^b Cf. *Epid.* 7.30.

^c Cf. *Epid.* 7.113.

^d Cf. *Epid.* 7.116.

^e Cf. *Epid.* 7.56.

103. Τῇ Σίμου¹ ἐν τόκῳ σεισθείσῃ, ἄλγημα περὶ στῆθος καὶ πλευρῶν ἀποχρέμψεις πυώδεις· φθισικὰ² κατέστη· ἕξ ἡμέρας οἱ πυρετοὶ· πάλιν διάρροια· παῦσις πυρετοῦ·³ κοιλίῃ ἔστη, καὶ περὶ ἡμέρας ἑπτὰ ἔθανεν.

104. Ἡ κυναγχικὴ χεῖρα δεξιὴν καὶ σκέλος ἤλγησεν· πυρέτιον⁴ ἐπεῖχε βληχρόν· ὁ πνιγμὸς τριταίην ἐχάλασεν. τετάρτῃ⁵ σπασμώδης, ἄφωνος· ῥέγχος, ὀδόντων ξυνέρειςις, γνάθων ἔρευθος· ἔθανε πεμπταίῃ ἢ ἑκταίῃ· σημεῖον περὶ χεῖρα ὑποπέλιον.

105. Καὶ ἑτέρῃ ἐπὶ τοῦ ὑπερώου ῥεγχώδης· γλῶσσα ξηρὴ, περιπλευμονικὴ· ἔμφρων ἔθανεν.

106. Καὶ ὁ ἐν Ὀλύνθῳ ὑδρωπικός, ἐξαίφνης⁶ ἄφρωνος, ἔκφρων νύκτα καὶ ἡμέρην, ἔθανεν.

¹ τησίμου τοῦ Μ

² φθεῖς Μ

³ πυρετοὶ ΜV (cf. Epid. 7.49)

⁴ πυρετὸν ΜV (cf. Epid. 7.18)

⁵ ἑβδομή ΜV: corr. rec. CD

⁶ ἐξαίφνης Μ

EPIDEMICS 5

103. Simus' wife, shaken in childbirth,^a had a pain about the chest, and expectoration of pus from the lungs. Phthisis set in. Fever for six days.^b Later diarrhea. Fever stopped. Bowels became stable, she died about seven days later.^c

104. The woman with quinsy had pains in the right arm and leg. A low fever persisted. The choking relaxed on the third day. On the fourth she was convulsive, voiceless; rattling when she breathed; clenching of teeth; redness of cheeks. Death the fifth or sixth day. A livid mark on her hand.^d

105. Another woman had rattling in the upper chest, dry tongue; peripneumonic. Died without delirium.^e

106. And the hydropic man at Olynthus, suddenly voiceless, delirious a night and a day. He died.^f

^a This appears to indicate that there was some difficulty in the birth process, and that shaking or succussion of some sort was used to facilitate it.

^b "Six months" in *Epid.* 7.49, probably correctly.

^c Cf. *Epid.* 7.49, and cf. Simus' wife, who died from aborting, 5.53.

^d Cf. *Epid.* 7.18.

^e Cf. *Epid.* 7.15.

^f Cf. *Epid.* 7.21.

ΕΠΙΔΗΜΙΩΝ ΤΟ ΕΚΤΟΝ

ΤΜΗΜΑ ΠΡΩΤΟΝ

V 266

Littre

1. Ὁκόσησιν ἐξ ἀποφθορῆς περὶ ¹ ὑστέρην καὶ οἰδημάτων ἐς κερηβαρίην τρέπεται, κατὰ τὸ βρέγμα ὀδύναι μάλιστα, καὶ ὅσαι ἄλλαι ἀπὸ ὑστερέων· ταύτησιν ἐν ὀκτῶ ἢ δέκα μηνσὶν ἐς ἰσχίον τελευτᾷ.

2. Οἱ φοξοί, οἱ μὲν κραταύχενες, ² ἰσχυροὶ καὶ τᾶλλα καὶ ὀστέοισιν· οἱ δὲ κεφαλαλγείς, καὶ ὠτόρρυτοι, τούτοιςιν ὑπερῶαι κοῖλαι, καὶ ὀδόντες παρηλλαγμένοι.

3. Ὁκόσοισιν ὀστέον ἀπὸ ὑπερώης ἀπῆλθε, τούτοιςιν μέση ἵζει ἢ ῥίς· οἷσιν ἔνθεν ³ οἱ ὀδόντες ἄκρη σιμοῦται. |

268

4. Αἱ τῶν νηπίων ἐκλάμψεις ⁴ ἅμα ἤβη· ἔστιν οἷσι μεταβολὰς ἰσχουσι καὶ ἄλλας.

5. Ἀτὰρ ⁵ καὶ ἐς νεφρὸν ὀδύνη βαρεῖη ὅταν πληρῶνται τοῦ σίτου ἢ πότου, ⁶ ἐμέουσί τε φλέγμα, ὅταν δὲ πλεονάζωσιν αἱ ὀδύναι, ⁷ ἰώδεα· καὶ ῥάους μὲν

mss. MV, recentiores IIR

¹ καὶ περὶ M

² κρατεραύχενες M Gal.

³ ὅθεν (perhaps correctly) M: δὲ ὅθεν Gal.

⁴ ἐπιλήμψεις M (v.l.) Gal.

⁵ om. M

⁶ τοῦ σίτου ἢ πότου] σίτου M

⁷ αἱ ὀδύναι om. M

EPIDEMICS 6

SECTION 1

1. In women in whom, after miscarriage and after swellings about the uterus, it turns to headaches, there is pain mostly around the front of the head, along with whatever other pains come from the uterus: for these women it terminates at the hip in the eighth or tenth month.

2. People with pointed heads: if they have strong necks they are strong elsewhere and in the bones. But if they have headaches and running ears, in them palates are hollow and teeth uneven.

3. People whose bone has gone away from the palate have the nose settling in the middle; if where the teeth are, they have the tip of the nose upturned.^a

4. The blossoming of infants at puberty, for some, contains other changes as well.

5. However, there is also severe pain in a kidney when they are filled with food or drink: they vomit phlegm and, when the pains increase, greenish material. They become

^a *Epid.* 4.19 deals with related subject matter.

γίνονται, λύνονται δέ, ὅταν σίτων¹ κενωθῶσιν· ψαμμία τε πυρρὰ ὑφίσταται, αἱματῶδές τε οὐρέουσιν·² νάρκη μηροῦ τοῦ κατ' ἴξιν. ἐλινύειν οὐ ξυμφέρει, ἀλλὰ γυμνάσια· μὴ ἐμπίπλασθαι· τοὺς νέους ἐλλεβορίζειν, ἰγνύην τάμνειν, οὐρητικοῖσι καθαίρειν, λεπτῦναι καὶ ἀπαλῦναι.

6. Γυναικεῖα τῇσιν ὑδαταινούσῃσιν ἐπιπολὺν παραμένει· ὅταν δὲ μὴ ταχὺ ἴῃ ἐποιδεῖ.

7. Ἐν Κρανῶνι, αἱ παλαιαὶ ὀδύναι ψυχραί, αἱ δὲ νεαραὶ θερμαί, αἱματαί³ αἱ πλείσται· καὶ τὰ ἀπὸ ἰσχύου ψυχρά. |

270 8. Τὰ ἐς ῥίγεα ἰσχυρὰ ἰόντα,⁴ οὐ πάνυ τι προπρηῦνεται, ἀλλ' ἐγγὺς τῆς ἀκμῆς. πρὸ ῥίγεος αἱ⁵ σχέσιες τῶν οὔρων, ἣν ἐκ χρηστῶν ἴωσι, καὶ κοιλή ἦν⁶ ὑποδιέλθῃ καὶ ὕπνοι ἐνέωσιν· ἴσως δὲ⁷ καὶ ὁ τρόπος τοῦ πυρετοῦ· ἴσως δὲ καὶ τὰ ἐκ κόπων. ἀποστάσιες οὐ μάλα οἷσι ῥίγεα.

9. Αἱ⁸ τῶν σκελέων ἐκθηλύνσιες, οἷον ἢ πρὸ νούσου ὁδοιπορήσαντι, ἢ ἐκ νούσου αὐτίκα,⁹ διότι ἴσως τὸ ἐκκόπτειν¹⁰ ἐς ἄρθρα ἀπέστη, διὸ καὶ τῶν σκελέων ἐκθηλύνσιες.

10. Φύματα ἔξω ἐξοιδέοντα, καὶ τὰ ἀπόξη καὶ κορυφώδεα, καὶ τὰ ὁμαλῶς συμπεπαινώμενα, καὶ μὴ περίσκληρα, καὶ κατάρροπα, καὶ μὴ δίκραια, ἀμείνω· τὰ δὲ ἐναντία κακά, καὶ ὅσα πλείστῳ ἐναντία, κακίστα. |

¹ σίτον M ² ῥέουσι M

³ αἷματι δὲ Gal.

⁴ Gal.: ἔοντα MV (v.l.) Gal.

easier and are relieved when they are emptied of food. Reddish sand develops and they urinate bloody matter. Loss of sensation in the thigh on the same side. Rest is not helpful, rather exercises. Avoid repletion: give hellebore to young people, bleed at the groin, purge with diuretics, thin them down and soften them.

6. In moist women the menses last long. But when they do not come quickly there is swelling.

7. In Crannon, old pains were cold, but recent ones warm, and mostly engorged with blood. The parts near the hip were cold.

8. Affections that develop to powerful shivers do not much lessen, except near their acme. Before the shivers, retention of urine, if they come from favorable developments, and if the bowel is open and if there is sleep. Perhaps also the manner of fever (makes a difference). Perhaps also affections from fatigue. There are no apostases in those who have shivering.

9. Weakening of the legs, for example in one who has made a journey before the disease, or just after the commencement of the disease: perhaps because the material from fatigue settled in the joints, wherefore the weakening of the legs.

10. Swellings which go outwards, which taper to a peak, and are ripened evenly, which are not hard, not pendent, and not split, are best. The opposite are bad. The most opposite are the worst.

⁵ om. M

⁶ κοιλίην ἦν M

⁷ ἴσος τε V

⁸ ἐκ V

⁹ om. V

¹⁰ ἐκ κόπων M

272

11. Τὸ θηριῶδες φθινοπώρου, καὶ αἱ καρδιαλγικαί, καὶ τὸ φρικῶδες, καὶ τὸ μελαγχολικόν. πρὸς τὰς ἀρχὰς τοὺς παροξυσμοὺς σκέπτεσθαι, καὶ ἐν ἀπάσῃ τῇ νούσῳ· οἷον τὸ ἐς δείλῃν παροξύνεσθαι, καὶ ὁ ἐνιαυτὸς ἐς δείλῃν· καὶ αἱ ἀσκαρίδες.

12. Νηπίοισι βηχίον ξὺν γαστρὸς ταραχῇ καὶ πυρετῷ ξυνεχεῖ διμηνιαίῳ, τὸ ξύμπαν σημαίνει μετὰ κρίσιν¹ εἰκοσταίῳ καὶ οἰδήματα ἐς ἄρθρα· καὶ ἦν μὲν κάτω τοῦ ὀμφαλοῦ καταστῇ, τὰ ἄνω ἐν τοῖσι κάτω ἄρθροισιν, ἀγαθόν· ἦν δὲ ἄνω, οὐχ ὁμοίως λύει τὴν νοῦσον, ἦν μὴ ἐκπύσῃ· τὰ δὲ ἐν ὤμοισιν ἐκπυεῦντα τοῖσι τηλικούτοισι γαλιάγκωνας ποιεῖ· λύσειε δ' ἂν καὶ ἐλκυδρίων κάτω ἔκθυσις, ἦν μὴ στρογγύλα καὶ βαθέα ᾗ, τὰ δὲ τοιαῦτα ὀλέθρια καὶ ἄλλως παιδίοισιν· λύσειε δ' ἂν καὶ αἷμα ῥαγέν·² μᾶλλον δὲ τοῖσι τελειοτέροισιν ἐπιφαίνεται.

274

13. Δάκρυον ἐν τοῖσιν ὀξέσι τῶν φλαύρως ἐχόντων, ἐκόντων μὲν χρηστόν, ἀκόντων δὲ παραρρέον κακόν· καὶ οἷσι περιτείνεται βλέφαρα, κακόν· κακὸν δὲ καὶ τὸ ἐπιξηραινόμενον οἷον ἄχνη, καὶ τὸ | ἄμαυρόν κακὸν καὶ αὐχμηρόν. καὶ οἱ ῥυτιδούμενοι ἔνδοθεν, καὶ οἱ πεπηγότες, καὶ οἱ μόγισ στρεφόμενοι, καὶ οἱ ἐνδεδινημένοι, καὶ τᾶλλα ὅσα παρῆται.

14. Πυρετοί, οἱ μὲν δακνώδεις τῇ χειρί, οἱ δὲ πρηεῖς·³ οἱ δ' οὐ δακνώδεις μὲν, ἐπαναδιδόντες δέ· οἱ δ' ὀξεῖς μὲν, ἡσώμενοι δὲ τῇ χειρί.⁴ οἱ δὲ περικαεῖς

¹ ξυνεχεῖ σημ. μετὰ κρίσιν διμην. τὸ ξύμπαν miss.: I have transposed on the basis of Gal. comm. ms. U

11. In autumn there are worms and cardialgie ailments (heartburn), shivering, melancholy. One should watch for paroxysms at the onset; also in the whole disease; as is the exacerbation at evening, so is the year at its evening. Intestinal worms also.^a

12. In infants, a cough with stomach upset and continuous fever in the second month indicates generally that there will also be swellings in the joints twenty days after the crisis. If the material from above settles below the navel in the lower joints, it is good. But if in the upper ones, it does not similarly resolve the disease unless there be festering. Festering in the shoulder for infants of that age makes them weasel-armed. Eruption of sores below can resolve that, if they are not round and deep, but that kind are even otherwise injurious to children. A flow of blood, too, can resolve it, but is more common in older children.

13. Weeping in patients who are badly off in acute diseases: good if they are voluntary, but flowing involuntarily, bad. Bad if the eyelids are stretched out. Dryness like chaff on them is bad, and dimming of sight and drying of the eye. If there is wrinkling in the eye's interior, if it is fixed or rotates with difficulty, or if it whirls. I pass over other phenomena.

14. Fevers: some are pungent to the touch, some gentle. Some are not pungent but increasing. Some are sharp but decreasing to the touch, some are straightway burning

^a Cf. *Epid.* 2.1.3 for similar material.

² ῥυέν Gal.

³ πρηῆς MV (perhaps correctly)

⁴ τῆς χειρός M

εὐθέως, οἱ δὲ διὰ παντὸς βληχροί· ξηροί· οἱ δὲ ἄλμυρά-
 δεις· οἱ δὲ πεμφιγώδεις ἰδεῖν δεινοί· οἱ δὲ πρὸς τὴν
 χεῖρα νοτιώδεις· οἱ δὲ ἐξέρυθροι· οἱ δὲ πελιοί· οἱ δὲ
 ἔξωχροι· καὶ τᾶλλα τοιουτότροπα.

15. Αἱ ξυντάσεις τοῦ σώματος, καὶ οἱ σκληρυσμοὶ
 τῶν ἄρθρων, κακόν· καὶ αὐτὸς διαλελυμένος, κακόν·
 276 καὶ αἱ κατακλάσεις τῶν | ἄρθρων, κακαί. ὄμματος θρά-
 σος, παρακρουστικόν· καὶ ἔρριψις καὶ κατάκλασις,
 κακόν.

ΤΜΗΜΑ ΔΕΥΤΕΡΟΝ

1. Εὐρῦναι, στενυγρῶσαι, τὰ μὲν, τὰ δὲ μή.
 χυμούς, τοὺς μὲν ἐξῶσαι,¹ τοὺς δὲ ξηρᾶναι, τοὺς δὲ
 ἐνθεῖναι, καὶ τῇ μὲν, τῇ δὲ μή. λεπτῦναι, παχῦναι
 τεῦχος, δέρμα, σάρκας, τᾶλλα, καὶ τὰ μὲν, τὰ δὲ μή.
 λειῆναι, τρηχῦναι. σκληρῦναι, μαλθάξαι, τὰ δὲ μή.
 ἐπεγεῖραι, ναρκῶσαι· καὶ τᾶλλα ὅσα τοιαῦτα. παροχε-
 τεύειν, ὑπεῖξαντα ἀντισπᾶν αὐτίκα, ἀντιτείναντα
 ὑπεῖξαι. ἄλλον χυμόν, μὴ τὸν ἰόντα, ἄγειν, τὸν δὲ
 ἰόντα ξυνεκχυμοῦν,² ἐργάσασθαι³ τὸ ὅμοιον, οἶον ὀδύ-
 νην⁴ παύει τὰ ἀνόμοια. ἧ⁵ ῥέπει ἄνωθεν | ἀρθέντα,
 275 κάτωθεν λύειν, καὶ τὰ ἐναντία τὸ αὐτό,⁶ οἶον κεφαλῆς
 κάθαρσις, φλεβοτομή, ὅτε οὐκ εἰκῇ ἀφαιρεῖται.

¹ στεγνῶσαι V

² μὴ συνεκχυμοῦν V

³ ὀργάσασθαι Gal. (v.ll. ὀργίσασθαι, ἐργάσασθαι)

⁴ ὀδύνην] ὀδύνη ὀδύνην Gal. ⁵ εἰ Gal.

⁶ τὸ αὐτό Gal. comm.: ταῦτά M: ταῦτα V Gal. lemma

hot, and some are faint throughout. Some dry, some salty, some with blisters dreadful to see. Some damp to the touch. Some are red, some livid, some yellow. And so on.

15. Stretching of the body and hardening of the joints is bad. The joint itself being loosened is bad. Breakings of the joints are bad. Boldness of eye shows delirium. Both restlessness and drooping are bad.

SECTION 2

1. To dilate or to constrict, in some cases yes, in some, no. Some humors should be expelled, some dried, some injected, sometimes, but sometimes not. To reduce or increase the body, the skin, flesh, and so on; here, too, some yes, some no. To smoothe, roughen, harden, soften. Some no. To wake up, to put to sleep. And other things of the sort. Pump out, stretch again immediately what is relaxed, relax what is tight. Induce another humor, not the one running, help evacuate the one running, produce a similar condition, just as dissimilars stop pain. Where it inclines upward, being elevated, resolve it below, and in the opposite case the same thing, for example, purging the head, phlebotomy, when the removal is not random.⁴

⁴ This and similar lists of actions hint, in *Epid.* 6 as in *Epid.* 2 (e.g., 2.3.8), at the objectives of the physician: to be in control of bodily processes (as he imagines them) in order to assure that the process of disease is successfully carried through. The implications of drastic intervention appear to contradict the expectative posture of *Epid.* 6.5.1 below. But the "wisdom of Nature" described in 6.5.1 is what the active, interventionist physician strives to imitate.

2. Αἱ ἀποστάσεις, οἷον βουβῶνες, σημείον μὲν τῶν τὰ βλαστήματα ἔχόντων, ἀτὰρ καὶ ἄλλων, μάλιστα δὲ περὶ τὰ ¹ σπλάγχνα, κακοήθεις δὲ οὗτοι.

3. Πνεύματα, σμικρά, πυκνά· μεγάλα, ἀραιά· σμικρά, ἀραιά· πυκνά, μεγάλα· ² ἔσω μέγα, ἔσω σμικρόν· ἔσω μέγα, ἔσω σμικρόν· τὸ μὲν ἐκτεῖνον, τὸ δὲ κατεπεῖγον· διπλῇ ἔσω, ἐπανάκλησις, οἷον ἐπεισπνέουσι, θερμόν, ψυχρόν.

4. Ἰητήριον ξυνεχέων χασμέων, μακρόπνους, ἐν τοῖσιν ἀπότοισι καὶ μόγισ, βραχύπνους.

5. Κατ' ἴξιν καὶ πλευρέων ὁδύνῃ, καὶ ξυντάσεις ὑποχονδρίων, καὶ σπληνὸς ἐπάρσεις, καὶ ἐκ ῥινῶν ῥήξεις, καὶ ὦτα κατ' ἴξιν τούτων τὰ πλεῖστα· ταῦτα καὶ ἐς ὀφθαλμούς. πότερον ἦρα πάντα, ἢ τὰ μὲν κάτωθεν ἄνω, οἷα τὰ παρὰ γνάθους ἢ παρ' ὀφθαλμόν καὶ οὖς, τὰ δὲ ἄνωθεν κάτω, οὐ κατ' ἴξιν; καίτοι καὶ τὰ
280 ξυναγχικὰ ἐρυθρήματα καὶ πλευρέων ἀλγήματα κατ' ἴξιν· ³ ἢ καὶ τὰ κάτω ἥπατος ἄνωθεν διαδιδόντα, οἷον τὰ ἐς ὄρχιας καὶ κισσοῦς; σκεπτέα· ⁴ ταῦτα, ὅπη καὶ ὅθεν καὶ διότι.

6. Φλέβες κροτάφων οὐχ ἰδρυμέναι, οὐδὲ χλώρασμα λαμπρόν. ἦν πνεῦμα ἐγκαταλείπεται, ἢ βῆξ ξηρή, μὴ θηριώδης, ἐς ἄρθρα στήριξιν προσδέχεσθαι δεῖ, ⁵ κατ'

¹ om. V

² ἀραιά . . . μεγάλα om. V

³ καίτοι . . . ἴξιν Gal.: om. mss.

⁴ σκεπτέον V

⁵ χρή V

2. Apostases, such as buboes, are indications about the parts which have the excrescences, and of other parts as well, particularly the intestinal area. Those people are of bad habitude.

3. Breathing: shallow and rapid; deep and intermittent; shallow and intermittent; rapid and deep. Out large, in small; in large, out small. One prolonged, another hurried. Double inspiration, like people breathing in successively, hot, cold.^a

4. A cure for constant yawning is deep breathing; in those who cannot drink, shallow breathing.

5. On the same side occur pains in the side, stretching of the hypochondria, swelling of the spleen, eruptions from the nostrils; also ear problems generally on the corresponding side with these. The same things coming to the eyes as well. Is this true for all cases, or only when what is below rises, as in affections by the jaws or the eye and ear, while what goes down from above does not do so according to side? Still, flush of quinsy and pains in the ribs are by sides. Is it also material below the liver distributed upward, like affections of testicles and varicose veins? This must be investigated, where, whence, and why.

6. Blood vessels in the temples unstable, color bad; if there be breathing trouble or a dry cough (not too violent^b), you must expect a deposit on the joints, gen-

^a *Epid.* 2.3.7 is related to this passage.

^b *Θηριώδης*, here and in 11 below. I interpret as "fierce." It could mean, as often, "indicating worms." Galen tells us that the ancient commentators disagreed about it.

ἴξιν τῶν ἔντασίων τῶν κατὰ κοιλίην ὥς ἐπιτοπολύ· ἔχουσι δὲ οὗτοι οἱ πλεῖστοι καὶ ἐξέρυθρα, καὶ τῇ φύσει τοῦ λευκοχρωτέρου τρόπου, καὶ οὐχ αἱμορραγέουσι ῥῖνες, ἢ σμικρὰ αἱμορραγέουσιν· καὶ ἦν μὲν ῥυέντων ἐγκαταλείπεται, ἔτοιμον· δίψα ἐγκαταλειφθεῖσα καὶ στόματος ἐπιξηρασίη¹ καὶ ἀηδὴ² καὶ ἀποσιτίη τοῦτον τὸν τρόπον· πυρετοὶ δὲ οὐκ ὀξεῖς οἱ τοιοῦδε, ὑποστροφώδεις δέ. |

252

7. Τὰ ἐγκαταλιμπανόμενα μετὰ κρίσιν, ὑποστροφώδεα. τὸ γοῦν πρῶτον σπληνῶν ἐπάσεις, ἦν μὴ ἐς ἄρθρα τελευτήσῃ, ἢ αἱμορραγίῃ γένηται· ἢ δεξιῷ ὑποχονδρίου ἔντασις, ἦν μὴ ἐξοδεύῃ οὖρα· αὕτη γὰρ ἡ ἐγκατάληψις ἀμφοτέρων, καὶ αἱ ὑποστροφαὶ τούτων εἰκότως. ἀπόστασιν οὖν ποιεῖσθαι αὐτὸν μὴ γινομένης, τὰς δὲ ἐκκλίνειν γινομένης,³ τὰς δὲ ἀποδέχεσθαι⁴ ἦν ἴωσιν οἷαι δεῖ καὶ ἡ δεῖ· ὁπόσαι δὲ μή, σφόδρα ξυνδρᾶν· τὰς δ' ἀποτρέπειν ἦν πάντῃ ἀξύμφοροι ἔωσι, μάλιστα δὲ ταύτας μελλούσας, εἰ δὲ⁵ μή, ἀρχομένας ἄρτι.

5. Αἱ τεταρταῖαι αἱμορραγίαι, δύσκριτοι.

9. Οἱ διαλείποντες⁶ μίαν τῇ ἐτέρῃ ἐπιρριγέουσιν ἅμα κρίσει ἐκ τῶν πέντε εἰς τὰς ἑπτά.

10. Ὅσοι τριταιοφυεῖς, τούτοιςιν ἡ νύξ δύσφορος ἡ πρὸ τοῦ παροξυσμοῦ· ἡ δὲ ἐπιούσα, εὐφορωτέρη ὥς ἐπὶ τὸ πολὺ.

¹ ἐπὶ ξηρασίν M ² ἡδὴ M

³ τὰς . . . γινομένης om. V

⁴ ἀπὸ ἀποδέχεσθαι M

⁵ om. V ⁶ διαλιπόντες M

erally on the side where the intestines are distended. These people generally are ruddy, even if they are of the whiter type; they do not have nosebleeds, or very little. If in nosebleeds there is a residuum, it is ready to cause trouble. Persistent thirst and residual dryness of the mouth, and indifference and aversion to food are of that sort. Such fevers are not acute, though they tend to relapse.

7. Material left after a crisis tends toward relapses. First there is swelling of the spleen, unless it terminate in the joints or hemorrhage occur. Or a stretching of the right hypochondrium unless there be exit of urine. For this is the blockage of both, and the relapse occurs predictably. One should oneself cause an apostasis if they do not happen, deflect them when they are occurring, accept them if they come of the right kind in the right place. If they do not, offer vigorous assistance, but turn them back if they are totally inappropriate, especially when they are about to occur, but otherwise just after they begin.^a

8. Fourth day hemorrhages indicate unfavorable crises.^b

9. Fevers that remit one day have shivering on the other, along with crisis between the fifth and seventh day.^c

10. For those with tertians, the night before the paroxysm is difficult, the subsequent one generally more comfortable.

^a *Epid.* 2.3.8 offers a related discussion of controlling apostases.

^b = *Epid.* 2.3.9.

^c There is a similar text at *Epid.* 2.3.10.

11. Βῆχες ξηραὶ βραχὺ ἐρεθίζουσai ἀπὸ πυρετοῦ πυρκαέος, οὐ κατὰ λόγον διψῶδεις, οὐδὲ γλῶσσαι καταπεφρυγμέναι, οὐ τῷ θηριῶδει, ἀλλὰ τῷ πνεύματι, δῆλον δέ· ὅταν γὰρ διαλέγωνται ἢ χασκῶσι, τότε βήσουσιν· ὅταν δὲ μῆ, οὐ· τοῦτο ἐν τοῖσι κοπιώδεις μάλιστα πυρετοῖσι¹ γίνεταί. |

254 12. Μηδὲν εἰκῆ, μηδὲν ὑπερορᾶν. ἐκ προσαγωγῆς τὰναντία, ἃ² προσάγειν, καὶ διαναπαύειν.

13. Τὰ ὀπισθεν κεφαλῆς ὀδυνωμένῳ, ἐν μετώπῳ ὀρθῇ ἢ φλέψι τμηθεῖσα ὠφέλησεν.

14. Αἱ διαδέξεις τῶν ὑποχονδρίων, ἐξ οἶων, οἷα ἄλλοισι³ καὶ τῶν σπλάγχνων τῶν φλεγμονῶν οἷα δύνανται, εἴτ' ἐξ ἥπατος σπληνί, καὶ τὰναντία, καὶ ὅσα τοιαῦτα. ἀντισπᾶν ἦν μὴ ἦ δεῖ⁴ ῥέπει.⁵ ἦν δὲ ὅπη δεῖ, τούτοισι δὲ στομοῦν οἷως ἕκαστα ῥέπει.

15. Τὰ πλατέα ἐξανθήματα, οὐ πάνυ τι κνησμώνδεα, οἷα Σίμων εἶχε χειμῶνος· [ὅς]⁶ ὅτε πρὸς πῦρ ἀλείψαιτο ἢ θερμῷ λούσαιτο ἀνίστατο· ἔμετοι οὐκ ὠφέλευν. οἶομαι εἴ τις ἐξεσπυρία ἀνιέναι ἄν.

286 16. Ὅσα πεπαίνεσθαι δεῖ, κατακεκλεῖσθαι δεῖ. τὰναντία [ἃ]⁷ δὲ ξηραίνειν ἢ ἀνεῶχθαι. [οἶον] ὀμμάτων ῥωωδέων,⁸ ἦν ἄλλως φαίνεται | ξυμφέρειν, ἀντι-

¹ πυρετοῖσι μάλιστα V ² om. Gal.

³ ἐξ οἶων οἷα ἄλλοιοῦσι v.l. Gal. i.e., "what causes alteration"

⁴ ἦ δεῖ] ἴδει (sic) M

⁵ ῥέπει M ⁶ del. Li.

⁷ om. Gal., secl. Corn.

⁸ ξηραίνει ἢ ἀνεῶχθαι οἶον ὀμμάτων ῥωωδέων MV; corr. Li

EPIDEMICS 6.2

11. There are dry coughs without much irritation after ardent fever; less than reasonable thirst, tongue not dry; they are not from malignity but from the breathing problems, clearly, for when they talk or yawn they cough, otherwise not. This happens mostly in fevers from fatigue.

12. Nothing at random. Overlook nothing. Opposites by gradual addition: add them, pause between.

13. For a pain in the back of the head it helps to cut the straight vein on the forehead.

14. Receptions into the hypochondria, from what kind of things, what they are, what effect they have on the other inflamed viscera, whether they are from the liver on to the spleen, or the opposite, and similar things. Draw them back, unless they are inclining where they should. If where they should, open the channel for them in the way they each are tending.

15. Broad exanthemas, not very itchy, such as Simon had in winter. Whenever he oiled himself by the fire or bathed in warm water, they broke out. Vomiting was no help. I think one could have brought them out if one had treated him with heat.

16. (Sores) If they need to achieve coction, they should be covered; but for the opposite, dry them or open them up. When the eyes run, if it seems that other therapy is

σπᾶν ἐς φάρυγγα καὶ ὅπη ἔρευξίς λυσιτελεῖ καὶ ἄλλα τοιαῦτα. τὰς ¹ ἐφόδους ἀνεστομῶσθαι, οἶον ῥίνας, καὶ τὰς ἄλλας, ὧν δεῖ καὶ οὐ ² δεῖ καὶ ὅτε καὶ ὅσον δεῖ, οἶον ἰδρῶτας καὶ τᾶλλα δὴ ³ πάντα.

17. Ἐπὶ τοῖσι μεγάλοισι κακοῖσι πρόσωπον ἦν ἡ χρηστόν, σημεῖον χρηστόν· ἐπὶ δὲ τοῖσι μικροῖσι τάναντία σημαῖνον ἢ εὖ σημεῖον ⁴ κακόν.

18. Παρὰ τὸ μέγα, οὗ ἡ γυνὴ ὀπισθεν τοῦ Ἡρώϊου, ἰκτερώδεος ἐπιγενομένου παρέμενεν αὐτῇ . . .

288 19. Ὁ παρὰ Τιμένεω ἀδελφιδῇ, οὗτος μελάγχρωσ, ἐν Περίνθῳ· τὸ γονοειδὲς τὸ τοιοῦτον ὅτι κρίσιμον, καὶ τῶν ἡτρων τὰ τοιαῦτα· | ὅτι αἱ οὐρήσιες ῥύονται, ὅτι οὔτε φύσης πολλῆς, οὔτε κόπρου πολλῆς, γλίσχρης δέ, διελθούσης ἐμαλάσσετο· οὐ γὰρ δὴ μέγα ἦν τὸ ὑποχόνδριον· κράμβην ἐβδομαῖος ἔφαγεν, ἔτι δύσπνους ἔων, ἐπὶ τὸ ἡτρον ἐμαλάσσετο, εὐθύπνους ἐγένετο.

20. Περὶ τοῦ αἵματος τοῦ ἰχωροειδέος, ὅτι ἐν τοῖσι πτοιώδεσι ⁵ τὸ τοιοῦτον ἢ τοῖσιν ἡγρυπνηκόσι, καὶ εἴτε φλαῦρον, εἴτε χρηστόν. οἷσιν ὁ σπλὴν ἐστι κατάρροπος, πόδες καὶ γούνατα καὶ χεῖρες θερμά, ῥίς, ὦτα αἰὲ ψυχρά. ἦρα διὰ τοῦτο λεπτόν τὸ αἷμα; ἦρα καὶ φύσει ⁶ τοιοῦτον οὗτοι ἔχουσιν;

¹ τὰς δὲ V

² οὐ MV: ὅπη Gal.

³ δεῖ M

⁴ ἢ εὖ σημεῖον] τῇ εὐσημείῃ Gal.

⁵ Erot. (70.10 N) Gal.: πτυώδεσι MV

⁶ φύσις MV

good, draw backwards into the gullet, where eructation and similar things help. Open the exits, such as nostrils, and the others, those that are needed where they are needed, when, and how much, such as sweating and all the rest.

17. In severe illness if the face looks very good it is a very good indication. But in minor ones, when it gives other than a favorable sign it is bad.

18. Beside the big building where the woman lived behind the Heroon, when jaundice developed, there persisted for her. . . .

19. The man at the home of Timenes' niece in Perinthus, with the dark skin. Urine like semen, the sort that is critical, and comparable symptoms of the lower abdomen. Because the urine flowed, because there was softening after some little flatulence, after passing of not much feces, but glutinous ones. His hypochondrium was not enlarged. He ate cabbage on the seventh day while still having breathing trouble. He grew softer in the lower abdomen; his breathing got easy.^a

20. Concerning serum-like blood, that it occurs in frightened people and insomniacs, and whether it is good or bad. Those whose spleen has descended have warm feet, knees, hands. Noses and ears always cold. Is the blood thin because of that? Do they have the condition naturally?

^a There is much use of logical particles in the report of this case, referring to assumptions confirmed or denied about the course of the disease, apparently.

21. Ἡ ἐν τοῖσιν ἐμπυήμασιν ὄρος·¹ οἷσι μέλλουσιν ἐκπνεῖν, αἱ κοιλίαι ἐκταράσσονται. |

290 22. Σπλήν σκληρὸς οὐ τὰ ἄνω, κάτω στρογγύλος, πλατύς, παχύς, λεπτός, μακρός.

23. Ἡσσον τοῖσιν ἀπὸ κεραλῆς κορυζώδεσιν. . . .

24. Ἡ περὶ τὸν νοσέοντα οἰκονομία, καὶ ἐς τὴν νοῦσον ἐρώτησις·² ἃ διηγεῖται, οἷα, ὥς ἀποδεκτέον, οἱ λόγοι· τὰ πρὸς τὸν νοσέοντα, πρὸς τοὺς παρεόντας, πρὸς τοὺς ἔξω.

25. Ὅτι ἐν³ θερμότερῳ⁴ τὸ ἐν τοῖσι δεξιοῖσι, καὶ μελανθές⁵ διὰ τοῦτο, καὶ ἔξω αἱ φλέβες μᾶλλον. ξυνεκρίθη, ξυνέστη ὀξύτερον, κινήθην, ἐμωλύθη, καὶ βραδύτερον αὖξεται καὶ ἐπὶ πλείῳ χρόνον. ὅτι ἐστερεώθη καὶ χολωδέστερόν τε καὶ ἐναιμότερον, ἢ τοῦτο θερμότερόν ἐστι τὸ χωρίον τῶν ζώων. |

ΤΜΗΜΑ ΤΡΙΤΟΝ

292 1. Ἡ δέρματος ἀραιότης, ἡ κοιλίης πυκνότης· ἡ δέρματος ξύνδεσις, ἡ σαρκῶν αὖξησις· ἡ κοιλίης νάρκωσις, ἡ τῶν ἄλλων⁶ ξύγχυσις· ἡ τῶν ἀγγείων ἀκαθαρσίη, ἡ ἐγκεφάλου ἀνάλωσις, διὸ καὶ φαλακρότης, ἡ τῶν ὀργάνων κατὰτριψις, καθαίρεσις, δρόμοισιν,

¹ ὀμφαλος ὄρος Gal.

² καὶ ἐρώτησις M

³ om. V

⁴ θερμότερῳ στερεωτέρῳ Gal. (v.l. στερεώτεροι)

⁵ Smith: μέλανες mss.

⁶ ἄλων M: ὄλων Gal.

EPIDEMICS 6.3

21. Could this be a defining characteristic in empyema? Those who are going to develop suppuration have upset bowels.

22. The spleen: hard, not on the top, round below, flat, thick, long, thin.

23. Less for people with *coryzas* (running noses) from head problems.^a

24. Arrangements for the sick person and inquiry about the disease: what is explained, what kind of things, how it must be accepted; the reasoning; what relates to the patient, what relates to those who are present, and to people elsewhere.

25. Because what is on the right is in a hotter place it is darker because of that, and its blood vessels are more external. It congeals more quickly, is composed more quickly, moves, becomes softer and grows more slowly and for a longer time. Because it is solidified it is more bilious and more blooded, to the extent that that is the warmer area in animals.

SECTION 3

1. Looseness of the skin: denseness of the intestines: binding up of skin: increase of flesh; lack of feeling in the intestine: collapse of the rest; lack of cleansing of the hollow vessels: wasting of the brain (whence baldness also), destruction of the organs. Purging: by running, by wres-

^a Taken by ancient commentators to refer to the preceding, but cf. below 6.3.3.

πάλησι, ἡσυχίῃσιν, πολλοῖσι περιπάτοισι τάχεσιν, οἷσιν ἐφθῇ μάζα τὸ πλεῖστον, ἄρτος ὀλίγος. καθαίρεσις¹ σημεῖον τὴν αὐτὴν ὥρην τῆς ἡμέρης φυλάσσειν· ἐξάπινης γὰρ ἐρείπεται·² ὑφιέναι τῶν πόνων, ἣ ῥύεται, ὁμοίως γὰρ ὅλον ξυμπίπτει· ὅταν δὲ δὴ ξυμπέσωσι, προσάγειν ἕεια ὀπτά· ὅταν δὲ πληρῶνται, σημεῖον, αὗτις τὸ σῶμα ἀνθηρὸν γίνεται. ἐν γυμνασίοις σημεῖον ὁ ἰδρῶς ὁ ῥέων στάγδην ἔξεισιν ὥσπερ ἐξ ὀχετῶν, ἣ ξύμπτωσις ἐξ ἐπάρσιος.

294 2. Ἡ γυνὴ ἦν πρῶτον ἐθεράπευσα ἐν Κρανῶνι, σπλὴν φύσει | μέγας· πυρετὸς καυσώδης· ἐξέρυθρος· πνεῦμα, δεκάτῃ· ἰδρῶς τὰ πολλὰ ἄνω, ἀτάρ τι καὶ κάτω τεσσαρεσκαιδεκάτῃ.

3. Ἦσσον τοῖσιν ἀπὸ κεφαλῆς κορυζώδεσι καὶ βραγχώδεσιν ἐπιπυρετήνασιν, ὡς οἶμαι, ὑποστροφαί.

4. Πᾶν τὸ ἐκπυέον ἀνυπόστροφον· οὗτος γὰρ πεπασμὸς καὶ κρίσις ἅμα καὶ ἀπόστασις.

5. Ἔστιν οἷσιν ὅταν ἀφροδισιάζωσι φυσᾶται ἡ γαστήρ, ὡς Δαμναγόρα, οἷσι δ' ἐν τούτῳ³ ψόφος. Ἀρκεσιλάω δὲ καὶ ᾧδαι. τὸ φυσῶδες ξυναίτιον τοῖσι πτερυγώδεσι, καὶ γὰρ εἰσι φυσώδεις.

296 6. Τὸ ψυχρὸν πάνυ φλεβῶν ῥηκτικὸν καὶ βηχῶδες οἶον χιών, | κρύσταλλος, καὶ ξυστρεπτικὸν οἶον τὰ φήρεα, καὶ αἰ γογγρῶναι· ξυναίτιον καὶ αἰ σκληρότητες.

¹ Gal.: καθαίρεσις MV

² εἰρύεται Gal.

³ οἷσι δ' ἐν τούτῳ] ὅθεν τουτέοισιν V

ting, by quiescence, by frequent fast walks (and with them barley gruel mostly, little bread). Watch for signs of purging at the same time each day, for the collapse is sudden. Reduce exercise to the extent that there is contraction. For the whole collapses similarly. And when there is collapse, give roast pork. When they are full, the sign is that the body looks blooming again. A sign in exercises: the sweat which flows comes out in drops, as from water pipes: or a collapse after swelling.

2. The woman I had first treated in Crannon: a naturally large spleen. Burning fever: ruddy: breathing difficulty on the tenth. Sweat generally above, and also some below on the fourteenth day.

3. There are fewer relapses, I think, in fevers with coryzas from the head and with throat involvement.

4. All suppuration makes relapse unlikely, for it is at the same time ripening, crisis, and apostasis.

5. Some people get intestinal gas from sexual activity, like Damnagoras, and some from it, noise. Arcesilaus swelled up besides. Intestinal gas is contributory to protruding shoulder blades, for such people are flatulent.

6. Very cold water will rupture vessels and cause coughs, like snow and ice, and it causes bulging, as of the parotid glands, and swellings on the neck. Hardnesses are also contributory.

7. Τὸ μετ' οὕρησιν σύναγμα, παιδίοισι μᾶλλον· ἦρ' ὅτι θερμότερα;

8. Τὰ σχήματα τὰ ῥιζύζοντα, οἷον ὁ τὰ κλήματα τῇ χειρὶ πλέκων ἢ στρέφων, ὑπεροδυνέων, κατακείμενος, λαβόμενος πασσάλου ἄκρον ὑπερπεπηγότες εἶχετο, καὶ ἐρρήϊσεν.

9. Ὅν ἐξ ὀρειτυπίης¹ παρὰ τὴν γέφυραν εἶδον ἐγὼ ριπτεῦντα σκέλεα, κνήμην ἑτέρην ἥκιστα ἐλεπτύνετο, μηροῖ² δὲ κάρτα· οὐρα καὶ γονὴ οὐκ ἔσχετο.

10. Ὅσαι περυγῶδεις φύσιες πλευρέων δι' ἀδυναμίην τῆς ἀφορμῆς, ἐπὶ τοῖσι κατάρροισι τοῖσι κακοθήθουσιν, εἰ ἔκκρισις εἶη καὶ εἰ³ μὴ εἶη, κακόν.

11. Ῥίγεα ἄρχεται γυναιξὶ μὲν μᾶλλον ἀπ' ὁσφύος καὶ διὰ νώτου, τότε ἐς κεφαλὴν· ἀτὰρ καὶ ἀνδράσιν
298 ὅπισθεν μᾶλλον ἢ ἔμπροσθεν· φρίσσομεν τὰ ἔξωθεν μᾶλλον ἢ τὰ ἔνδοθεν⁴ τοῦ σώματος, οἷον πῆχεων, μηρῶν· ἀτὰρ καὶ τὸ δέρμα ἀραιότερον, δηλοῖ δὲ ἡ θρίξ· ἀφ' ὧν δὲ ἄλλων ριγέουσιν ἴσως ἐλκέων, ἄρχεται ἀπὸ τῶν ἀγγείων.

12. Κεφάλαιον ἐκ τῆς γενέσιος καὶ ἀφορμῆς καὶ πλείστων λόγων καὶ κατὰ σμικρὰ γινωσκομένων ξυνάγοντα καὶ καταμανθάνοντα εἰ ὅμοιά ἐστιν ἀλλήλοισιν, <αὐτὶς τὰς ἀνομοιότητας τούτοιςιν>,⁵ εἰ⁶ ὅμοιαι

¹ ὀρειτυπίης MV: ὀρειτυπίης Gal.

² μηροῦς Gal.

³ εἰ . . . καὶ εἰ Gal.: ἦν . . . κ' ἦν MV

⁴ ἔσωθεν M ⁵ Gal.: om. mss.

⁶ εἰ . . . εἰ| ἦ . . . ἦ V: ἦ . . . καὶ ἦ M

7. Sedimentation after urination is more frequent in children. Is it because they are warmer?

8. The postures which offer more relief: for example a man twining or twisting vine poles with his hand was overcome with pain and lay down. He took hold of the tip of a peg that had been fixed above, hung on, and was eased.

9. The man I saw beside the bridge: he had ruined his legs with working in the mountains.^a He was not much wasted in one calf, but his upper legs were seriously so. He was incontinent of urine and semen.

10. Those physiques that have winglike shoulder blades because of weakness of impulse from the lungs: if there are morbid flows it is bad, whether they achieve secretion or not.

11. Shivering begins for women more from the loins and along the back, then to the head. In men it is more behind than in front. We shiver more on the outside than the inside of the body, e.g. on the forearms and thighs. But the skin is less dense, as the hair shows. In other lesions whence there is shivering it perhaps begins from the blood vessels.^b

12. The summary conclusion comes from the origin and the going forth, and from very many accounts and things learned little by little, when one gathers them together and studies them thoroughly, whether the things are like one another; again whether the dissimilarities in

^a Perhaps "falling down a mountain."

^b This material recurs at *Epid.* 2.3.16 and *Aph.* 5.69, in neither of which places is there indication of the potential usefulness of the observations.

ἀλλήλησιν εἰσίν, ὥς ἐκ τῶν ἀνομοιοτήτων ὁμοιότης γένηται μία· οὕτως ἂν ἡ ὁδός· οὕτω καὶ τῶν ὀρθῶς ἐχόντων δοκιμασίη, καὶ τῶν μὴ, ἔλεγχος.

13. Αἱμορραγίη ἐκ ῥινῶν ἢ τοῖσιν ὑποχλωρομέλασιν, ἢ τοῖσιν ἐρυθροχλώροισιν,¹ ἢ τοῖσιν ὑποχλώροισιν· βραχέα ὑφέντα, παχύναι ξηρῶ.² τοῖσι δὲ ἑτέροισι, παχυσμοῖς ἦσσον.³ ξηρῶ δὲ δεῖ λευκὰ οἶον κηκίς.⁴ |

300

14. Ἐπὴν ἀφροδισιάζειν ἄρξωνται ἢ τραγίζειν αἱμορραγέουσιν. ἐν τῇσι προσόδοισιν ἔστιν οἱ ἀποψοφέουσιν, οἶον Ἀρκεσίλαος.⁵ οἱ δὲ μέλλοντες ῥιγοῦσι⁶ ῥικνώδεις.⁷ οἱ δ' ἐπὴν προσέλθωσι, φουσῶνται κοιλίην, οἶον Δαμναγόρας.

15. Αἱ μεταβολαὶ φυλακτέαι· ὀλιγοσιτίη, ἄκοπον, ἄδιψον πίνοντι.⁸

¹ Gal.: ἐρυθροχόλοισιν mss.

² ξηρῶς M Gal.

³ ἦσσον παχυσμοῖς V

⁴ κικίς V

⁵ Gal.: Ἀρκεσίλλος MV

⁶ Capito (ap. Gal.): ῥιγώσειν MV

⁷ φρικώδεις Gal.

⁸ om. Gal.: πεινῶντι (v.l.) Gal.

them are like each other, so that from dissimilarities there arises one similarity. This would be the road (i.e., method). In this way develop verification of correct accounts and refutation of erroneous ones.^d

13. Hemorrhage from the nostrils in the pale dark-complexioned or in the pale ruddy-complexioned or in the pale-complexioned: having removed a little, pack it tight with dry substance. In the rest use less packing. For dry substance you need white drugs, formed like an oak gall.^b

14. When they commence sexual activity or their voices change, they have nosebleeds. In the sexual act some have rumbling noises, like Arcesilaus. And some, in anticipation, shiver and have corrugation of the skin. And some, in the sexual act, have wind in the intestines, like Damnagoras.^c

15. Guard against changes: reduce food, avoid fatigue, avoid drinking to fullness.

^d Notable in this attempt to formulate an inductive methodology is the sophisticated approach to what would later be called empirical method, but without technical, philosophical language. The methodology is self-conscious, as the word "road," "method," shows. *Δοκιμασίη*, "verification," is a word for auditing of accounts of officeholders at the end of their terms. *ἔλεγχος*, "refutation," has some flavor from testimony in legal proceedings.

^b This is a prescription for something like the "white root," a medicine employed as a styptic in the gynecological works; here it is to be applied in a round pellet, perhaps with wool (cf. *Nat. Fem.* 32, 7.352.16 Li.). While the gall, an excrescence on the oak, was used medically and for ink, it is referred to here for its size and shape.

^c Cf. *Epid.* 6.3.5.

16. Πᾶς¹ λεπτυσμός χαλᾷ τὸ δέρμα, ἔπειτα περι-
τείνεται· ἀνάθρεψις τᾶναντία· χρωτὸς ῥίκνωσις συμ-
πίπτοντος, ἔκτασις ἀνατρεφομένου· τὸ ῥικνωδες,² τὸ
λεῖον, ἑκατέρου σημεῖον, τὸ ὑπόχολον, τὸ ὑπέρυθρον·
οὕτω τὸ κατασπᾶσθαι μαζούς, ἰσχνούς δὲ ἀνεσπᾶσθαι
καὶ περιτετάσθαι· καίτοι οὐκ ἂν τις οἶοιτο διὰ τοῦτο,
ἀλλὰ σαρκωθέντος τοῦτο γενέσθαι.

17. Ἡ ἄγαν πλήρωσις περιφανής, φλέβες διαφα-
νεῖς. |

302

18. Ἡρόδικος τοὺς πυρεταίνοντας ἔκτεινε περι-
όδοισι, πάλησι πολλῇσι, πυρίῃ· κακόν· τὸ πυρετωδες
πολέμιον πάλησι, περιόδοισι, δρόμοισιν, ἀνατρίψει·
πόνῳ πόνον αὐτοῖσιν· ὄγκοι³ φλεβῶν, ἔρευθος,⁴
πελίωσις, χλωρότης⁵ πλευρέων ὀδύναι λαπαραί.⁶

19. Ὅτε ἐχρῆν ἄδιψον, ξυνέχειν στόμα, σιγᾶν,
ἄνεμον ξὺν τῷ ποτῷ ψυχρὸν εἰσάγειν.

¹ πᾶς δὲ V

² φρικῶδες Gal.

³ Gal. (v.l.): ὅτε mss.: om. Gal. com.

⁴ Gal.: ἔρευσιν M: εὔρες V (εὐρέσεως C ex V)

⁵ χλωότης V

⁶ Gal.: λαπάρης (v.l.) Gal.: λαπάραι MV

16. All thinning down relaxes the skin, later tightens it. Feeding up does the opposite. Corrugation is of the collapsing skin, stretching of the well nourished. The shriveling, the smoothness, a sign of each: biliousness, ruddiness. So with the sagging of the breasts, but thin ones elevated and tightened. Indeed, one might not expect that it was from that cause, but would expect it to come from increase of flesh.

17. Overfullness is apparent,^a the blood vessels are visible.

18. Herodicus killed fever patients with running, much wrestling, hot baths. A bad procedure. Fever is inimical to wrestling, walks, running, massage; that is trouble on trouble for them. Swelling of the blood vessels, redness, lividness, pallor, soft pains in the ribs.^b

19. When it is necessary to prevent thirst, keep the mouth closed, do not speak, inhale cold wind with drink.

^a Galen says that this reading, which our manuscripts carry, was introduced by Capito, who substituted it for *κλεῖς περιφανέες*, "When collarbones are obvious." I do not credit Galen's statement that Capito did so arbitrarily, without basis in ancient evidence.

^b Galen, in his commentary, says that he will not discuss whether Hippocrates refers here to Herodicus of Selymbria or of Leontini. Apparently there was discussion in antiquity. Plato, in *Republic* 406a, satirizes Herodicus as the inventor of contemporary "pampering" medicine: he was an athletic trainer with a chronic disease. He mingled medicine and gymnastic and spent his life tending his disease and keeping himself alive. In *Protagoras* 316e Plato speaks of the gymnastic trainer Herodicus, "now of Selymbria, formerly of Megara," a "first-rate sophist." It is possible that these various notices fit together, but difficult to see how.

20. Τὰς ἀφορμάς, ὁκόθεν ἤρξαντο κάμνειν σκεπτέον, εἴτε κεφαλῆς ὀδύνη, εἴτε¹ ὠτός, εἴτε πλευροῦ. σημεῖον, οἱ ὀδόντες, καὶ ἐφ' οἷσι βουβῶνες.

21. Καὶ τὰ γινόμενα ἔλκεα, καὶ φύματα, κρίνοντα πυρετούς· οἷσι ταῦτα μὴ παραγίνεται, ἀκρισίη·² οἷσιν ἐγκαταλείπεται³ βεβαιόταται καὶ τάχιστα ὑποστροφαί. |

304

22. Τὰ στρογγυλλόμενα πτύαλα παρακρουστικά.

23. Οἱ αἰμορροΐδας ἔχοντες,⁴ οὔτε πλευρίτιδι, οὔτε περιπλευμονίῃ, οὔτε φαγεδαίνῃ, οὔτε δοθιῇσιν, <οὔτε τερμίνθοισιν>,⁵ ἴσως δὲ οὐδὲ λέπρησιν· ἴσως δὲ οὐδὲ ἄλλοισιν· ἡτρευθέντες γε μὴν ἀκαίρως συχνοὶ τοῖσι τοιούτοισιν οὐ βραδέως ἐάλωσαν, καὶ ὀλέθρια οὕτω· καὶ ὅσαι ἄλλαι ἀποστάσεις,⁶ οἷον σύριγγες, ἢ ἕτεραι· ἀπόσκηψις,⁷ ἐφ' οἷσι γινομένη ῥύεται, τούτων προγενόμενη⁹ κωλύει. ἄλλου δὲ τόποι οὗτοι οἱ δεξάμενοι ἢ πόνῳ ἢ βάρει ἢ ἄλλῳ¹⁰ τινὶ ῥύονται· ἄλλοισιν αἱ κοινωνίαι.

24. Διὰ τὴν ῥοπὴν¹¹ οὐκ ἔτι αἷμα ἔρχεται, ἀλλὰ κατὰ τοῦ χυμοῦ τὴν ξυγγένειαν τοιαῦτ' ἀποπτύουσιν.

¹ ψυχρὸν . . . εἴτε Galen: om. MV

² ἀκρασίη mss. (cf. Epid. 2)

³ ἐγκαταλείπεται M

⁴ ἔχοντας V ⁵ Gal. Hum. 20: om. mss.

⁶ Hum. Gal.: ὑπο- mss. ⁷ σκῆψις Gal.

⁸ (v.l.) Gal.: γινόμενα MV Gal.

⁹ (v.l.) Gal.: προγενόμενα MV Gal.

¹⁰ ἄλλο M

¹¹ τρόπην (v.l.) Gal.

20. The point of departure should be studied, whence they first began to be ill, whether pain in the head, or the ear, or the side; an indication is the teeth, and the parts in which the glands swell.

21. Developing sores and swellings bring fevers to their crises. Those in which they do not occur are without crisis. Those in which they persist have the surest and quickest relapses.^a

22. Globular expectoration portends delirium.^b

23. People with hemorrhoids are not affected with pleuritis or peripneumonia or spreading sores or boils or terminth-like swellings.^c Also, perhaps, not with lepra (white, flaking skin), and perhaps not with other things. Indeed, many people whose hemorrhoids are healed untimely are soon seized by these kinds of diseases, which, coming so, are often deadly.^d That is true also of other apostases, like fistulas and others. Drainage cures conditions on which it supervenes, prevents them when it precedes. These places which receive with pain, heaviness or anything else, give protection from another affection. The communion with other things.

24. Because of the tilt of the balance blood does not continue to come, but according to the relationship of the

^a This and the preceding chapter are paralleled in *Epid.* 2.1.11.

^b Cf. *Epid.* 6.6.9.

^c The terminth-like swelling is apparently similar in shape to the fruit of the terebinth (turpentine) tree. This simile is not in our mss. of *Epid.* 6, but is in *Humors* ch. 20 (Li. V 500.9), a passage drawn from *Epid.* 6, and was in the version of *Epid.* 6 that Galen read.

^d These judgments are paralleled in *Epid.* 4.55 and Aph. 6.11-12.

ἔστιν οἷσιν αἷμα ἀφαιρεῖσθαι¹ ἐν καιρῷ ἐπὶ τούτοισιν·
ἐπ' ἄλλοισι δέ, ὥσπερ ἐπὶ τούτοισι, τοῦτο οὐκ εἰκός·
κώλυσις· ἐπὶ τοῖσιν αἱματώδεα πτύουσιν ὥρησι, πλευ-
ρίτις, χολή.² |

ΤΜΗΜΑ ΤΕΤΑΡΤΟΝ

306

1. Τὰ παρ' οὗς οἷς <ἄν>³ ἀμφὶ κρίσιν γινόμενα μὴ
ἐκπυήσῃ, τούτου λαπασσομένου, ὑποστροφὴ γίνεται
κατὰ λόγον τῶν ὑποστροφέων. τῆς ὑποστροφῆς γενο-
μένης αὐτὶς αἶρεται καὶ παραμένει ὥσπερ αἱ τῶν πυρε-
τῶν ὑποστροφαί, ἐν ὁμοίᾳ περιόδῳ· ἐπὶ τούτοισιν
ἐλπίς ἐς ἄρθρα ἀφίστασθαι.

2. Οὖρον παχύ, λευκόν, οἷον τὸ⁴ τοῦ Ἀμφιγένεος,⁵
ἐπὶ τοῖσι κοπιώδεσι τεταρταίοισιν ἔστιν ὅτε ἔρχεται
καὶ ῥύεται τῆς ἀποστάσιος, ἣν δὲ καὶ πρὸς τούτῳ
αἰμορραγήσῃ ἀπὸ ῥινῶν ἱκανῶς, καὶ πάννυ.

3. Ὡ⁶ τὸ ἔντερον⁷ ἐπὶ δεξιᾷ ἀρθριτικὸς ἐγένετο,
ἦν δὲ ἡσυχώτερος, καὶ ἐπεὶ⁸ ἡτρεύθη ἐπιπονώτερος.

4. Ἡ Ἀγάσιος, κόρη μὲν ἐοῦσα, πυκνοπνεύματος
ἦν· γυνὴ δὲ γενομένη, ἐκ τόκου πάλαι ἐπίπονος ἐοῦσα

¹ Gal.: ἀφίεσθαι MV

² ὥρη πλευρίτις χολή Gal.: ὥρη πλευρίτιδι χολῇ (v.l.) Gal.

³ add. Erm.

⁴ τῷ M Gal.

⁵ MV: Ἀντιγένεος Gal. Hum. 20

⁶ Gal. Hum.: ὁ MV

⁷ ἔτερον (v.l.) Gal.

⁸ καὶ ἐπεὶ V: ἐπὶ δὲ τούτῳ M: ἐπεὶ δὲ τοῦτο Gal. Hum.

EPIDEMICS 6.4

humor they expectorate those sorts of things. In some, blood should be let at the right time in those diseases. But in others, as in these people, it is not proper. Negative indication in addition to the seasons, for those spitting bloody matter: pleuritis, bile.

SECTION 4

1. People in whom swellings by the ear, appearing towards the crisis, do not suppurate: when that area becomes soft they will have a relapse according to the pattern of relapses. When the relapse occurs the swelling rises again and persists like the relapses in fevers, in a similar period. In these swellings there is hope that they will depart towards the joints.

2. In affections with prostration from fatigue, white, thick urine, like that of Antigenes, comes forth sometimes on the fourth day, and wards off the apostasis. If there is also an adequate hemorrhage from the nose, it is sure to.

3. The man with intestinal problems on the right: he became arthritic and was relieved. When he was cured, his distress increased.

4. Agasis' wife had breathing difficulties as a child. After she was married, having had for a long time follow-

ἐπιπολαίως, ἤρεν ἄχθος μέγα· αὐτίκα μὲν ψοφῆσαί τι ἐδόκει κατὰ τὸ στῆθος· τῇ δ' | ὑστεραίῃ ἄσθμά τε εἶχε καὶ ἤλγει ἰσχίον τὸ δεξιόν· ὁπότε τοῦτο πονέοι, ἐπόνει,¹ τότε καὶ τὸ ἄσθμα εἶχε, παυσαμένου δέ,² ἐπαύσατο· ἔπτυσεν ἀφρώδεα, ἀρχομένη δὲ ἀνθηρά, κατασταθὲν δὲ ἐμέσματι χολώδει³ ἑώκει λεπτῶ· οἱ πόνοι μάλιστα μὲν ὁπότε πονοίῃ τῇ χειρὶ ταύτῃ·⁴ εἰργεσθαι σκορόδου, χοιρίου, ὄϊος, βοός, ἐν δὲ τοῖσι ποιευμένοισι, βοῆς, ὄξυθυμίας.

5. Ὡς ἐν τῇ κεφαλῇ ἐνέμετο,⁵ ὧ πρῶτον ἡ στυπτηρίῃ ἢ κεκαυμένη⁶ ἐνῆρμοσεν, εἶχεν ἄλλῃ⁷ ἀποστασιν, ἴσως ὅτι ὁστέον ἐμελλεν ἀποστήσασθαι· ἀπέστη ἐξηκοσταῖον· ὑπὲρ τοῦ ὠτὸς ἄνω πρὸς κορυφῇ⁸ τὸ τρῶμα ἦν.

6. Τὰ κόλα ἔχει οἷα κυνός, μέζω⁹ δέ· ἥρτηται ἐκ τῶν μεσοκόλων· ταῦτα δὲ ἐκ νεύρων ἀπὸ τῆς ράχιος ὑπὸ τὴν γαστέρα.

7. Αἱ τοῖσι κάμνουσι χάριτες, οἷον τὸ καθαρείως δρᾶν ἢ ποτὰ ἢ βρωτὰ ἢ ἅ¹⁰ ἂν ὀρᾶ, μαλακῶς ὅσα ψαύει·¹¹ ἅ μὴ μέγα¹² βλάπτει, ἢ εὐανάληπτα, οἷον

¹ om. Gal.² οὐδὲ V³ om. V⁴ ταύτην (v.l.) Gal.⁵ Gal.: ἐννίμετο M: ἐννείμετο V⁶ καυμένη M⁷ ἄλλῃ Gal. (lemma)⁸ κορυφῇ Gal.⁹ Gal.: μείζων MV¹⁰ om. V¹¹ ψαύει ἄλλαι M Gal. (ἄλλα (v.l.) Gal.)¹² μεγάλη Gal.

ing parturition a superficial pain, she developed intense suffering. Straightway she seemed to have noise in the chest. On the following day, she had asthma and pain in the right loin. Whenever she had the one pain she had the other, and at the same time she had the asthma also. When the pain stopped so did the asthma. Foamy expectorant, at the beginning bright colored, but when it sat it was like thin, bilious vomit. The suffering was worst when she worked with that hand. Avoidance of garlic, pork, mutton, beef, and, in her activities, shouting, passion.

5. The one who was corroding on the head, to whom at the beginning the burnt stiptic ointment was applied, had an apostasis elsewhere, perhaps because the bone was going to come away. It came away on the sixtieth day. His sore was above the ear at the crown.

6. He has intestines like a dog's, but larger, hung from the mesocolon. And that is hung from tendons from the backbone behind the stomach.

7. Kindnesses to those who are ill. For example to do in a clean way his food or drink or whatever he sees, softly what he touches. Things that do no great harm and are easily got, such as cool drink where it is needed. Entrance,

ψυχρόν, ὅπου τοῦτο δεῖ· εἴσοδοι, λόγοι· σχῆμα, ἐσθῆς τῷ νοσέοντι, κουρή, ὄνυχες, ὀδμή.

8. Ὑδωρ ἀφειψηθέν, τὸ μὲν ὥς δέχεται τὸν ἡέρα· τὸ δὲ μή. ἔμπλεον¹ εἶναι καὶ ἐπίθημα ἔχειν. |

310

9. Ὅτι ἐξ αἱμορραγιῶν ἐξυδεροῦνται.

10. Ἦν οἶα δεῖ καθαίρεσθαι² καθαίρωνται, καὶ³ εὐφόρως φέρουσιν.

11. Ἐν Αἴνῳ ἐν λίμῳ,⁴ ὀσπριοφαγέοντες ξυνεχέως, θήλεα, ἄρσενα, σκελέων ἀκρατεῖς ἐγένοντο καὶ διετέλεον, ἀτὰρ καὶ ὀροβοφαγέοντες γονυαλγεῖς.

12. Ἐμφανέως ἐγρηγορῶς θερμότερος τὰ ἔξω, τὰ ἔσω δὲ ψυχρότερος, καθεύδων τὰναντία.

13. Ἐνθέρμῳ φύσει, ψύξις, ποτὸν ὕδωρ, ἐλινύειν.

¹ ἔμπλεων V

² om. M

³ om. V (v.l.) Gal.

⁴ ἐν Αἴνῳ ἐν λίμῳ Gal.: ἐν Αἴνῳ MV: ἐν λίμῳ Zeuxis et alii (Gal.)

conversation. Position and clothing for the sick person, hair, nails, scents.^a

8. Boiled water: on the one hand so it receives the air, on the other, not. Make it full and have a lid.^b

9. That after hemorrhage they become watery.

10. If what ought to be purged is purged, they bear that too more easily.

11. In Aenus, in a famine, those who always ate beans, men and women, became weak in the legs and continued so. And those who ate vetch had knee troubles.^c

12. Obviously when one is awake his exterior is warmer, his interior cooler, when asleep the opposite.

13. For a warm nature: cooling, water for drinking, inactivity.

^a This description of courtesy to the patient drew much attention from the ancient commentators. As Galen's commentary indicates, their attention produced considerable variation in the wording of the transmitted text. While Galen takes the last part, after "Entrance," to relate entirely to the grooming, smell, and comportment of the medical man, and offers interesting anecdotes of boorish physicians and of the Roman emperor's feeling about haircuts, I have preferred the interpretation offered here. Cf. Manetti and Roselli, *ad loc.*, and on the tradition of the physician's indulgence of the patient, K. Deichgräber, *Medicus Gratosus*, Abh., Akad. der Wiss. und der Lit., Mainz 1970, Nr. 3. For *eisodos* meaning "manner of entrance" or "visit," cf. *Decorum* chs. 11-13, Loeb *Hippocrates* vol. 2, p. 295.

^b Galen informs us that this passage baffled commentators. Some attached it to the preceding, as describing how to prepare warm drinking water to please patients, while others took it as a discussion of the best way to improve water for medical purposes.

^c Cf. *Epid.* 2.4.3.

14. Ὑπνος ἐν ψύχει ἐπιβεβλημένω.

15. Ὑπνος ἐδραῖος, ὀρθονυσταγμός.¹

16. Αἱ ἀσθενεῖς δίδαιται ψυχραί· αἱ δὲ ἰσχυραὶ θερμαί.

17. Ὑδάτων ἀτεχνέων, τὸ μὲν ἀπὸ τοῦ αἰθέρος ἀποκριθὲν βρονταῖον ὥραϊον, τὸ δὲ λαιλαπῶδες κακόν. |

312

18. Ὑδωρ βορόν, καὶ ἀγρυπνίη βορόν. ἐνθέρμω φύσει καὶ θερμῇ ὥρῃ, κοίτῃ ἐν ψύχει παχύνει, ἐν θερμῷ λεπτύνει. ἄσκησις ὑγιῆς,² ἀκορίη τροφῆς, ἀοκνίη πόνων. ἐν τῷ ἐγρηγορέναι δίψης ἐπιπολαίου ὕπνος ἄκος, τῷ³ δὲ ἐξ ὕπνου ἔγερσις.⁴

19. Οἷσι πλεῖστον τὸ θερμόν, μεγαλοφωνότατοι· καὶ γὰρ ψυχρὸς ἀὴρ πλεῖστος· δύο δὲ μεγάλων μεγάλα τὰ ἔκγονα γίνεται. οἱ θερμοκοίλιοι, ψυχρόσαρκοι καὶ λεπτοί· οὗτοι ἐπίφλεβοι, καὶ ὀξυθυμότεροι.

20. Αὐχμοῦ ἐπὶ γῆς, οἰωνῶν γένος εὐθηνεῖ.

21. Τράγος, ὁπότερος ἂν φανῇ ἔξω ὄρχις, δεξιός, ἄρσεν, εὐώνυμος, θῆλυ.

22. Ὀφθαλμοί, ὥς ἂν ἰσχύωσιν, οὕτω καὶ γυῖον· καὶ χροίῃ ἐπὶ τὸ κάκιον ἢ ἄμεινον ἐπιδιδοῖ· δίκαιον δέ, ὥς ἂν ἔχῃ ἡ τροφή, οὕτω καὶ τὸ ἔξω ἔπεσθαι. σημεῖα θανατώδεα, ἀνὰ ῥινὸν⁵ | θερμότητος⁶ ἀτμός· πρότερον δὲ ῥις ψυχρὸν πνεῦμα ἀφήισιν· τὰ ζωτικὰ ἐναντία.

314

¹ ὀρθω νυσταγμός M Gal.

² ὑγιείης Gal. Erot. (70.16 N)

³ τῇ Gal.

⁴ ἐγρήγορσις ἐνίοις Gal.

⁵ ῥινῶν V ⁶ θερμὸς (v.l.) Gal.

14. Sleep covered in the cold.

15. Sleep while sitting up: drowsing erect.

16. Weak regimens are cold. Strong ones, warm.

17. Of natural waters: what comes from the aether (dry upper air), from thunder, is good. What comes out of a hurricane, bad.

18. Water makes hunger, sleeplessness makes hunger. For a hot nature and in a hot season, sleep in the cold fattens, in the heat, thins. Healthy discipline, not gluttonizing, not avoiding work. Sleep after being awake cures superficial thirst. In arousal from sleep, waking cures.

19. Those with most heat have very big voices: that is because cold air is most abundant. The products of two great things are great. Those with hot intestines have cold skin and are thin. They have prominent veins and are quick to passion.

20. In a dry land the tribe of birds thrives.^a

21. Lubriciousness: whichever testicle appears outside; if right, male, if left, female.^b

22. To the degree that the eyes are strong, so too is the body. Color tends towards the better or worse. And it is proper that the state of nutrition is followed by the exterior. Fatal signs: through the skin an extremely hot exhalation. And before, the nose sends out cold breath. Vital signs, the opposite.

^a The ancients were intrigued by the fact that birds have no urinary bladder.

^b I have interpreted the word *τράγος*, "goat," as lubriciousness, the urge to sexual activity, for which cf. *τραγίλειν*, *Epid.* 6.3.14. Galen and others take the word to refer to pubescence. In any case, this aphorism appears to deal with predicting the sex of the child that will be produced.

23. Πρὸς ὑγείην πόνοι σιτίων ἡγείσθωσαν.¹

ΤΜΗΜΑ ΠΕΜΠΤΟΝ

1. Νούσων φύσιες ἰητροί. ἀνευρίσκει ἡ φύσις ἐωυτῇ² τὰς ἐφόδους, οὐκ ἐκ διανοίης, οἷον τὸ σκαρδαμύσσειν, ἡ³ γλῶσσα δὲ ὑπουργεῖ, καὶ ὅσα ἄλλα τοιαῦτα· εὐπαιδευτος⁴ ἡ φύσις ἐκοῦσα οὐ⁵ μαθοῦσα τὰ δέοντα ποιεῖ.⁶ δάκρυα, ῥινῶν ὑγρότης, πταρμοί, ὠτὸς ῥύπος, στόματος σιάλου⁷ ἀναγωγὴ, πνεύματος εἰσόδος, ἔξοδος, χάσμη, βήξ, λύγξ, οὐ τοῦ αὐτοῦ παντάπασι τρόπον. οὔρου ἄφοδος καὶ φύσης⁸ καὶ⁹ ταύτης τῆς ἐκατέρης,¹⁰ τροφῆς καὶ πνοιῆς, καὶ τοῖσι θήλεσιν ἅ τούτοισι, καὶ κατὰ τὸ ἄλλο σῶμα, ἰδρῶτες, κνησμοί, σκορδινισμοί,¹¹ ὅσα¹² τοιαῦτα.

2. Ἀνθρώπου ψυχὴ¹³ φύεται μέχρι θανάτου· ἣν δὲ ἐκπυρωθῇ ἅμα τῇ νούσῳ καὶ ἡ ψυχὴ, τὸ σῶμα φέρεται. |

¹ πόνος . . . ἡγείσθω Gal.

² αὐτῇ ἐωυτῇ Gal.

³ τὰ δὲ καὶ ἡ Gal.

⁴ ἀπαιδευτος (v.l.) Gal.

⁵ ἐκοῦσα οὐ] ἐκτουσαου (sic) M: ἐοῦσα καὶ οὐ Gal.

⁶ Gal.: ποιεῖν MV

⁷ σιάλον Gal.

⁸ φύσις MV ⁹ om. V

¹⁰ Man.-Ros.: ἐτέρης mss. Gal.

¹¹ κορδινισμοί V

¹² καὶ ὅσα Gal.

¹³ ψυχὴ αἰεὶ Gal.

23. Exercise before food for health.

SECTION 5

1.^a The body's nature is the physician in disease. Nature finds the way for herself, not from thought. For example, blinking, and the tongue offers its assistance, and all similar things. Well trained, readily and without instruction, nature does what is needed. Tears, moisture of the nostrils, sneezing, ear wax, production of saliva in the mouth, the intake of breath, exhalation, yawning, coughing, hiccough, in a variety of ways. The excretion of urine and wind (wind of both kinds, from food and breath), and in women, the things characteristic of them, and in the rest of the body sweat, itchings, stretching, and so on.

2. The soul of man grows until death. If the soul be burnt up with a disease it consumes the body.

^a This is the famous statement that nature heals, to which commentators add that the physician is only nature's auxiliary. The text of the manuscripts shows signs of commentators' interference. This passage plays on the double meaning of *physis*: "the physique of the body," and "nature" in a more general sense, as opposed to culture and education.

316

3. Νοῦσοι ξύντροφοι ἐν γήραϊ λείπουσι¹ καὶ διὰ πεπασμόν, καὶ διὰ λύσιν, καὶ διὰ ἀραιώσιν.

4. Ἰησις ἀντίνοον, μὴ ὁμονοεῖν τῷ πάθει· τὸ ψυχρὸν καὶ ἐπικουρεῖ καὶ κτείνει.² ὁκόσα δ' ἐκ θερμοῦ³ ταῦτά.⁴

5. Ὁξυθυμὴ ἀνασπᾶ καὶ καρδίην καὶ πλεύμονα ἐς ἑωυτά, καὶ ἐς κεφαλὴν τὰ θερμὰ καὶ τὸ ὑγρόν· ἢ δ' εὐθυμὴ ἀφίει καρδίην καὶ⁵ ταῦτα. πόνος τοῖσιν ἄρθροισι καὶ σαρκὶ σίτος, ὕπνος σπλάγχνοισιν. ψυχῆς περίπατος⁶ φροντὶς ἀνθρώποισιν.

6. Ἐν τοῖσι τρώμασι τὸ αἷμα ξυντρέχει, βοηθητέον ὥς τὸ κενὸν πληρώσῃς.⁷ |

318

7. Ἦν οὖς ἀλγέῃ, εἰρίον περὶ τὸν δάκτυλον ἐλίξας,⁸ ἔγχειν ἄλειφα θερμόν, ἔπειτα ἐπιθεῖς ἔσω ἐν τῷ θένари τὸ εἰρίον τὸ οὖς ὑπερθεῖναι ὥς δοκῇ τί οἱ ἐξιέναι, ἔπειτα ἐπὶ πῦρ ἐπιβάλλειν· ἀπάτη.

8. Γλῶσσα οὖρον⁹ σημαίνει· γλῶσσαι χλωραὶ χολῳδεις, τὸ δὲ χολῳδες ἀπὸ πίνονος· ἐρυθραὶ δὲ ἀφ' αἵματος· μέλαιναι δὲ ἀπὸ μελαίνης χολῆς· αὔαι δὲ ἀπὸ ἐκκαύσιος λιγνυώδεος καὶ μητρώου μορίου· λευκαὶ δὲ ἀπὸ φλέγματος.

¹ λείπουσιν M

² ἐκτείνει MV

³ θυμοῦ V

⁴ ταῦτα MV: ὁκόσα . . . ταῦτά om. Gal.

⁵ om. M

⁶ περὶ παντός (v.l.) Gal.

⁷ πλησθῆναι Gal.

⁸ ἐλίξασα MV

⁹ ὀρόν Jouanna, perhaps rightly

EPIDEMICS 6.5

3. Diseases that grow old with us leave us in old age by concoction, by resolution, and by rarification.

4. Healing is dispute with a disease, not agreement. Cold both helps and kills. The same for the effects of heat.

5. Anger contracts the heart and the lungs and draws the hot and the moist substances into the head. Contentment releases the heart and those substances. Labor is food for the joints and the flesh, sleep for the intestines. Intellection is a stroll for the soul in men.

6. In wounds blood collects. You must help to fill the empty place.

7. If the ear aches, wrap wool around your fingers, pour on warm oil, then put the wool in the palm of the hand and put it over the ear so that something will seem to him to come out. Then throw it in the fire. A deception.

8. The tongue indicates the urine. Greenish tongues are bilious. Biliousness is from fat. Ruddy ones are from blood. Black ones are from black bile. Dry ones are from smoky burning and from the area of the womb. White ones are from phlegm.

9. Οὔρον ὁμόχροον σώματι καὶ πόματι, καὶ ὡς ἔσωθεν ἐν ¹ ποτοῦ ὑγροῦ ξύντηξις.

10. Γλῶσσα ὁμόχροος τῇσι προστάσεσι, ² διὸ ταύτη γινώσκομεν τοὺς χυμούς. ἦν ἄλμυραὶ σάρκες γενομένη, περισσώσιος.

11. Ἦν τῶν μαζῶν αἱ θηλαὶ καὶ τὸ ἐρυθρὸν χλωρὸν ἦ, νοσῶδες τὸ ἄγγος.

12. Ἀνθρώποισιν ὁ ἐν τοῖσιν ὡς ῥύπος, ὁ μὲν γλυκὺς θανάσιμος, ὁ δὲ πικρὸς οὐ.

13. Γῆν μεταμείβειν ξυντροφὸν ἐπὶ τοῖσι μακροῖσι νοσήμασιν.

14. Τὰ ἀσθενέστατα ³ σιτία ⁴ ὀλιγοχρόνιον βιοτὴν ἔχει. |

320

15. Κεδμάτων, τὰς ἐπὶ τοῖσιν ὡς ὅπισθεν φλέβας σχάζειν. λαγνείῃ τῶν ἀπὸ φλέγματος νούσων ὠφέλιμον. θερμοκοιλίοισιν ἰσχυρὰ ποτὰ ἢ βρωτὰ ταρακτικά. μελαίνης χολῆς, ἐς ὅμοιον, αἰμορροῖδι. τὰς ἐπαυξέας νούσους μίξις ψύχει. ⁵ ψύξις ⁶ τὰ κατὰ κοιλίην σκληρύνει. ἐλλέβορον πιόντα θάσσον καθαίρειν ἦν θέλης. ⁷ λούειν ἢ φαγεῖν. τὸ αἷμα ἐν ὕπνῳ ἔσω μᾶλλον φεύγει. ῥίγος ἀπὸ τῆς ἄνω κοιλίης, πῦρ δὲ ἀπὸ τῆς κάτω

¹ ἐὼν M

² Man.-Ros.: προστάσεις mss. Gal.

³ ἀσθενέστερα Gal.

⁴ σώματα (v.l.) Gal.

⁵ Diosc. et Capito (Gal.): ψύξει MV: om. Gal.

⁶ μίξις (v.l.) Gal.

⁷ MV repeat θάσσον after θέλης

9. Urine matches the body and drink in color, and, being within the watery drink, is a melting (of the body).^a

10. The tongue takes the color of what touches it, whence we know the humors by it. If flesh is salty to the taste it is from excess.

11. If the nipples of the breasts and the areola are pale, the hollow space is ill.^b

12. Wax in people's ears: if sweet, a mortal sign, if bitter, not.

13. It is supportive to go to another land in long illnesses.

14. Very weak foods contain short-lived sustenance.

15. For *kedmata*, cut the veins behind the ears.^c Ventry helps diseases from phlegm. For those with heated intestines strong food or drink is upsetting. A condition of black bile is normalized by hemorrhoids. Sexual intercourse chills incipient illnesses. Cold hardens the area of the intestine. If you want to speed up the purging action of hellebore in drink, prescribe bathing or eating. Blood in sleep retreats more to the interior. Shivering is from the upper gut, fever more from the lower. Rapid intake of

^a The meaning of this sentence is dubious. Probably the text is corrupt.

^b Perhaps this refers to the womb, as Galen says, perhaps to the breast.

^c *Kedmata* is a word that puzzled the ancient commentators. It probably signifies an affection of the joints in the inguinal area. Cf. *Epid.* 7.122.

μᾶλλον. ἐπισπασμός, ἣν¹ πλεύμων ξηρὸς² ἢ [ὑγρὸν]³
καῶμα. ὑπέρινον⁴ ἰσχυαίνει καὶ ὕπνος πολὺς. ψυχρότα-
τον βρῶμα, | φακοί, κέγχροι, κολοκύνθη. ἔλκεα ἐκθύου-
σιν, ἣν ἀκάθαρτος ἐὼν πονήσῃ. γυναιξὶ ἐλατήριον⁵
ἢ⁶ σίκκον ἄγριον βεβρωκύνῃσι⁷ παιδίοισι κάθαρσις.
ἐνθέρμῳ βρωθὲν ἔσωθεν ψύξις, ἔξωθεν πόνος, ἥλιῳ,
πυρί, ἐσθῆτι, ἐν ὥρῃ θερινῇ· τῷ δὲ ἐναντίῳ ὡς ἐναν-
τίως.⁸ βρώματα τὰ μὲν ταχέως κρατεῖται, τὰ δὲ ἐναν-
τίως.

ΤΜΗΜΑ ΕΚΤΟΝ

1. Σάρκες ὀλκοὶ καὶ ἐκ κοιλίης καὶ ἔξωθεν· δῆλον
αἰσθησις,⁹ ἐν πόνῳ¹⁰ καὶ ἔκπνοον.¹¹ ἐνθερμότερον
φλέβιον αἵματος πλήθει ἀνίσχει τὸ καυσῶδες, καὶ
εὐθὺς ἀποκρίνει. καὶ οἷσι τὸ μὲν πῖον, χολὴν ξανθὴν, τὸ
δ' αἷμα, μέλαιναν.

¹ om. Gal.

² ξηρὸν (v.l.) Gal.

³ ὑγρὸν MV Capito (Gal.): om. Gal.

⁴ Gal.: ὑπερινώμενος Erot.: ὑπὲρ ῥινῶν mss.

⁵ ἐλατηρίων V

⁶ om. MV

⁷ γυναιξὶ . . . βεβρωκύνῃσι Smith: γυνὴ αἰξ (ἐξ V) . . .
βεβρωκυῖα (-αι Gal.) MV Gal.

⁸ MV Capito (Gal.): βραδέως Gal.

⁹ Gal.: αἰσθήσιος MV: αἰσθήσει (v.l.) Gal.

¹⁰ ἐμ πόνο M

¹¹ ἐν πόνῳ καὶ ἔκπνοον] ὡς ἔκπνοον καὶ εἰσπνοον ὅλον τὸ σῶμα
Gal.

air, if the lung is dry or the weather hot and dry.^a Much sleep reduces one who has been emptied by purge. The coldest foods: lentils, millet, cucumber. Sores break out if one exercises unpurged. For women who eat *elaterion* or wild cucumber, there is purgation for their infants. Food eaten by a hot nature, cold inside, suffering outside, from sun, fire, clothing, in summer weather, and for the opposite the opposite.^b Some foods are digested quickly, others slowly.

SECTION 6

1. The flesh draws both from the intestine and from the exterior. Obvious in exercise is the perception that there is exhalation also. A small blood vessel, heated with fullness of blood, raises up burning heat and straightway separates it off; in those in which there is fat, yellow bile; in which blood, black bile.^c

^a This sentence was variously written, punctuated, and interpreted in antiquity, as Galen tells us. I have interpreted the reading of mss. M and V, but have omitted *ὑγρόν*, which Galen attributes to Capito.

^b Neither the grammatical structure nor the intended meaning of this sentence is clear.

^c This is apparently an interpretation of the aspect of the skin's surface, its varicolored vessels, and its absorption of, e.g., olive oil, and excretion of sweat, etc. Galen's commentary and other citations offer an expanded text of this passage adapted to ancient discussions of breathing: "The perception is clear that the whole body inhales and exhales."

324

2. Γνώμης, μνήμης, ὁδμῆς, τῶν ἄλλων, καὶ πείρης,¹ ὀργάνων | ἄσκησις. πόνοι, σιτία, ποτά, ὕπνος,² ἀφροδίσια, μέτρια. ὁ ἐμψυχρότερος ἐν ψυχρῇ χώρῃ, ὥρῃ, ἐνθερμότερος ἔσται.

3. Ὀδυνέων, τὴν ἐγγύτατα κοιλίην καθαίρειν, ταῖματος δὲ κοιλίην διαιρεῖν,† καῦσις, τομή, θάλψις, ψύξις, πταρμοί, φυτῶν³ χυμοί, ἐφ' ὧν τὴν δύναμιν ἔχουσι, καὶ κυκεῶν· κακούργων,⁴ σκόροδον, γάλα, οἶνος ἀπεξεσμένος, ὄξος, ἄλεις.

4. Ἄνθρωπος, ἐκ κόπων ἐξ ὁδοῦ ἀδυναμία καὶ βάρος, ἀνέπτυνεν· ἔβησσε γὰρ ἐκ κορυφῆς· πυρετὸς πρὸς χεῖρα ὀξύς, ὑποδάκνων. δευτεραίῳ δὲ καρηβαρή, γλῶσσα ἐπεκαύθη· ῥίς ὀνυχογραφηθεῖσα οὐχ ἡμορράγησεν· ἀριστερὸς σπλὴν μέγας καὶ σκληρός, ὠδυνᾶτο.

326

5. Οἱ ὑπὸ⁵ τεταρταίου ἀλίσκόμενοι⁶ ὑπὸ τῆς μεγάλης νούσου οὐχ ἀλίσκονται· ἦν δ' ἀλίσκωνται πρότερον καὶ ἐπιγένηται τεταρταῖος, παύονται. ἀνθ' ὅρων αἱ νοῦσοι. ἡ χολή, οἶον εἶπον περὶ τῶν | ὀρνίθων, ὅτι χολῶδεις. ἡ θερμότης δριμύτητος σημεῖον. οἱ ὄχλοι, αἱ δίοδοι·⁸ ὅτι τοῖσι παρακρούουσι λήγουσιν ὀδύναι πλευρέων· ἔστι δ' οἷσι καὶ πυρετοί· ἔστι δ' οἷσιν οὐ, ἀλλὰ ξὺν ἰδρῶσιν· ἔστι δ' οἷσι σὺν ὄχλῳ· ἔστι δ' οἷσι καρφαλῆον καὶ περιτεταμένον τὸ δέρμα καὶ ἀλμυρῶδες. αἱ

¹ Man.-Ros.: πείνης (πίνης M) mss. Gal.

² ὕπνοι V ³ Corn.: φυτῶν mss.

⁴ κακούργων V ⁵ πο M

⁶ ἀλίσκόμενοι M ⁷ ἂν M

⁸ αἱ δίοδοι | ἐδίοδοι M

2. Intelligence, memory, smell, the others, and experience: exercise of the faculties. Exertion, food, drink, sleep, sexual activity, in moderation. The man who is cooler in a cold land and season will be warmer.

3. In pains: purge the nearest part of the intestine. [Separate the intestine from blood.]^a Cautery, excision, heating, cooling, sneezing, the juices of plants for things they affect, and cyceon.^b Harmful things: garlic, milk, boiled wine, vinegar, salt.

4. A man, from fatigue from a journey: weakness and heaviness, expectoration. He had a cough from the head. A fever, acute to the touch, somewhat biting. Heaviness in the head on the second day, his tongue parched. His nose did not bleed when scratched with a fingernail. On the left, the spleen enlarged, hard, painful.

5. People seized with quartan fevers are not seized with epilepsy. If they have it already and a quartan fever supervenes they are cured. Diseases are responses to what kinds of things? As I said about birds, bile because they are bilious. Heat is a sign of acridness. Consider blockage, free passage. The fact that pains in the ribs stop in delirious people. And fever for some, but some not, but with sweats. And some with blockage. And in some drying and stretching of the skin, and saltiness. Loss of sensation,

^a This sentence, well attested in the mss. and commentaries, is not good Greek nor good ancient medicine, but I have not found emendation.

^b *Cyceon* is a traditional therapeutic drink, usually barley mush, cheese, wine, possibly onions, and herbs.

ναρκώσιες, οἶαι ἐξ οἶων¹ ᾧ τὸ ἰσχίον. δι' οὐάτων, ἐξ οὐάτων, τὰ πολλὰ θνήσκει τριταῖα.² οἷσι δέρματα περιτείνεται καρφαλέα καὶ σκληρά, ἄνευ ἰδρώτος, οἷσι δὲ χαλαρά, ξὺν ἰδρώτι τελευτῶσιν. ἐν τοῖσι παλιμβόλοισιν αἱ μεταβολαὶ ὠφελέουσι, τούτοις μεταβάλλειν, πρὶν κακοῦσθαι, ἐς τὰ πρόποντα, οἶον Χαιρίωνι, τὰ ἐρεθιζόμενα ἐξ οἶων τὰ κερχνώδεα.

6. Ὅριον, οἷσι μὲν ὑγιᾶς καταλείπεται κάτω ὑψηρμένης τῆς προφάσιος, ἢ καθαίρων, ἢ ἀποδέων, ἢ ἐκβάλλων, ἢ ἀποτάμνων, ἢ ἀποκαίων· οἷσι δὲ μή, οὐ.

328 7. Οἷς αἷμα ρεῖ πολὺ καὶ πολλάκις ἐκ ῥινῶν, οἷσι μὲν ἄχρoιαι, | ἄκρητοι,³ τούτοιςιν ὀλίγα ἀρήγουσιν· οἷσι δὲ ἐξέρυθροι [χρῶτες],⁴ οὐχ ὁμοίως. καὶ οἷσι κεφαλὰ εὐφοροί, ἄκρητος ἀρήγει, οἷσι δὲ μή, οὐ.

8. Οἷσι ῥῖνες ὑγρότεραι φύσει καὶ ἡ γονὴ ὑγρότερη καὶ πλείων, ὑγιαίνουσιν. νοσηλότεροι δὲ οἷσι τὰναντία.⁵

9. Τὰ στρογγυλόμενα πτύαλα παρακρουστικά, οἶον τῷ ἐν Πλινθίῳ· τούτῳ ἡμορράγησεν ἐξ ἀριστεροῦ πεμπταίῳ,⁶ καὶ ἐλύθη.

10. Οὕρον πολλὴν ὑπόστασιν ἔχον ῥύεται τὰς παρακρούσις, οἶον καὶ τὸ τοῦ Δεξιππου μετὰ μάδησιν.

¹ οἶων] οὐάτων καὶ οἶαι Gal.: οἶων καὶ οἶαι M

² mss. Dioscurides (Gal.): om. Gal.

³ ἄκριτοι V

⁴ om. Gal.: del. Man.-Ros.

⁵ νοσηλότεροι κτλ.] οὗτοι νοσηλότερον τοῖσι πλείστοιςιν δὲ οἷσιν ὑπὸ νοῦσου τὰναντία M

⁶ Zeuxis placed πεμπταίῳ here, the mss. and Galen after ἐλύθη

what kind from what in one with hip troubles. Through the ears, from the ears: most deaths on the third day. Those with stretched dry hard skin reach the end without sweat; those with slack skin die with sweat. In unstable conditions change helps; they should change to the appropriate things before deterioration, as with Chaerion, the irritations that brought on hoarseness.

6. A distinction: if a healthy area remains when you have removed the cause below, purge, bind off, expel, excise, or cauterise. If it does not, not.

7. In people who have frequent copious nosebleeds, if they are of uniform bad color, uniform, they are rarely helpful to them. If they are bright red it is otherwise. For those with healthy heads undiluted wine helps; those without, not.

8. Those whose noses are moist by nature and whose semen is moister and more copious: they are healthy. But those with the opposite condition tend to illness.

9. Globular expectoration portends delirium, as with the man in Plinthius. He had hemorrhage from the left nostril and, on the fifth day, was cured.^a

10. Urine which leaves a large deposit helps delirium, as in Dexippus' case after he became bald.

^a Cf. *Epid.* 6.3.22.

11. Οὐ πρόσω ἐνιαυτοῦ τεταρταῖος.

12. Ὡτα¹ τοῦ θέρεος, ῥήξιος πεμπταίοισιν, ἔστι δ' ὅτε καὶ μακρότερα· τὰ παρὰ τὰ οὖλα <καὶ γλῶσσαν ἀποπυεῖ ἐβδομαίοισι, μάλιστα δὲ τὰ κατὰ τὰ οὖλα>,² καὶ αἱ κατὰ ῥίνας ἐκπυήσιες.

330 13. Οἷσιν ἐπὶ ὀδόντων ὀδύνῃς ἀπὸ ῥινὸς³ λεπτὰ ἔρχεται, τούτοισιν ἀπὸ πεπέρεως εὖ ἐνερεισθέντος παχύτερα τῇ ὑστεραίῃ ἔρχεται, ἣν καὶ τὰ ἄλλα μὴ κρατήσῃ· Ἠγησίππῳ γὰρ τὸ ὑπνικὸν | ἐντεθὲν οὐκ ἐκράτησε, μᾶλλον δέ τι καὶ προσεσκαλεύθη βιαιότερον.

14. Τὴν ἀπὸ κεφαλῆς ὀστέων φύσιν, ἔπειτα νεύρων, καὶ φλεβῶν, καὶ σαρκῶν, καὶ τῶν ἄλλων χυμῶν, καὶ τῶν ἄνω καὶ τῶν κάτω κοιλιῶν, καὶ γνώμης, καὶ τρόπων, καὶ τῶν κατ' ἐνιαυτὸν γινομένων ὥρῃ τινί, τὸ⁴ ἐπὶ πρωϊαίτερον τοῦ ἔτεος οἷον ἐξανθήματα καὶ τὰ τοιαῦτα, ὅμοιον τοῖσι καθ' ἡμέρην πρωϊαίτερον λαμβανομένοισιν, ἢ τὸ ὀψιαίτερον ὡσαύτως. τὸ ἐπίχολον καὶ ἔναιμον σῶμα⁵ μελαγχολικόν, μὴ ἔχον ἐξαρύσιας.⁶

15. Λυκίνῳ τὰ ὕστατα σπλὴν⁷ μέγας, ὀδυνώδης ἐν τῇ τετάρτῃ ἢ⁸ πέμπτῃ.

¹ ὦ τὰ M

² Gal. Pall.: om. mss.

³ Smith (cf. *Epid.* 4.40): ὀφρύος mss. Gal.

⁴ τότ' M

⁵ χρώμα (v.l.) Gal.

⁶ Li. from Gal. *Glos.*: ἐξερώσιας MV

⁷ πλὴν M

⁸ καὶ V

11. A quartan fever does not extend beyond a year.

12. In ears in the summer, eruptions on the fifth days, sometimes at greater intervals. In affections of the gums and the tongue, suppuration on seventh days, but especially on the gums, and purulent gatherings in the nostrils.

13. For people who, with pain of the teeth, have thin discharges from the nose, pepper packed in will produce thickening on the following day, unless other symptoms prevail. For in Hegesippus a soporific was applied but failed; rather there was more powerful erosion.

14. The nature of the bones from the head, then of the tendons, blood vessels, flesh and the other humors, and of the upper and lower intestines, the intellect, habits, and the things that occur each year at a certain time in the early part of the year such as breaking out and the like (similar to the things got in the early part of each day) or those in the later part likewise. The bilious and sanguineous body is melancholic when it lacks evacuation.

15. At the end Lycinus had a large, painful spleen on the fourth or fifth day.

ΤΜΗΜΑ ΕΒΔΟΜΟΝ

1. Βῆχες ἤρξαντο περὶ ἡλίου τροπὰς τὰς χειμερινὰς ἢ πέμπτη καὶ δεκάτῃ ἢ εἰκοστῇ ἡμέρῃ ἐκ μεταβολῆς πυκνῆς νοτίων ἢ βορείων καὶ χιονωδέων· ἐκ τούτων τὰ μὲν βραχύτερα, τὰ δὲ μακρότερα ἐγίνετο· καὶ περιπλευμονικὰ συχνὰ μετὰ ταῦτα. πρὸ ἰσημερίας αὐτὶς ὑπέστρεφε τοὺς πλείστους, ὥς ἐπὶ τὸ πολὺ, τεσσαρακοσταίους ἀπὸ τῆς ἀρχῆς· καὶ τοῖσι μὲν πάνυ βραχέα καὶ εὐκριτα¹ | ἐγένετο· τοῖσι δὲ φάρυγγες ἐφλέγμαναν, τοῖσι δὲ κυνάγχαι· τοῖσι δὲ παραπληγικά· τοῖσι δὲ νυκτάλωπες, μᾶλλον δὲ παιδίοισιν· περιπλευμονικὰ δὲ πάνυ βραχέα ἐγένετο. νυκτάλωπες μὲν οὖν οὐδὲν βήξασι² τὸ ὕστερον ἢ πάνυ βραχὺ ἀντὶ τῆς βηχὸς ἐγίνοντο, φάρυγγες δὲ βραχεαί, μᾶλλον δὲ νυκταλώπων. κυνάγχαι δὲ καὶ παραπληγικά, ἢ σκληρὰ καὶ ξηρά, ἢ σμικρὰ καὶ ὀλιγάκις ἀνάγουσαι πέποννα, ἔστι δ' οἷσι καὶ κάρτα. οἱ μὲν οὖν ἢ φωνῇσι πλεον ταλαιπωρήσαντες, ἢ ῥιγώσαντες, ἐς κυνάγχας μᾶλλον ἐτρέποντο.³ οἱ δὲ τῇ χειρὶ πονήσαντες ἐς χεῖρας μῶνον παραπληγικοί, οἱ δ' ἰππεύσαντες ἢ πλείω ὁδὸν πορευόμενοι ἢ ἄλλο τι τοῖσι σκέλεσι ταλαιπωρήσαντες τούτοισιν⁴ ἐς ὁσφῦν ἢ σκέλεα ἀκρασαίαι παραπληγικαί, καὶ ἐς μηροὺς καὶ κνήμας κόπος καὶ πόνος· σκληρόταται δὲ καὶ βιαιόταται αἱ⁵ ἐς τὰ παραπληγικά ἄγουσαι. πάντα δὲ

¹ εὐκριτα M² νυκτάλωπες ... βήξασι V: φάρυγγες δὲ (1/3 line blank) βήξασι M

SECTION 7

1. Coughs began around the winter solstice, on the fifteenth or twentieth day after frequent change between southerly weather and northerly with snow. Some affections were shorter, some longer. Pneumonia frequently followed the longer ones. Before the equinox in most affections there was relapse, generally around forty days from the commencement. Some had brief affections with successful crises. Others had inflammations of the throat and others quinsy, others paralyses, others, primarily children, night blindness. The pneumonias were very brief. Night blindness did not develop subsequently in those with coughs or it quickly replaced the coughs, and the inflammations of the throat were brief, more so than the night blindness. The quinsy and paralyses: coughs produced hard, dry matter or rarely small amounts of concocted matter, sometimes very rarely. Those who were more affected in the voice, or had more chills, more frequently ended in quinsy. Those who labored with their hands had paralyses only in them, those who rode horses or did more walking or other exertion with their legs had paralytic weakness in the hip or legs and pain and fatigue in hams and shanks. Weakness that led to paralysis was particularly harsh and violent. All these complications

³ V Gal.: ἐτελεύτων M (v.l.) Gal.

⁴ τούτοισιν δὲ M

⁵ Gal.: om. mss.

334 ταῦτα ἐπὶ τῇσιν ὑποστροφῇσιν | ἐγένετο, ἐν ἀρχῇσι δὲ οὐ μάλα. πολλοῖσι δὲ τούτων ἀνῆκαν μὲν αἱ βῆχες ἐν τῷ μέσῳ, ἐξέλιπον δὲ τελέως οὐ· ἀλλὰ ξυνῆσαν τῇ ὑποστροφῇ. οἷσι φωναὶ ἀπερρῆγγυνντο ἐς τὸ βηχῶδες, τούτων οἱ πλεῖστοι οὐδὲ ἐπυρέτηνον, οἱ δὲ τινες βραχέα· ἀτὰρ οὐδὲ περιπλευμονικὰ ἐγίνετο τούτων οὐδενὶ οὐδὲ παραπληγικὰ οὐδὲ ἄλλο οὐδὲν ἐσημάνθη, ἀλλ' ἐν τῇ φωνῇ ἐκρίνετο. τὰ δὲ νυκταλωπικὰ ἰδρύετο ὥς καὶ τὰ ἐξ ἄλλων προφασίων γινόμενα· ἐγίνετο δὲ νυκταλωπικὰ τοῖσι παιδίοισι μάλιστα· ὁμμάτων δὲ τὰ μέλανα ὑποποίκιλα, ὅσα τὰς μὲν κόρρας¹ σμικρὰς ἔχει, τὸ δὲ ξύμπαν μέλαν ὥς ἐπὶ τὸ πολύ· μεγαλόφθαλμοι δὲ μᾶλλον, καὶ οὐ σμικρόφθαλμοι, καὶ ἰθύτριχες οἱ πλεῖστοι καὶ μελανότριχες.

Γυναῖκες δὲ οὐχ ὁμοίως ἐπόνησαν ὑπὸ τῆς βηχός, ἀλλ' ὀλίγαι τε ἐπυρέτηναν, καὶ τούτων πάννυ ὀλίγαι ἐς τὸ περιπλευμονικὸν ἦλθον, καὶ αὗται πρεσβύτεραι, καὶ πᾶσαι περιεγένοντο. ἡτιώμην [καὶ]² τοῦτο καὶ τὸ μὴ ἐξιέναι ὁμοίως ἀνδράσι καὶ ὅτι οὐδ' ἄλλως ὁμοίως ἀλίσκονται³ ἀνδράσιν. κυνάγχαι δὲ ἐγίνοντο μὲν καὶ ἐλευθήρησι δισσησι, καὶ αὗται τοῦ εὐηθεστάτου τρόπου, περισσοτέρως δὲ δούλησιν, ὅσησί τε ἐγίνοντο βιαιόταται καὶ ταχύτατα⁴ ἀπώλλυντο. ἀνδράσι δὲ πολλοῖσιν ἐγίνοντο καὶ οἱ μὲν διέφυγον, οἱ δὲ ἀπώλλυντο. τὸ δὲ ξύμπαν οἱ μὲν μὴ δυνάμενοι καταπίνειν⁵ μῦνον πάννυ εὐήθη καὶ εὐφορα, οἱ δὲ καὶ διαλεγόμενοι πρὸς τούτοις ἀσαφές καὶ ὀχλωδέστερα καὶ χρονιώτερα· οἷσι δὲ |
336 καὶ φλέβες αἱ⁶ περὶ κρόταφον καὶ αὐχένα ἐπήρουντο

developed in the relapses, not much at the commencement. For many patients the coughs relented in the meantime but did not stop entirely. But they were there at the relapse. Those whose speech would break into coughing were mostly not feverish, but some had brief fevers. None of these developed pneumonia or paralyses, nor was there anything else exhibited, but it reached a crisis in the voice. The night blindness became established just as the affections from other causes. Night blindness problems developed mostly in children. The dark parts of the eyes which have the small pupil were varicolored, and so was the whole dark part generally. Patients were large-eyed more often, not small-eyed, and with straight hair and dark hair.

Women did not suffer similarly from the cough, but few of them had fever, and of those very few went into pneumonia, and those the older. All survived. I attributed this to their not going out as the men did and because they were not otherwise susceptible like the men. Two free women got quinsy, and that was of the mildest sort. Slave women got it in a more extreme way, and those with very violent cases died very quickly. But many men got it: some survived, some died. For the most part if they only could not drink it was mild and bearable. Those who also spoke unintelligibly had more troublesome and longer cases. Those whose blood vessels swelled at the temple and neck

¹ κόρραν V ² om. Gal.: del. Li.

³ καὶ ὅτι . . . ἀλίσκονται om. V

⁴ ταχύταται V

⁵ καταπίνειν V ⁶ οἱ V

ὑποπόνηρα· οἷσι δὲ καὶ πνεῦμα ξυνεμετεωρίζετο κάκιστον, οὗτοι γὰρ καὶ ἐπεχλιαίνοντο.

Ὡς γὰρ γέγραπται, οὕτως αἱ ξυγκληρίαι τῶν παθημάτων ἦσαν· τὰ μὲν πρῶτα γεγραμμένα καὶ ἄνευ τῶν ὕστερον γεγραμμένων ἐγίνετο· τὰ δ' ὕστερον οὐκ ἄνευ τῶν πρότερον· τάχιστα δ' ἔβνησκον ὅτ' ἐπιρριγώσειαν πυρετώδει ρίγει. τούτους οὔτε ἀναστάσει πιεζομένους οὐδὲν ἄξιον λόγου ὠφέλει, οὔτε γαστρὸς ταραχή, οὔτε φλεβοτομή, ὅσα ἐπειράθην· ἔταμον δὲ καὶ ὑπὸ γλῶσσαν· οὓς δὲ ἄνω ἐφαρμάκευσα. ταῦτα μὲν οὖν καὶ διὰ παντὸς ἐν τῷ θέρει, ὥς δὲ καὶ τὰ ἐπιρρηγνύμενα πάμπολλα. πρῶτον μὲν ἐν τοῖσιν αὐχμοῖσιν ὀφθαλμίαι ἐπεδήμησαν ὀδυνώδεις.

338 2. Αἵματος φλεβῶν στάσεις, λειποθυμία, σχῆμα, ἄλλη ἀπόληψις, μοτώματος ξυστροφή, πρόσθεσις, ἐπίδεσις, ἐπίπλασις.¹ βουβωνοῦται τὰ πλείω διότι ἡπατίτις· ἦν δὲ καὶ ἀπὸ ἀρτηρίης κακωθείσης κακὸν σημεῖον οἷως² Ποσειδωνίη. οἱ αἰμορραγέοντες τελευτῶντες³ οὐκ ἐφίδρωσαν μέτωπον, ἀλλ' οἷα ξυμπεπτωκότες· καὶ οἱ πνευματαῖαι καὶ οἱ ὑπὸ ἰδρώτων ὀλλύμενοι, πονηρόν. τῶν γαστέρων αἱ εὐφορίαι ταραχήν, οἷον Ποσειδωνίη, καὶ τὰ θηρία οἷα ἐνεποιεῖ· ἐν τῷ λεπτυσμῷ ἡ περίτασις πρὸ τῆς τελευτῆς, καὶ ὁ ὀμφαλὸς πρόμακρος εἰλκύσθη αὐτῇ, καὶ οὖλων ἐφελκώσεις τῶν ἐπιόντων ἐπὶ ὀδόντα.

¹ ἐπίθεσις ἐπίπλασις V: ἐπίδεσις (om. ἐπιπλ.) M Gal.

² οἷον V

³ om. V

had painful cases. Those whose breathing was elevated had it worst since they also became hot externally.

As I have written, these were the relationships of the affections. The first described occurred also without the later, but the later ones not without the former. Patients died most quickly when they were chilled with a feverish chill. Nothing I tried worth notice helped these, not when they were pressed to evacuate the bowels, not roiling the stomach, not phlebotomy. And I cut the vein under the tongue, and tried emetics on some. Those affections continued for the whole summer as did the outbreaks generally. Initially with the dry weather painful ophthalmias were epidemic.

2. Stopping blood from the veins; fainting; posture: withdrawing it elsewhere; wrapping in lint; application; bandaging; plastering. Most cases have swollen glands because of the hepatic vein. There was also a bad indication from degeneration of the artery (windpipe?) as in Posidonia. In death those who hemorrhaged did not sweat on the forehead, but, as it were, collapsed. Those with lung affections and those laid low by sweat, unfavorable. Easiness of the intestine foretold upset, as with Posidonia, and effects such as worms produced. Along with loss of flesh, stretching before death, and the navel was drawn out large by it. There were ulcerations of the gums where they came over the teeth.

340 3. Ὅτι πολλὰ περὶ ἐκάστου ἐστὶν ὀρθῶς ἐντεί-
 λασθαι, τὰ μὲν ταῦτα δυνάμενα, τὰ δὲ οὐ· οἷόν ἐστι τὰ
 τοιάδε, διαχυθῆναι, καὶ πιληθῆναι, καὶ ἐξαχθῆναι, καὶ
 σκληρυνθῆναι, καὶ πεπανθῆναι, καὶ | ὅπη κλίνειν διώ-
 σασθαι. τοὺς ἀτολμέοντας δέον μεταβολῆς ἀνεγείρειν
 κατανεναρκωμένους.¹

4. Ἄ ὑστερέουσιν· ὕδατώδεας θάσσον τάμνειν, φθί-
 νοντας καίειν, αὐτίκα πρίειν κεφαλὰς, τὰ τοιαῦτα·
 τῶν ὕδατουμένων μὴ ψαύειν ἥτρου, μηδὲ τῶν ἔσω·
 ὅμοιον γὰρ τοῖσι πολλοῖσι γούνασιν.

5. Τὰ παρὰ καρδίην Ξενάρχῳ· καὶ θερμὸν ἅλεις
 ἐσπνεῖν² ἐς τὸ ἔλκος· ἀντὶ τῆς κενώσιος θάλπειν.

6. Ἀρχῆθεν σημεῖον τῆς ὀργῆς καὶ τῶν τοιούτων·
 φωνὴ οἷη γίνεται ὀργιζομένοισιν, ἣν τοιαύτη ἦ μὴ
 ὀργιζομένῳ φύσει, ἣ καὶ ὅμματα οἷσιν³ ἂν ἦ φύσει
 ταραχώδεα οἷα ὅταν ὀργίζωνται⁴ οἱ μὴ τοιοῦτοι, καὶ
 τᾶλλα κατὰ λόγον· καὶ νούσων,⁵ οἷον τὸ φθινῶδες
 ποιεῖ τὸ εἶδος, ἣν τοιοῦτος φύσει ὑπάρχει,⁶ ἐς τοιοῦτον
 νόσημα παρέσται, καὶ τᾶλλα οὕτως.

7. Αἱ βῆχες κοπῳδεῖς καὶ ἄπτονται τῶν σιναρῶν,
 ἀτὰρ καὶ μάλιστα ἄρθρων· ἀτὰρ καὶ ἐν τοῖσι κοπιῳδεσι
 πυρετοῖσι βῆχες ξηραὶ γίνονται· αἱ ξηραὶ βῆχες <ἐς>⁷
 ἄρθρα⁸ στηρίζουσι ξὺν πυρετῷ ἣν ἐγκαταλίπωνται. |

¹ κατανενεκρωμένης V

² εὐπνεῖν M

³ οἱ M ⁴ ὀργίζονται M

⁵ νοῦς V ⁶ ὑπάρχει M

⁷ add. Lind. ⁸ ἄθρα V

EPIDEMICS 6.7

3. The fact that one can prescribe many things properly for each person: some are effective, some not. For example, this sort of thing: to be scattered and to be compressed; to be hardened and to be softened and ripened; and to force them to where they incline. The diffident, change being necessary, must be roused when they grow torpid.

4. Areas of neglect: incise the dropsical quickly, cauterize the consumptive, immediately trephine heads, and so on. Do not palpate the liver of the dropsical, nor any of the insides. It is similar with most knees.

5. In Xenarchus' affection by the heart: inhaling adequate warmth into the sore; warm to counter the evacuation.

6. From the outset, a sign of derangement and the like: the quality of the voice in people in passion: whether it is that way by nature when he is not angry. Or the eyes, for those in whom they are by nature disturbed like those of normal people who are angry, and the other things on the same rationale. And of diseases, the way consumption makes the body: if he is that way naturally he will come into that kind of disease. And the rest similarly.

7. Exhausting coughs also attach themselves to damaged areas, especially the joints. In exhausting fevers, however, coughs become dry. Dry coughs become fixed in the joints with fever if they settle there.

342

8. Τὰ πνεύματα τοῖσι φθινώδεσι τὰ ἄσημα, κακά, καὶ τοῖσιν ἀτόκοις, καὶ ὅσα ἄλλα τοιαῦτα, ἀπὸ τῆς αὐτῆς καταστάσιος.

9. Τοῖσι φθίνουσι τὸ φθινόπωρον κακόν· κακὸν δὲ καὶ ἔαρ ὅταν τὰ τῆς συκῆς φύλλα κορώνης ποσὶν ἵκελα ᾖ.

10. Ἐν Περίνθῳ ἔαρος οἱ πλείστοι, ξυναίτιον δὲ βῆξ χειμερινὴ ἐπιδημήσασα, καὶ τοῖσιν ἄλλοις ὅσα χρόνια, καὶ γὰρ τοῖσιν ἐνδοιαστοῖσιν ἐβεβαίωσαν· ἔστι δ' οἷσι τῶν χρονίων οὐκ ἐγένετο, οἷον τοῖσι τὰς νεφρικὰς ὁδύνας ἔχουσιν· ἀτὰρ καὶ τοῖσιν ἄλλοις, οἷον ὁ ἄνθρωπος πρὸς ὃν ὁ Κυνίσκος ἤγαγέ με.

11. Τῶν ὁδυνέων καὶ ἐν πλευρῇσι καὶ στήθει καὶ τοῖσιν ἄλλοις τὰς ὥρας εἰ μέγα, διαφέρουσι καταμαθητέον, ὅτι ὅταν βέλτιον ἴσχωσιν¹ αὐτὶς κάκιον ἴσχωσιν οὐχ ἁμαρτάνοντες.²

ΤΜΗΜΑ ΟΓΔΟΟΝ

1. Ἐν τῇσι μακρῇσι δυσεντερίῃσιν³ αἱ ἀποσιταί, κακόν, ἄλλως τε καὶ ἦν ἐπιπυρεταίνωσιν.⁴

2. Τὰ περιμάδαρα ἔλκεα κακοήθεα. |

344

3. Ὅσφυν ἀλγέοντι, ἀναδρομὴ ἐς τὸ πλευρόν, καὶ ἐκφύματα αὐτῶν καλεῖται.

¹ ἴσχωσι M

² οὐδὲν ἐξαμαρτάνοντες V

³ "Blutfluss" Gal.

⁴ ἐπιπυρετήνωσιν M

EPIDEMICS 6.8

8. Breathing that is without symptoms in consumptive people is bad. So, too, in the barren, and all such things that come from the same condition.

9. For the consumptive the fall of the year is bad. And the spring is bad when the fig leaves are like a crow's feet.⁴

10. In Perinthus most of them in spring; an epidemic winter cough was a contributing cause, and for the rest as many diseases as were chronic, for they were powerful in ambiguous conditions. But it did not happen in some chronic diseases, for example in those with kidney pains, but did for the rest, for example the man to whom Cyniscus brought me.

11. One must note the seasons of pains in the sides, chest, and elsewhere, whether they differ greatly, because when patients are better they are again worse though they have done nothing wrong.

SECTION 8

1. In lengthy intestinal affections aversion to food is bad, especially if there is fever.

2. Ulcers saturated with fluid are of evil nature.

3. In a patient with an affection of the loins, there was an incursion to the ribs and eruptions that are called *seps*.

⁴ The author is punning on "phthisis" and "phthinoporon" (autumn). For the generic statement that diseases are worse in the fall, see *Epid.* 2.1.4 and *Aph.* 3.9-10. In the *Works and Days* (679-52) Hesiod sets the time for spring sailing when the topmost fig leaves are like the crow's foot.

4. Τὰ νεφριτικὰ οὐκ εἶδον¹ ὑγιασθέντα ὑπὲρ πεντήκοντα ἔτεα.

5. Τὰ ἐν τοῖσιν ὕπνοισι παροξυνόμενα, καὶ ὅσοις ἄκρεα περιβύχεται, καὶ ἡ γνώμη ταρασσεται, καὶ τᾶλλα ὅσα² περὶ ὕπνον τοιαῦτα, καὶ οἷσι τὰναντία.

6. Ὅσῃσι μὲν οὐδὲν ἔσω τοῦ τεταγμένου χρόνου, ἐκάστησι τὰ τικτόμενα ἀπόγονα³ γίνεται. τὰ⁴ ἐπιφαινόμενα ἐν οἷσι μῆσὶ γίνεται· οἱ πόνοι ἐν περιόδοισιν· ὅτι ἐν ἑπτὰ κινεῖται ἐν τριπλασίῃ τελειοῦται, καὶ ὅτι ἐν ἑννέα κινεῖται, ἐν τριπλασίῃ τελειοῦται.⁵ ὅτι μετὰ τὰ γυναικεῖα τὰ δεξιὰ τὰ δ' ἀριστερὰ χάσκων,⁶ ὑγρότης διὰ τῶν ἀπιόντων, διαίτης ξηρότης. ὅτι δὲ τὸ θᾶσσον διακριθέν, κινηθέν, αὖτις αὔξεται βραδύτερον, ἐπὶ πλείονα δὲ χρόνον. οἱ πόνοι, τρίτῳ, πέμπτῳ, ἑβδόμῳ, ἐνάτῳ μηνί, δευτέρῳ, τετάρτῳ, ἕκτῳ.

7. Τὰ ἐκ τοῦ μικροῦ πινακιδίου σκεπτέα. δίαίτα γίνεται πλησμονῇ, κενώσει, βρωμάτων, πομάτων· μεταβολαὶ τούτων, οἷα ἐξ οἷων, ὥς ἔχει. ὁδμαὶ τέρπουσαι, λυποῦσαι, πιμπλῶσαι,⁷ πειθόμεναι· μεταβολαὶ ἐξ οἷων οἷως ἔχουσιν. τὰ ἐσπίπτοντα ἢ ἐξιόντα πνεύματα, ἢ καὶ σώματα. ἀκοαὶ κρείσσονες, αἱ δὲ λυποῦσαι. καὶ

¹ ἶδον M

² om. M

³ *Epid. 2, Gal. Gloss.*: ἄγονα MV: γόνιμα Pall.

⁴ τὰ δ' V

⁵ καὶ . . . τελειοῦται om. V, perhaps correctly

⁶ χάσκων *Diosc. ap. Gal. Gloss.*

⁷ πιμπλάσαι M

4. I did not see kidney infections get better beyond fifty years.

5. Affections that exacerbate in sleep, and people whose extremities are cold and mind disordered, and all similar things in relation to sleep, and people subject to the opposites.

6. Women to whom nothing happens within the prescribed time have viable babies. Additional symptoms, in what months they occur: pains come in cycles. What moves in seven is perfected in thrice that, what moves in nine is perfected in thrice that. That after the menses there is gaping on the right and the left. Dampness because of what passes out: dryness of regimen. That what is quickly separated, disturbed, afterwards grows more slowly and for a longer time. Pains at the third, fifth, seventh, ninth month, second, fourth, sixth.^a

7.^b Things from the small tablet, to be observed. Regimen consists in repletion and evacuation of foods and drinks. Changes of these: what from what, how it is. Odors: pleasant, noxious, filling, persuading. Alterations, from what kinds of things, how they are. The airs that come in or go out, solid bodies also. Better sounds, and

^a With a few differences in the text this appears also in *Epid.* 2.3.17.

^b This list of basic subjects for research "from the small tablet," beginning here in ch. 7, had already by Galen's time generated much discussion as to what it might tell us about the mode of composition of *Epid.* 6, and of *Epid.* 2 and 4 as well.

γλώσσης, ἐξ οἷων οἶα προκαλεῖται. πνεῦμα, τὸ ταύτη θερμότερον, ψυχρότερον, παχύτερον, λεπτότερον, ξηρότερον, ὑγρότερον, πεπληρωμένον, μεῖον τε καὶ τὸ πλεῖον· ἀφ' ὧν αἱ μεταβολαί, οἶαι ἐξ οἷων, ὡς ἔχουσιν. τὰ ἴσχοντα, ἢ ὀρμῶντα, ἢ ἐνισχόμενα σώματα. λόγοι, σιγή,¹ εἰπεῖν ἃ βούλεται· λόγοι,² οἷσι λέγει, ἢ μέγα, ἢ πολλοί, ἀτρεκεῖς, ἢ πλαστοί.

8. Τὰ ἀπιόντα· ἰδρώς, ὅθεν³ ἤρξατο, ἢ ὅπη ἐπαύσατο, ἢ ὅσοισι διεσπᾶτο, χρώματά τε, οἷσιν ἢ θερμώτατα, ἢ ἀλμυρώτατα, ἢ γλυκύτατα, ἢ λεπτότατα, ἢ παχύτατα, ὁμαλῶς ἢ ἀνωμάλως, τὸ σῶμα, τοῦ χρόνου⁴ αἱ μεταβολαί, οἶαι ἐξ οἷων [ἔχουσιν].⁵ ἤρξατο⁶ ἔρυσιν,⁷ οὐκ ἐκράτησεν. δάκρυα, ἐκόντι, ἀέκοντι, πολλά, ὀλίγα, θερμά, ψυχρά, πάχος, γεῦσις. πτύαλον αὐτόθεν ἀναχρεμπτόμενον, ἢ ἀναβήσσοντα, ἔμετος.

9. Ἡλίου θάλπος, ψῦχος, τέγγις, ξηρότης, μεταβολὴ διὰ⁸ οἶα, ἐξ οἷων, ἐς οἶα ὡς⁹ ἔχει. πόνοι, ἀργίαι, ὕπνοι, ἀγρυπνίαι. τὰ ἐν ὕπνῳ· ἐνύπνια, κοῖται, καὶ ἐν οἷσι, καὶ ὑφ' οἷων. |

348

10. Καὶ τῆς γνώμης ξύννοια, αὐτὴ καθ' ἑωυτήν, χωρὶς τῶν ὀργάνων καὶ τῶν πρηγμάτων, ἄχθεται¹⁰

¹ λόγοι σιγή M: λόγοιςι δεῖ V

² Li.: λόγοις mss.

³ ἰδρῶς ὅθεν] ἰδρωσθέν M

⁴ Zeuxis (Gal.): τὸν χρόνον mss.

⁵ om. Gal. Zeuxis

⁶ ἤρξαντο V

⁷ ἔρυσιν V: ἐρυξί (sic) M: οὐκ ἠρύξατο Gal. Zeuxis

⁸ δ' V

⁹ (v.l.) Gal.: om. mss. Gal.

¹⁰ ἄρχεται V

those that harm. Of the tongue, what things are called forth by what. Breath, what is hotter to the tongue, colder, thicker, thinner, dryer, wetter, filled up, less and greater. From what come changes, what kind out of what kinds of things, how they are. Bodies that restrain or stimulate, or are restrained. Speech, silence, saying what he wishes. The words with which he speaks: loudly or many, unerring or molded.

8. Excretions: sweat, whence it started or where it stopped, or by how many things it was drawn out; and the colors, those according to which they are extremely hot, salty, sweet, thin, thick, uniformly or not. What kinds of alterations from what kinds of conditions possess the body, within what time. It commences belching, it does not conquer it.^a Tears, voluntary, involuntary, many, few, hot, cold; thickness, taste. Expectorant, hawking it right out, or coughing it up. Vomit.

9. Sun's heat, cold, dampness, dryness, the nature of alteration, on account of what it occurs, from what to what. Pains, lassitude, sleep, restlessness. Phenomena of sleep: dreams, going to bed, both in what circumstances and from what cause.

10. Even the mind's consciousness, itself by itself, distinct from the organs and events, feels misery and joy, is

^a Ancient commentators tried unsuccessfully to make sense of this sentence. The text is probably corrupt.

καὶ ἥδεται, καὶ φοβεῖται καὶ θαρσεῖ, καὶ ἐλπίζει καὶ ¹ ἀδοξεῖ, οἷον ἡ Ἰπποθόου οἰκουρὸς τῆς γνώμης αὐτῆς καθ' ἑωυτὴν ² ἐπίστημος ἐοῦσα τῶν ἐν τῇ νούσῳ ἐπιγενομένων.

11. Ἡλικίην μὲν ἡλίκος, καὶ ἡλικίην ἢ πρότερον ἢ ὕστερον τοῦ δέοντος, οἷον εἰ παρελύθη ἐν χειμῶνι καὶ γέροντι τὴν ἡλικίην ἢ νηπίῳ καὶ θερίῃς, ἢ πρότερον ἢ ὕστερον τοῦ δέοντος ὀδόντων ἐκβολαί, τριχῶν φύσεις, γόνος, τὸ μᾶλλον καὶ ἥσσον τριχῶν αὔξεις, παχυσμός, κρατυσμός, μινύθσεις.

12. Τὸ ξυγγενές, καὶ τὸ καθ' ἑωυτό, ὅσω μᾶλλον καὶ ἥσσον.

13. Τοῦ ἔτεος ἡ ὥρῃ ἐν ᾗ τε καὶ πρωΐτερον ἢ ὀψίτερον ἡ ὥρῃ ἐν ᾗ ἐγεγόνει· ἔπομβρος ἢ αὐχμός, ψυχρὴ <ἢ> ³ θερμή, νήνεμος ἢ ἐπάνεμος, ⁴ καὶ οἷων ἀνέμων, τῆς ὥρης ἐν ἀρχῇ, ἢ μέσα, ἢ ἔσχατον, ⁵ ἢ διὰ παντός, παροιχομένη ⁶ ἢ παρεοῦσα ὥρῃ.

14. Τῆς νούσου, ὁ χρόνος, τὰ ἐπιγινόμενα, αἱ περίοδοι, καὶ τῶν περιόδων αἱ μέζονες, καὶ εἰ διὰ πλείονος, αἱ ἐπιδόσεις, καὶ ἡ τῆς ἄλλης νούσου ἐπίδοσις, ἡ χάλασις, ἡ ἀκμὴ καὶ τὸ μᾶλλον καὶ τὸ ἥσσον ἀποτελέουσα, καὶ ὅτε, καὶ ὁποίως, καὶ ἐν οἷῃ ὥρῃ καὶ ἡλικίῃ.

15. Τῶν ἐπιδημεουσέων νούσων οἱ τρόποι, καὶ εἴ τις τῶν ἀρχομένων ἀρξαιτο ⁷ ἀνήμετος, οἷον ἢ πιόντες τι, ἢ κατισχόντες, ἢ βραχὺ καθαιρόμενοι. |

¹ τε καὶ M

² mss.: κατ' ἐνιαυτόν (v.l.) Gal.

³ Gal.: om. MV

⁴ Gal., recc.: ἀνήνεμος MV Pall.

⁵ ἔσχατα M

⁶ παροιχομένης M

⁷ recc.: ἄρξετο M: ἄρξεται V

fearful and optimistic, feels hope and despair.³ Like the servant of Hippothous, although by herself in her mind she was conscious of the things that followed on her disease.

11. Of an age with one's age, or earlier or later than is proper for the age: such as, if there was loss of faculties in winter for one who was, in age, an old man, or for an infant, and in the summer. Or earlier or later than appropriate, the eruption of teeth, growth of hair, semen; excess and defective growth of hair, thickness, toughness, diminution.

12. The congenital and that in and of itself, to what extent more or less.

13. The season of the year in which the time in which it developed was also earlier or later: rainy or with drought, cold or hot, calm or windy, with what sort of winds at the beginning of the season or middle or end or throughout, incidental or persistent.

14. The time of the disease, the things that follow on it, the periods, and of the periods the longer ones and whether they are increasing, and the increments, and, of the disease generally, the increment, slackening, the acme, and whether it is more or less perfect, when, how, and in what season and age.

15. The types of epidemic diseases. And whether at their coming on anyone commenced vomitless: for example, either when they drank something or retained it or were slightly purged.

³ ἀδοξέω does not mean "despair" except here. It generally means, as Galen and his predecessors note, "think badly of a person." I think that we should add the meaning "despair, feel diffidence" to the lexicon.

350 16. Πυρετώδεις ἴσως οἱ ἔκλευκοι, ὧν καὶ χεῖλεα· οἷος ὁ τρόπος, οἱ χρόνοι.

17. Τὸ σῶμα ἔργον ἐς τὴν σκέψιν ἄγειν, ὅψις, ἀκοή, ρίς, ἀφή, γλῶσσα, λογισμὸς καταμανθάνει.¹

18. Τὰ ἐν τοῖσι βλεφάροισι τοῖς ἄνω καταλειπόμενα οἰδήματα, τῶν ἄλλων περισχναινομένων, ὑποστροφάι·² ἐν δ' ἄκρῳ ὑπέρυθρα σκληρά, καὶ πάνυ τούτοις, γλίσχρα, καὶ ἀνιστάμενα, καὶ ἐνεχόμενα ἐν τούτοις, οἷον Φαρσάλῳ, Πολυμήδει. τὰ καταρρηγνύμενα οἰδήματα, ἢ πελιώματα, ἢ ἐπ' ὀφθαλμίσιν ἢ ἔλκεσιν· ἄλλα γὰρ τὰ ἐκ τῶν φυμάτων καὶ ἐμπυημάτων καταφερόμενα ὅτι σημεῖον ἀμφίτητον.³

19. Στρόφοι περὶ τὸν ὀμφαλὸν καὶ ὀδύναι ἔστιν οἷσιν⁴ ἀπὸ πράσων ἀτὰρ καὶ σκορόδων· τούτοιςιν ὕστερον· ἐρυσίπελās τ' ἔστιν οἷσιν ἀπὸ τραχήλου καὶ περὶ ταῦτα ἐν προσώπῳ ἐκρίνετο· τὰ μέλανα, καὶ οἷσι τράχηλοι, κακά, καὶ εἰ φλύκταιναι· κακά⁵ καὶ οἷσι ταρακτικά. |

352 20. Ὁ μελαγχολικὸς ὁ Ἀδάμαντος ἀπὸ πεπλίων πλειόνων ἡμεσέ ποτε μέλανα, ἄλλοτε ἀπὸ κρομμύων.

21. Οἱ πυρετοὶ ἐν οἷσιν ἐφελκοῦται χεῖλεα ἴσως διαλείποντες⁶ μὲν καὶ τριταίοισι ψύξις, οἱ δὲ περικαεῖς αὐτίκα πρὸς τὴν χεῖρα λυόμενοι αἰεῖ.

¹ om. Gal.

² ὑποστροφὴν (v.l.) Gal.

³ (v.l.) Gal.: ἀμφίδμητον MV: ἀμφιμητήριον Diosc. (Gal.): ἀμφὶ ἄμητον Capito (Gal.): ἀμφίβλητον Rufus (Gal.)

⁴ Gal.: om. MV

⁵ καὶ εἰ φλύκταιναι κακά om. V

⁶ διαλιπόντες M

16. Possibly feverish, the excessively pale and those with (cracking) lips.^a As is the type of disease, so are its time periods.

17. The task is to bring the body under consideration. Vision, hearing, nose, touch, tongue, reasoning arrive at knowledge.

18. Residual swellings on the upper eyelids when the others have subsided: relapse. If they are hard and red on their tips, especially so. The viscous ones and those that protrude are included among them, as in the case of Pharsalus and Polymedes. Swellings that rupture or are livid belong either to inflammation of the eyes or to ulcers, for those are different that are developed from abscesses and empyemas because their significance is ambiguous.^b

19. Cramps and pains around the navel sometimes from onions, also from garlic, the latter later. Red eruptions are sometimes resolved from the neck and thereabouts on the face. Dark ones, also for those whose necks are affected, are bad, also if there are blisters: they are bad also for those for whom they cause systemic upset.

20. The melancholic Adamantus once vomited black matter after too much purslane, at another time after onions.

21. Fevers in which the lips are ulcerated are perhaps remittent, with chills on the third day, but fevers that are immediately very hot to the touch are always resolved.

^a Cf. *Epid.* 2.1.10.

^b I have no confidence in this text and translation of ch. 18, which seems to address swellings that do or do not come to a head. Galen's commentary indicates considerable confusion about it in antiquity.

22. Οἶον ἔνεστιν ἐν τοῖσιν ἄρθροισι σκεπτέον· ἦρα οὐκ ἐκπυοῦνται;

23. Ἔθος δέ, ἐξ ὧν ὑγιαίνομεν, διαίτησι, σκέπησι, πόνοισιν, ὕπνοισιν, ἀφροδισίοισι, γνώμη.

24. Ὅπως τὰς νούσους, ἀπὸ τίνων τίνα σχήματα, ἐφ' οὓς τόπους ἐτράποντο, ἤρχοντο, παρῆσαν, ἐπαύσαντο. ἐν οἷσιν ἀκρατῆς φοβερός. τὰ ἐναντία ἐν τῇ νούσῳ διαιτήματα. τὸ εὖφορον, τὸ δύσφορον.

25. Αἱ δίδαιται, ὅσον γινῶναι μὴ ἐξειδησαι, ξυμφοραὶ γὰρ πολλάί.

26. Ἀγαθοῖσι δὲ ἰητροῖσιν, αἱ ὁμοιότητες πλάνας καὶ ἀπορίας, ἀλλὰ τὰναντία. ἡ πρόφασις, οἷη· ὅτι χαλεπὸν ἐστιν ἐκλογίσασθαι εἰδότα τὰς ὁδούς· οἶον εἰ 354 φοξός, εἰ σιμός, ὑπόξυρος, | χολώδης, δυσήμετος, χολώδης μέλας, νέος εἰκῇ βεβιωκώς, ἅμα ταῦτα πρὸς ἄλληλα ξυνομολογήσασθαι χαλεπόν.¹

27. Ὡς τὸ συρίγγιον ἐπανερρήγνυτο,² βηχία ἐκώλυε διαμένειν.

28. Ὡς ὁ λοβὸς τοῦ ἥπατος ἐπεπτύχθη, διέσεισα, ἐξαίφνης ὁ πόνος ἐπαύσατο.

29. Σάτυρος, ἐν Θάσῳ, παρωνύμιον ἐκαλεῖτο γρυπαλώπηξ, περὶ ἕτεα ἐὼν πέντε καὶ εἴκοσιν, ἐξωνεί-

¹ mss. Capito (Gal.): Galen omits χ. and adds καὶ ἐπὶ μᾶλλον καὶ ἥττον

² πανερρήγνυτο M

22. One must consider how it is in the joints: are they not purulent?

23. And the habitude, things from which we are healthy: in diet, covering, exercise, sleep, sexual activity, mental activity.

24. How (to know) diseases, from what things come what patterns, towards what places they turn, originate, settle, stop. Those in which one is powerless, fearful. Opposite diet in disease. Easily borne, borne with difficulty.

25. Regimen, how far to know is not to comprehend, for there are many accidents.

26. For good physicians similarities cause wanderings and uncertainty, but so do opposites. It has to be considered what kind of explanation one can give, and that reasoning is difficult even if one knows the method. For example, if a man has a pointed head and flat nose, is sharp-nosed, bilious, vomits with difficulty, full of black bile, young and has lived at random: it is hard for all these to be in concord with one another.^a

27. The one in whom a fistula broke through above: coughs kept him from staying still.^b

28. The one whose liver lobe was folded. I shook him and suddenly the pain stopped.

29. Satyrus of Thasos was nicknamed Griffinfox. He was near twenty-five years, had frequent wet dreams, and

^a Galen's interpretation reads "Evaluate all this together, taking into account also the quantitative degrees."

^b The wording suggests that this is related to the fuller description of the case of Deinias' child, *Epid.* 7.117.

ρωσσε πολλάκις·¹ προῆει δ' αὐτῷ καὶ δι' ἡμέρης πλεονάκις· γενόμενος δὲ περὶ ἕτεα τριήκοντα, φθινώδης ἐγένετο καὶ ἀπέθανεν.

30. Ἐν Ἀβδηήροισιν ὁ παλαιστροφύλαξ, ὁ Κλεισθένεος² <...>³ γενόμενος, παλαίσας πλείω πρὸς ἰσχυρότερον καὶ πεσὼν ἐπὶ κεφαλὴν, ἀπελθὼν ἔπιε ψυχρὸν ὕδωρ πολὺ· μετὰ δὲ ταῦτα, ἐκείνης τῆς νυκτός, ἀγρυπνίῃ, δυσφορίῃ, ἄκρεα ψυχρά. τῇ δὲ ὑστεραίῃ εἰσῆλθον εἰς οἶκον·⁴ κοιλὴν βαλάνου προστεθείσης οὐχ ὑπῆλθεν, οὔρησε δὲ σμικρόν, πρότερον δὲ οὐδὲν οὔρηκει· ἐς νύκτα ἐλούσατο· οὐδὲν ᾔσسون⁵ ἀγρυπνίῃ καὶ δυσφορίῃ, παρέκρουσεν. ἐόντι δὲ τριταίῳ κατάψυξις ἀκρέων· ἐκθερμανθεὶς ἴδρωσε πίων μελίκρητον· ἀπέθανε τριταῖος.

31. Οἱ μελαγχολικοὶ καὶ ἐπιληπτικοὶ εἰώθασιν γίνεσθαι ὥς ἐπὶ | τὸ πολὺ, καὶ οἱ ἐπίληπτοι μελαγχολικοί· τούτων δὲ ἑκάτερον μᾶλλον γίνεται, ἐφ' ὁπότερα ἂν ῥέψῃ τὸ ἀρρώστημα· ἦν μὲν ἐς τὸ σῶμα ἐπίληπτοι, ἦν δὲ ἐπὶ τὴν διάνοιαν μελαγχολικοί.

32. Ἐν Ἀβδηήροισι Φαέθουσα ἡ Πυθέου γυνὴ οἴκουρός, ἐπίτοκος ἐοῦσα τοῦ ἔμπροσθεν χρόνου, τοῦ δὲ ἀνδρὸς αὐτῆς φυγόντος, τὰ γυναικεῖα ἀπελήφθη χρόνον πολύν· μετὰ δὲ ἐς ἄρθρα πόνοι καὶ ἐρυθήματα·

¹ πλεονάκις M

² K. Gal.: καὶ σθένεος MV

³ Man.-Ros. conjecture a lacuna here

⁴ εἰσῆλθε εἰς βάλνιον Gal.

⁵ om. V

it also occurred often in the daytime. As he approached thirty he became consumptive and died.

30. In Abdera the wrestling master, son of Cleisthenes . . . , having wrestled too much with a stronger man and fallen on his head, withdrew and drank a large quantity of cold water. Afterwards, during that night, restlessness, discomfort, cold extremities. On the next day I went to his house. When a suppository was applied to his bowel there was no movement; he urinated a little, having urinated nothing before. He bathed toward night. No less restlessness, discomfort; he became delirious. On his third day, chill of the extremities. He grew feverish and sweated after having drunk melicrat. He died on the third day.

31. Melancholics tend to become epileptic generally and epileptics melancholic. Each of these develops more according to what the weakness inclines towards: if towards the body, epileptics, if towards the mind, melancholics.

32. In Abdera, Phaëthusa the wife of Pytheas, who kept at home, having borne children in the preceding time, when her husband was exiled stopped menstruating for a long time. Afterwards pains and reddening in the

τούτων¹ δὲ συμβάντων τό τε σῶμα ἠνδρώθη καὶ ἔδασύνθη πάντα, καὶ πώγωνα ἔφυσε, καὶ φωνὴ τρηχέη ἐγενήθη,² καὶ πάντα πραγματευσαμένων ἡμέων ὅσα ἦν πρὸς τὸ τὰ γυναικεῖα κατασπάσαι οὐκ ἦλθεν, ἀλλ' ἀπέθανεν οὐ πολὺν μετέπειτα χρόνον βιώσασα. ξυνέβη δὲ καὶ Ναννοῖ³ τῇ Γοργίππου γυναικὶ ἐν Θάσῳ τωὐτόν· ἐδόκει δὲ πᾶσι τοῖσιν ἰητροῖσιν οἷσι καὶ γὰρ ἐνέτυχον μία ἐλπίς εἶναι τοῦ γυναικωθῆναι, εἰ τὰ κατὰ φύσιν ἔλθοι· ἀλλὰ καὶ ταύτῃ οὐκ ἐδυνήθη πάντα ποιούντων γενέσθαι, ἀλλ' ἐτελεύτησεν οὐ βραδέως.

¹ τοῦτο M

² ἐγένετο V

³ Li.: Nanno, Nano Gal.: Nanνύι M: Nanνύη V

joints. When that happened her body was masculinized and grew hairy all over, she grew a beard, her voice became harsh, and though we did everything we could to bring forth menses they did not come, but she died after surviving a short time. The same thing happened to Nanno, Gorgippus' wife, in Thasos. All the physicians I met thought that there was one hope of feminizing her, if normal menstruation occurred. But in her case, too, it was not possible, though we did everything, but she died quickly.

ΕΠΙΔΗΜΙΩΝ ΤΟ ΕΒΔΟΜΟΝ

V 364
Littre

1. Μετὰ κύνα οἱ πυρετοὶ ἐγένοντο ἰδρώδεις, καὶ οὐ περιεψύχοντο παντάπασι μετὰ τὸν ἰδρώτα· πάλιν δὲ ἐπεθερμαίνοντο, καὶ μακροὶ ἐπιεικῶς καὶ δύσκριτοι καὶ οὐ πάνυ διψώδεις· ὀλίγοισιν ἐν ἑπτὰ καὶ ἐννέα ἐπαύοντο, ἄλλοισιν ἔνδεκα, καὶ τεσσαρεσκαῖδεκα, καὶ ἑπτακαῖδεκα, καὶ εἰκοσιδύω.¹ Πολυκράτει πυρετὸς καὶ τὰ τοῦ ἰδρώτος οἶα γέγραπται· ἀπὸ φαρμάκου κάθαρσις κάτω σφοδρῇ² ἐγένετο, καὶ τὰ τοῦ πυρετοῦ οὕτως ἤπια ὥς ἄδηλα πλὴν ἐν κροτάφοισιν· καὶ τὰ ἰδρώτια πρὸς δείλην, περὶ κεφαλὴν, τράχηλον, στήθεα, εἴτ' αὖτις καὶ ἐς ὅλην κοιλίην, καὶ πάλιν ἐπεθερμαίνετο. περὶ δὲ τὰς³ δώδεκα καὶ τεσσαρεσκαῖδεκα ἐπέτεινεν ὁ πυρετός· καὶ ὑποχωρήσεις βραχείαι· ῥυφήμασι δὲ μετὰ τὴν κάθαρσιν ἐχρήσατο. περὶ δὲ τὰς πεντεκαῖδεκα ἀλγήματα γαστρὸς κατὰ σπλῆνα καὶ κενεῶνα ἀριστερόν· θερμῶν προσθέσεις ἤσσουν ἢ ψυχρῶν⁴ ξυνέφερων· κλύσματι μαλακῶ χρησαμένῳ ἔληξεν ἡ ὀδύνη. τὸ αὐτὸ δὲ καὶ Κλεοκύδει ξυνήνεγκε πρὸς ὀδύνην ὁμοίως ἔχουσιν καὶ ἐν πυρετῷ. περὶ δὲ ἑκκαιδεκάτην

miss MV, recentiores HIR

¹ καὶ ἑπτακαῖδεκα καὶ εἰκοσιδύω]

καὶ εἰς δευτέραν καὶ εἰκοστὴν καὶ ἐς ἑπτὰ καὶ ἐς δέκα miss. (cf. Epid. 5.73)

EPIDEMICS 7

1. After the Dogstar, fevers were accompanied with sweat, nor did they cool down entirely after the sweats. They got hot again, were significantly long, did not reach proper crises, did not produce much thirst. In a few cases they stopped in seven and nine days, in other cases in eleven and fourteen and seventeen and twenty-two. For Polycrates, fever and the phenomena of the sweat were such as have been described. He had drastic purging below after a drug, and the phenomena of the fever were so mild as to be imperceptible, except at the temples. He had the sweats toward evening around the head, neck, chest, then again on to the whole body cavity, and again he became fevered. Around the twelfth and fourteenth days his fever increased. Few feces. He took gruel after the purge. About the fifteenth, pains in the belly by the spleen and left abdomen. Applications of heat helped less than cold. His pain was relieved when he used a soft clyster. (The same thing helped Cleocydes too for a similar pain, and also in a fever.)^a And about the sixteenth day the fever

^a This comparison with the case of Cleocydes seems intrusive in the sequence of the case. One might suspect that it is a note made by a later professional reader.

² σφόδρα η (sic) M

³ recc.: τὰ MV

⁴ ψυχρὸν M

ἡπιώτεραι αἱ θέρμαι ἐδόκεον εἶναι· καὶ ὑποχωρήσεις ἀκρήτου χολῆς, καὶ ἡ διάνοια θρασυτέρη· πνεῦμα μέτριον, ἔστι δ' ὅτε καὶ ἅλεις ἐλκύσας πάλιν ἀθρόον ἐξέπνει, ὥσπερ ὑπ' ἀψυχίης, ἢ ὡς ἂν διὰ πνίγους πορευθεὶς ἐν σκιῇ καθεζόμενος ὥς τις¹ | ἀναπνεύσειε.

Τῇ δὲ οὖν ἑπτακαιδεκάτῃ ἐσπέρης, ἀνακαθεζόμενος ἐς δίφρον ἠψύχησε, καὶ ἄφωνος πολὺν χρόνον καὶ ἀναίσθητος ἔκειτο· μελικρήτου μόγισ κατεδέξατο ξυντείνων τὰς ἐν τῷ τραχήλῳ ἱνας ὡς κατεξηρασμένης τῆς φάρυγγος καὶ τῆς πάσης ἀδυναμίας παρεούσης· μόγισ δ' οὖν ἐντὸς ἑωυτοῦ ἐγένετο, καὶ αἱ θέρμαι ἡπιώτεραι μετὰ ταῦτα· ἐπαύσατο δευτέρῃ καὶ εἰκοστῇ.

2. Πυθοδώρῳ περὶ τὸν αὐτὸν χρόνον πυρετὸς ξυνεχής. ὀγδοαίῳ ἰδρῶς ἐγένετο, καὶ πάλιν ἐπεθέρμηνε. δεκάτῃ πάλιν ἰδρῶς. δωδεκάτῃ ἐρρύφησε χυλοῦ· καὶ μέχρι τεσσαρεσκαιδεκάτης ἄδηλος ἦν, ἐν κροτάφοις δὲ ἐνῆν· ἄδιψος δέ, καὶ αὐτὸς ἑωυτῷ ὑγιῆς ἐδόκει εἶναι· ἰδρῶτες ἐγίνοντο ἐκάστης ἡμέρης. πεντεκαιδεκάτῃ ζωμίον νεοσσοῦ ῥυφῶν ἤμεσε χολήν, καὶ κοιλίῃ κάτω ἐξεταράχθη· καὶ ὁ πυρετὸς παρωξύνθη, πάλιν ἔληξεν· καὶ ἰδρῶτες ἐγίνοντο πολλοί, καὶ τὸ σῶμα πᾶν περιεψυγμένον² πλὴν κροτάφων· σφυγμὸς οὐκ ἔλειπεν,³ ἐδόκει δὲ κοπιάσαι⁴ ὀλίγον χρόνον ὡς δόξαι ἐπιθερμαίνειν. τετάρτῃ καὶ εἰκοστῇ, ἤδη ἀπογενομένῳ σιτίῳ συχνὰς ἡμέρας, καὶ ἀριστήσαντι πολὺς ἦν ὁ πυρετός.

¹ ὥς τις] ὅστις M² περιψυγμένων M³ ἔλειπεν M⁴ Lindl.: κοπᾶσαι MV

seemed milder. There were bowel movements of pure bile, and his alertness increased. Breathing moderate; sometimes he would take a large breath and exhale again in great volume, like one in a faint or as one who has walked in stifling heat would sit in the shade and catch his breath.

Then on the seventeenth, in the evening, as he was getting up to sit on a chair, he fainted. He lay speechless for a long time, perceiving nothing. He took melicrat with difficulty, straining the cords in his neck, as though his throat was dry and he was quite powerless. He came to himself with difficulty. After that the fevers became milder. His illness ceased on the twenty-second day.^a

2. At about the same time Pythodorus had a continuous fever. On the eighth day there was sweat, and again he grew hot. On the tenth, sweat again. On the twelfth he had barley broth. Till the fourteenth day it was not apparent, but was there at the temples. But he was not thirsty, and he seemed to himself to be healthy. There were sweats every day. On the fifteenth day he drank broth made from a nestling bird, and vomited bile and was disturbed in the lower intestines. The fever intensified and again abated. There was much sweat, and his whole body was chilled, save the temples. The pulse did not abate, but seemed to labor for a short time so that it seemed that he would become fevered. On the twenty-fourth day when he had already been eating food several days, he had a high fever after his afternoon meal and into

^a Cf. *Epid.* 5.73.

καὶ πρὸς τὴν ἐσπέρην· παραλήρησις προσιώντι ἅμα τῷ ὕπνῳ· εἶχε δ' οὖν ἤδη ξυνεχῆς καὶ ἰσχυρός· καὶ ὅτε μὲν μίαν, ὅτε δὲ δύο νύκτας ἄγρυπνος, τὸν δὲ λοιπὸν ἅπαντα χρόνον κατακορῆς ὕπνος, ἐγείρειν¹ ἔργον, καὶ παραλήρησις ἐν τῷ ὕπνῳ, καὶ εἴ ποτε ἐξ ὕπνου ἐγερθεῖν, μόγισ ἐντὸς ἑωυτοῦ· ἄδιψος· καὶ τὸ πνεῦμα μέτριον, τοιοῦτον δὲ ἐνίοτε οἶον Πολυκράτει· γλῶσσα οὐκ ἄχρως. μετὰ δὲ ἐβδόμην τῆς ὑποστροφῆς χυλοὶ προσεφέροντο, μετὰ δὲ τεσσαρεσκαδεκάτην σιτίον· περὶ τὰς πρώτας ἑπτὰ, ἐρυγμοί· καὶ ἀπήμει ἔστιν ὅτε μετὰ τοῦ | ποτοῦ ὑπόχολον ἄνευ ἄσης ἕως κάτω ἐλύθη ἡ κοιλίη. ἰδρῶτες ἐξ οὗ ὑπέστρεψεν ἐξέλιπον, εἰ μὴ τις ὅσον ὡς σημεῖον περὶ μέτωπον· γλῶσσα ἐκ τοῦ ὕπνου, εἰ μὴ διακλύσαιτο, ὑπότραυλος ὑπὸ ξηρότητος, καὶ ῥήγματα περὶ αὐτὴν ἐλκέων, καὶ ἐν χεῖλει τῷ κάτω, καὶ παρ' ὀδόντας· σμικραὶ ὑποχωρήσεις· περὶ πεντεκαδεκάτην ὡς ὑπέστρεψε πυκνότεραι καὶ γλοιώδεις· τὸ ἀπὸ τῶν σιδίων ἔπαυσεν αὐτάς· οὖρα, οἷα τὰ πολυχρόνια. ὑπὸ δὲ τὸν τελευταῖον χρόνον, ἄλγῃμα στήθεος καταπίνοντι τὸ ποτόν, καὶ ἡ χεὶρ ἐπὶ τῷ στήθει, κύμινον καὶ ὠδὸν ῥυφαίνοντι² κατέστη· ἡ γλῶσσα δέ, τὸ μαννῶδες ξυνήνεγκεν. πεντηκοστῇ ἀπὸ τῆς πρώτης, περὶ ἀρκτοῦρον, ἰδρώτιον κατ' ὀσφύν καὶ στήθεα βραχύ· καὶ τὸ σῶμα περιεψύχετο³ πλὴν κροτάφων ὀλίγον χρόνον πάνυ. πρώτη καὶ πεντηκοστῇ ἐχάλασε, καὶ δευτέρῃ οὐκ ἔτι ἔλαβεν.

¹ Foës: ἐγείρει mss. Asul.

the evening. Delirious talk as he was going to sleep. Then the fever persisted, strong and continuous. He was sleepless sometimes one night, sometimes two, but all the rest of the time he was a glutton for sleep. It was great effort to wake him, he babbled in his sleep, and if ever he was roused he had trouble coming to himself. No thirst. Breathing measured, and like that of Polycrates at times. Tongue not pale. After the seventh day of relapse he was given broth, and after the fourteenth, food. About the first seven days, belching, and at times, after drinking, he vomited bilious material without nausea, up until the time when the lower bowel was opened. After the time of relapse, the sweats left him, unless some appeared on the forehead, like a sign. After sleep his tongue lisped from the dryness unless his mouth was rinsed, and there were fissures from sores around it, and on the lower lip as well, and around the teeth. Small bowel movements; on the fifteenth day of relapse they were more frequent and gluey; pomegranate extract stopped them. Urine as in protracted illnesses. Towards the end he had chest pain when he swallowed liquid, or even had a hand on his chest. When he drank cumin and egg in broth the pain subsided. His tongue; manna helped it. On the fiftieth day after the first, at the rising of Arcturus, brief sweating around the loins and chest. The body, except the temples, was chilled intensely for a short time. On the fifty-first day it remitted. On the fifty-second he was free from fever.

² ῥυμφαίνοντι V: ῥυμφάνοντι M: corr. Foëx

³ περιέψυχε V

3. Ὁ Ἐρατολάου περὶ φθινοπωρινὴν ἰσημερίην
 δυσεντερικὸς ἐγένετο, καὶ πυρετὸς εἶχε. τὰ ὑποχωρή-
 ματα ἦν χολώδεα, λεπτά, πολλά, καὶ ὕφαιμα μετρίως,
 ἡ δὲ ὀδύνη τῆς γαστρὸς σφοδρὴ. ὀροποτήσαντι δὲ καὶ
 γάλα πεπυρωμένον πiónτι, μετριώτερα ἐγένετο τὰ
 ἀλγήματα καὶ τὰ ὕφαιμα· τὰ δὲ χολώδεα παρηκολού-
 θει, καὶ ἀναστάσεις πυκναί, ἀπονώτεραι. τὸ πυρέτιον
 ἐδόκει ἀρρωστέοντι καὶ τοῖσι πολλοῖσιν δὲ ὅλως οὐκ
 ἔχειν διὰ παντὸς τοῦ χρόνου μετὰ τὰς πρώτας πέντε ἢ
 ἕξ ἡμέρας, οὕτως ἄδηλος ἦν· κατὰ κροτάφους δὲ
 σφυγμὸς ἦν, καὶ γλῶσσα ὑπὸ ξηρότητος ὑπότρουλος,
 370 καὶ διψώδης μετρίως καὶ ἄγρυπνος· ῥυφήμασι δὲ ἡδὴ
 ἐχρῆτο καὶ οἶνοισιν. περὶ τεσσαρεσκαίδεκα ἑόντος ἡμέ-
 ρας¹ ἡδὴ, ἐγένετο τὰ παρ' οὓς ἐν μέρει παρ' ἑκάτερον
 σκληρά, καὶ ἄπεπτα πάντα ἐμωλύνθη, ὀδυνώδεα² δὲ
 μετρίως. οὐκ ἀποληγόντων δὲ τῶν ὑποχωρημάτων,
 καταχόλων τε διὰ παντὸς ἑόντων, τὴν ἐν τῷ ἀλεύρω
 βοτάνην ῥυφέντι μετριώτερα τὰ χολώδεα καὶ τὰ
 ἀλγήματα ἐγένετο μέχρι τινὸς χρόνου, ὑγρὰ δὲ πολλά
 καὶ³ πολλάκις· καὶ ἀπόσιτος σφόδρα, καὶ μετὰ πάσης
 ἀνάγκης προσδεχόμενος· τὰ δὲ τῆς θερμῆς καὶ γλῶσ-
 σης καὶ δίψης τοιαῦτα παρηκολούθει, οἷα εἴρηται· καὶ
 ἰδρῶτες, οὐδέν. λήθη δέ τις τοιαύτη· ἐρωτήσας ὅτι
 πύθοιτο, σμικρὸν καὶ διαλιπών, πάλιν εἰρώτα,⁴ καὶ
 ἔλεγεν αὐτὶς ὥς οὐκ εἶη εἰρηκῶς· καθεζόμενός τε ἐπε-
 λανθάνετο, εἰ μὴ τις ὑπομιμνήσκοι⁵ αὐτόν· καὶ αὐτὸς
 ἐωυτῷ ξυνήδει τὸ πάθος, οὐδ' ἠγνόει. πνεῦμα, ὅποιον

¹ ἡμέρας ἑόντος V² ὀδυνώδεες V

3. Near the time of the fall equinox, the son of Eratolaus got dysentery, and fever came on him: his bowel movements were bilious, thin, copious, moderately bloody; violent pain in the belly. When he drank whey and boiled milk his pains and the bloodiness moderated, but the bilious excrement persisted and he had to get up often, but it was less painful. The feverishness seemed to the patient and to people in general not to be there at all in the whole time after the first five or six days, so obscure was it, but there was pulsation at the temples. His tongue lisped from dryness, and he was moderately thirsty and wakeful. But he was already taking broth and wine. When he was already at the fourteenth day the areas by his ears grew hard, one after the other: without coction they softened again entirely, but were moderately painful. The bowel movements did not cease, and were bilious throughout: when he took the herb in gruel the biliousness and pains moderated for a time, but movements remained large, frequent, and watery. He had an intense aversion to food, and had to be forced to eat anything. Symptoms of fever, of the tongue, and of thirst persisted such as I have described. No sweats. Loss of memory of this sort: he would ask something he wanted to know, subside awhile and ask it again, and repeat it as though he had not spoken. He would forget that he was sitting at stool unless someone were to remind him of it. He himself noticed the ailment. He was not unaware. Breathing like

³ om. V

⁴ Smith: ἐρωτᾷ MV: ἡρώτα recc.

⁵ HIR: ὑπομνήσκει MV

ὑγιαίνουντι. ὑπὲρ δὲ τὰς τριήκοντα μέχρι τῶν τεσσαρά-
 κοντα ἢ τε ὀδύνη πολὺ ἐπεδίδου τῆς γαστρός· ὑπτιός
 τε κατέκειτο, καὶ ἐπιστρέφεσθαι τε οὐδ' ἐπὶ ποσὸν
 ἐδύνατο, τὸ δὲ μὴ τὸ ἄλγος δεινόν· ψωμίζειν ἄλλον
 δεῖ. ἡ δὲ ὑποχώρησις πολλή, καὶ διακεκριμένη, λεπτή,
 καὶ χρώματα οἰνωπά, ὅσαπερ προσδέχοιτο, καὶ ὕφαιμα
 ἔστιν ὅτε· καὶ ὁ τόνος τοῦ σώματος, ἔκτῃς ἐσχάτῃ¹
 καὶ ἀδυναμίῃ, οὐδ' ἀνίστασθαι ἄλλου ἐπαίροντος ἔτι
 δυνατὸς ἦν. μέσον δὲ ὀμφαλοῦ καὶ χόνδρου² κατὰ ταύ-
 την τὴν καταγωγὴν, ἀπτομένῳ τῇ χειρὶ τοιοῦτος παλ-
 μὸς ἦν οἷος οὐδὲ ὑπὸ δρόμου οὔτε ὑπὸ δαίματος³ περὶ
 καρδίην ἂν γενηθείη. πίνουντι ἀπεφθον ὥς⁴ ἐννέα
 ἀττικὰς⁵ ὄνειον⁶ ἐπὶ δύο ἡμέρας, χολώδης ἐγένετο
 σφόδρῃ κάθαρσις, καὶ ἔληξαν αἱ ὀδύναι, καὶ σιτίων ἐπι-
 θυμὴ ἐγένετο. μετὰ δὲ | ταῦτα, βοείου γάλακτος ὥς
 372 τέσσαρας κοτύλας ἀττικὰς ὁμοῦ ἔπινεν, κατὰ δύο κυά-
 θους δι' ἡμέρης, τὸ πρῶτον ὕδατος τὸ ἕκτον μίσγων
 καὶ μέλανος οἴνου καὶ αὐστηροῦ σμικρόν. ἐμονοσίτει δὲ
 ἐσπέρην· ἄρτος ὥς ἡμιχοίνικος ἐγκρυφίης καὶ ἰχθυῖδιον
 πετραῖον ἀπλοῦν, ἢ κρεάδιον αἰγὸς ἢ προβάτου· ἡ δὲ
 πόσις τοῦ γάλακτος, ἐπὶ τεσσαράκοντα ἡμέρας ἀνευ
 ὕδατος μετὰ τὰς πρώτας δέκα ἡμέρας, οἴνου δὲ ὥς
 σμικρόν μέλανος μέρος. ἰδρώτιον δὲ ἐγένετο μετὰ τὰς
 ἐβδομήκοντα ἤδη ἀπὸ τῆς πρώτης μετὰ λουτρὸν ἐς

¹ om. V² χοννάρου M: χωνάρου V: corr. Foës³ δειγματος M: δίγματος V: corr. I⁴ HIR: ἀπεφρόνως MV⁵ ἀττικὰς κοτύλας HIR⁶ HIR: ὦνιον V: ὄνιον M

that of a healthy person. From the thirtieth to the fortieth day the belly pain increased considerably. He lay on his back and could not turn even a little way without the pain being dreadful. Someone else had to feed him. There was much fecal matter, thin and separated, its colors wine dark, the same quantity as what he ate, and sometimes bloody. The tone of his body: extreme emaciation and weakness; he could no longer stand when someone supported him. And to the touch in the area between the navel and the bottom of the breastbone there was such palpitation as occurs not even at the heart from running or from fright. When he drank boiled ass's milk to the amount of nine Attic measures in two days, he had a violent bilious purge, the pains ceased, and he got an appetite for food. After this he drank about four Attic cotyls of cow's milk all told, at the rate of two cyathi daily.^a First it was mixed with a sixth part of water and a little red astringent wine. He ate one meal a day, in the evening, bread up to a half-choenix,^b ash-baked, with plain rockfish, or goat's or sheep's flesh. He drank the milk, after the first ten days and up to the fortieth, without water, and with a small portion of red wine. Sweating occurred after the seventieth day from the beginning, after the bath towards

^a Four Attic cotyls is ca. 1 quart. Two cyathi are ca. one-fourth pint.

^b Ca. two cups.

νύκτα. ὀλιγοποσίῃ δὲ ἐχρῆτο, καὶ μετὰ τὸ σιτίον τῷ ποτῷ αὐστηροτέρῳ, τοῖσιν ἄλλοισιν οὐ.¹

4. Κτησικράτει δὲ τὸ ἐν τῷ ἀλεύρῳ μᾶλλον τοῦ αἰγείου² ὀροῦ ξυνήνεγκεν, ὁδύνῃς ἐούσης περὶ ὅλην τὴν κοιλίην καὶ πόνων καὶ ἀναστάσιος πολλῆς καὶ ὑφαίμου, καὶ ἐπάρματος περὶ τοὺς πόδας σχεδὸν ἤδη περὶ πέντε καὶ εἴκοσιν ἡμέρας ἐόντι. καὶ Ἀγριάνῳ³ ταῦτά·⁴ τῷ δὲ Καινίου τὸ ὄνειον ἐφθόν.

5. Τῷ Κύδιος περὶ χειμερινὰς ἡλίου τροπὰς ῥίγος καὶ πυρετός, καὶ ὥτὸς δεξιῷ ἄλγημα, καὶ κεφαλῆς ὁδύνῃ· τὸ δὲ τοιοῦτον⁵ ἄλγημα εὐθύς ἐκ σμικροῦ παιδίου παρηκολούθει ῥευματῶδες καὶ συριγγῶδες καὶ ἔνοδμον, ἔχον δὲ οὕτω τὰ πολλὰ ἀνώδυνον ἦν· τότε δὲ ἡ ὁδύνῃ ἦν δεινὴ καὶ ἡ κεφαλαλγία. δευτεραίῳ ἢ τριταίῳ ἐόντι χολῆς ἔμετος· ἀνακαθιζομένῳ ἐγένετο ὑπόχολον, γλίσχρον, ὥς ἐξ ὠοῦ, ὑπωχρον. τετάρτῃ ἐς νύκτα καὶ πέμπτῃ ὑποπαρελήρει· καὶ ἡ ὁδύνῃ τῆς κεφαλῆς καὶ τοῦ ὥτὸς δεινὴ, καὶ ὁ πυρετός. ἕκτῃ ὑποχώρησις⁶ ἀπὸ λινοζώστιος, καὶ ἡ θερμὴ λῆξαι ἐδόκει καὶ ἡ ὁδύνῃ. τῇ ἐβδόμῃ ὥς ὑγιής· | κροτάφῳ δὲ σφυγμός οὐκ ἔλιπεν· ἰδρώτος οὐδὲν ἐγένετο. ὀγδόῃ χυλοῦ ἐρρύφησεν, ἐς δὲ τὴν ἐσπέρην σεύτλου· καὶ τὴν

374

¹ ἡ αὐστηροτέρου τῆς ἀλωσίμου MV: corr. Li.

² αἰγεί V

³ Li.: Ἀδριανίῳ MV: Ἀγ. rec.: Ἀνδρίωνι Erm.

⁴ Smith: ταῦτα mss. edd.

⁵ τοιοῦτος M

⁶ V and its descendants have a lacuna from here to 7.11 below

night. He took little wine; after food a rather astringent one, and no others.

4. But Ctesicrates was helped more by milk in gruel than by goat's whey when he had pain all through the intestines, distress, many bowel movements and bloody ones, and swelling about the feet beginning around the twenty-fifth day. Agrianus also. But Caenias' son was helped by boiled ass's milk.

5. Cydis' son, about the winter solstice, had shivering and fever, distress in the right ear, and headache. But that kind of distress had persisted from babyhood, with draining, a fistular sore and a bad smell, but still was not for the most part painful. But at that time the pain and the headache were terrible. On the second or third day he vomited bile. When he sat at stool it was bilious, gluey, egglike, pale yellow. Towards night on the fourth day and the fifth, some delirious talk. The pain in the head and the ear was dreadful, and the fever. On the sixth, bowel movement from *linzostis*: the heat and the pain appeared to abate. On the seventh he seemed well, but the throbbing in the temples did not abate. No sweating occurred. On the eighth day he had barley broth, and beet broth

νύκτα ὕπνος καὶ σφόδρα ἀνώδυνος, καὶ τὴν ἐνάτην ἔς
 τε τὸ πρὸς ἡλίου δυσμᾶς· ἔς δὲ νύκτα, τῆς κεφαλῆς
 δεινὴ ἡ ὀδύνη καὶ τοῦ ὠτός· ξυνέβαινε δὲ καὶ πυορροεῖν
 τὸ οὖς περὶ τοῦτον τὸν καιρὸν ὅποτε μάλιστα πονοίη,
 εὐθύς ἀπ' ἀρχῆς. ὅλην δὲ τὴν νύκτα τὴν ἐνάτην καὶ
 τὴν ἐπιούσαν ἡμέρην καὶ τῆς νυκτὸς τὸ πλεῖον οὐκ
 ἐπεγίνωσκεν οὐδένα, στένων δὲ διετέλει· ἡμέρην δὲ
 ἐντὸς ἑωυτοῦ ἐγένετο, καὶ αἱ ὀδύναι ἔληξαν καὶ τὰ
 τῆς θερμῆς μετριώτερα. ῥυφήσαντι δὲ λινόζωστιν
 τῇ ἐνδεκάτῃ ὑπεχώρησε φλεγματώδεα, μυξώδεα,
 κάκοδμα. δυοκαίδεκάτῃ καὶ τρισκαίδεκάτῃ, μετρίως.¹
 τεσσαρεσκαίδεκάτῃ, ἀρξάμενος ἀφ' ἑωθινοῦ μέχρι ἔς
 μέσον ἡμέρης ἵδρου ὅλον τὸ σῶμα, μετὰ ὕπνου καὶ
 κώματος πολλοῦ· ἐγείραι ἔργον ἦν· πρὸς ἑσπέρην δὲ
 διηγέρθη, καὶ τὸ μὲν σῶμα μετρίως κατεψύχθη, ἐν
 κροτάφοις δὲ σφυγμὸς διετέλει. πεντεκαίδεκάτῃ καὶ
 ἑκκαίδεκάτῃ χυλοῖσιν ἐχρήσατο. ἑπτακαίδεκάτῃ ἦκε
 πάλιν ἔς νύκτα ὀδύνη τῶν αὐτῶν, καὶ παραλήρησις,
 καὶ ἐπυορροεῖ. ὀκτωκαίδεκάτῃ, ἐννεακαίδεκάτῃ καὶ
 εἰκοστῇ μανικῶς· ἦν δὲ κεκραγὼς ἐπαίρειν ἑωυτὸν εἰ
 πειρώμενος, οὐ δυνάμενος δὲ κρατεῖν τῆς κεφαλῆς,
 τῇσι χερσὶν ἐπορεγόμενος καὶ αἰεὶ τι διακενῆς θηρεύων.
 πρώτη καὶ εἰκοστῇ ἰδρώτιον περὶ πλευρὸν δεξιὸν καὶ
 στήθεα καὶ κεφαλὴν, δευτέρῃ καὶ εἰκοστῇ περὶ τὸ
 πρόσωπον πλεῖστον ἦν· τῇ δὲ φωνῇ κατὰ τὸν χρόνον
 τοῦτον, εἰ μὲν σφόδρα ἀπεβιάσατο,² εἶπεν ἂν τελέως ἂ

¹ ἡ μετρίως M (the descendants of M omit η)

² ἀπεβιάσαιο M: corr. Lind.

towards evening; sleep at night, totally without pain, and on the ninth, until the period towards sundown. But towards night terrible pain in the head and the ear. Flows of pus from the ear coincided with his times of greatest discomfort, right from the start. The whole ninth night, and the next day, and most of the night, he did not recognize anyone, and groaned continuously. During the day he came to himself and the pains slackened and signs of fever were more moderate. When he took *linzostis* on the eleventh day, he passed bilious movements with mucus, foul-smelling. On the twelfth and the thirteenth day, moderately better. On the fourteenth, beginning at dawn and up to midday, sweat over the whole body, with sleep and much coma. It was hard to rouse him. But he wakened towards evening and his body cooled off moderately, but the throbbing in the temples persisted. On the fifteenth and sixteenth day he had barley broth. And on the seventeenth pain in the same places came on again towards night, and delirious talk and the flow of pus. On the eighteenth, nineteenth and twentieth, delirium. He cried out if he tried to raise himself, and could not control his head; he reached out with his hands continually, looking for something in the empty air. On the twenty-first day, sweating about the right side of the ribs and the chest and head. On the twenty-second there was much sweat about the face. With his voice in this period, if he was very forceful he succeeded in saying what he wished.

ἡβρούλετο, εἰ δὲ προχείρως, ἡμιτελέα· καὶ στόμα λελυ-
 μένον, καὶ αἱ γένυες καὶ χεῖλεα αἰεὶ ἐν κινήσει, ὥς τι
 θέλοντος λέγειν· καὶ τῶν ὀφθαλμῶν πυκνὴ κίνησις καὶ
 ἔμβλεψις, καὶ χρῶμα | ἐπ' ὀφθαλμοῦ δεξιοῦ, οἷον εἴρη-
 ται τὸ ὕφαιμον, καὶ βλέφαρον τὸ ἐπάνω ἐπώδησε, καὶ
 κατὰ γνάθον ἔρευθος ἐπὶ τελευτῆς, καὶ φλέβες πᾶσαι
 ἐν τῷ προσώπῳ φανεραί, οὕτω ξυντετρυμέναι.¹ καὶ
 τοῖσιν ὀφθαλμοῖσιν οὐκ ἔτι ξυμμύων, ἀλλ' ἀτενὲς ἐνο-
 ρῶν, καὶ διαίρων τὰ βλέφαρα ἐς τὸ ἄνω μέρος, ὥς ἐπὴν
 τι ἐμπέσῃ ἐς τὸ ὄμμα· καὶ ὁπότε πίοι, κατιόντος ἐς τὰ
 στήθεα καὶ τὴν κοιλίην ψόφος, οἷος καὶ Χαρτάδει.
 πνεῦμα δὲ ἐπιεικῶς διὰ παντὸς μέτριον· γλῶσσα οἷη
 ἐστὶ τοῖσι περιπλευμονικοῖσιν, ὠχρόλευκος· ἀπ' ἀρχῆς
 καὶ διὰ παντὸς κεφαλαλγίᾳ· τράχηλος διὰ παντὸς
 ἀκίνητος· συμπεριάγειν τῇ κεφαλῇ ἐδεῖτο· καὶ τὸ
 κατὰ ράχιν ἐκ τραχήλου ἰθὺ καὶ ἄκαμπτον· καὶ κλί-
 σεις,² ὅποια εἴρηνται, καὶ οὐκ αἰεὶ ὕπτιος· τὸ δὲ πύον
 εἶδει ὀρῶδες, λευκόν, πολύ, ἔργον ἀποσπογγίσαι, ὁδμὴν
 ὑπερβεβλημένη· κατὰ τὸν τελευταῖον χρόνον ποδῶν
 ἄψιος οὐ πάνυ καταισθανόμενος.

6. Τῇ Ἀρπαλιδεῷ ἀδελφῇ περὶ τέταρτον μῆνα ἢ
 πέμπτον κυεύσῃ, οἰδήματα περὶ τοὺς πόδας ὕδατώ-
 δεα³ ἃ ἐγένετο, καὶ τὰ κύκλα τῶν ὀφθαλμῶν ἐπώδει,
 καὶ ἅπαν τὸ χρῶμα μετέωρον, οἷον τοῖσι φλεγματίη-
 σιν· βῆξ ξηρὴ· ὀρθοπνοίη δὲ καὶ ἄσθμα τοιοῦτον καὶ

¹ Smith: ξυντετραμμέναι M

² κλισίαις M: corr. recc.

³ οἰδατώδεα M: corr. recc.

but if he was casual, it was imperfect. His mouth was slack, the jaws and lips always moving as though he wanted to say something; and there was much moving of the eyes and glancing about, and color at the right eye such as we call bloodshot; and the upper eyelid swelled, and there was redness in the cheek as he was approaching the end, and all the blood vessels in his forehead were obvious, so great was their distress. He no longer closed his eyes, but he had a fixed stare, raising his eyelids upward as when something falls into the eye. And when he drank there was a gurgling as it went into the chest and the intestine, like that in the case of Chartades. The breathing was properly moderate throughout. The tongue yellowish-white like that of those with pneumonia. The headache was there throughout from the beginning, the neck immovable throughout. He had to turn it about with his head. The spine at the base of the neck was straight and unbending. He lay as described, not always on his back. The pus was serous to the view, white, copious, hard to sponge up, its smell overwhelming. In the last period he could hardly perceive a touch on his feet.

6. Harpalides' sister, pregnant four or five months, had swellings about the feet which became watery. The circles of her eyes swelled, and her whole skin was puffed as it is in those with anasarca. Dry cough. Orthopnea, and such

378

πνιγμοὶ ἔστιν ὅτε ὑπὸ τοῦ πνεύματος, ὥστε καθημένη διετέλει, κατακλίνει¹ δὲ οὐχ οἷη τε² ἦν, ἀλλ' εἴ τις καὶ ὕπνου δόξα γένοιτο, καθημένη ἦν· ἄπειρος δὲ ἐπικῶς· καὶ τὸ κύημα ἐπὶ πολὺν³ χρόνον ἀκίνητον ἦν, ὥς διεφθαρμένον. καὶ μετέπιπτεν, παρηκολούθησε δὲ⁴ τὸ ἄσθμα σχεδὸν δύο μῆνας. κυάμοισι δὲ χρωμένη μελι|χροῖσι καὶ μέλιτος ἐκλείζει, καὶ τοῦ αἰθιοπικοῦ κυμίνου πιούσα ἐν οἴνῳ, ἐρρήϊσεν.⁵ μετὰ ταῦτα ἀνῆγε βήσσουσα πολλά, πέποννα, φλεγματώδεα, λευκά, καὶ τὸ πνεῦμα ἔληξεν· ἔτεκε γόνον θῆλυν.⁶

7. Τῇ Πολυκράτεος, θέρεος περὶ τὸ ἄστρον, πυρετός· πνεῦμα τὸ ἐώθινόν ἦσσον, ἀπὸ μέσου ἡμέρης μᾶλλον τὸ πνεῦμα, πυκνότερον σμικρῶ· βῆξ καὶ ἀπόχρεμψις εὐθὺς ἀπ' ἀρχῆς ὁμοίῃ πυώδεσιν· ἔσω περὶ ἀρτηρίην καὶ φάρυγγα ὑπεσύριζε κερχναλέον· πρόσωπον εὐχροον ἐπὶ γνάθοισιν ἐρύθημα, οὐ κατακορές, ἀλλ' ἐπιεικῶς ἀνθρόν. προϊόντος δὲ τοῦ χρόνου, καὶ ἡ φωνὴ βραγχώδης, καὶ τοῦ σώματος ξύντηξις, καὶ περὶ ὀσφύν ἐκρήγματα, καὶ ἡ κοιλίη κατὰ τὸν τελευταῖον χρόνον ὑγροτέρη. ἐβδομηκοστῇ ὁ πυρετὸς ἔξωθεν σφόδρα περιέψυχε, καὶ ἐν κροτάφοισιν ἡσυχίη· τὸ δὲ πνεῦμα πυκνότερον ἐγίνετο. μετὰ δὲ τὴν παῦσιν ταύτην τὸ πνεῦμα πυκνότερον οὕτως ὥστε καθημένη διέτελεσεν. ὥστε ἀπέθανεν.

¹ Smith: κατὰ κλίνην αἰ M

² οἷοί τε M: corr. Corn.

³ Smith: πούλιν M: πλείστον recc.

⁴ recc.: τε M

breathing trouble and choking from time to time that she stayed sitting in her bed. She could not lie prone, but if she ever decided to sleep, it was while she was sitting up. She was virtually without sensation, and the fetus was immobile for a long time, as though it had died. She underwent a change, and the breathing trouble persisted for almost two months, but she took beans with honey and a honey linctus and drank Ethiopian cumin in wine, and it grew easier. Following that she coughed and brought up much concocted, phlegmatic white matter, and the breathing improved. She bore a female child.

7. Polycrates' wife, in summer near the Dogstar, had fever. Her breathing in the morning was less; after the mid-part of the day, her breathing was greater, slightly more rapid. A productive cough right from the beginning, as in people with purulence. Inside, by the pharynx and trachea, a hoarse whistling. Face of good color, redness on the cheeks, not intense but properly fresh. As time passed, the voice hoarse, and wasting of the body, eruptions on the lower back, bowels loose towards the final period. On the seventieth day the external fever much cooler, and quietness at the temples. But the breathing grew more rapid, and after this respite the breathing was so rapid that she had to remain sitting. And so she died.

⁵ ἐρηϊς (sic) M: ἐρ(ρ)άϊσε recc.: corr. Lind.

⁶ γόνυ θῆλυ M: corr. R

Ἐν δὲ τῇ ἀρτηρίῃ ψόφος πολὺς ἐνῆν, καὶ ἰδρῶτες πονηροί, καὶ ἐμβλέψεις ἐμφρονῶδεις σφόδρα μέχρι τοῦ ἐσχάτου χρόνου. ἡμέραι δ' ἐπεγένοντο ἤδη κατεψυγμένη πλείους ἢ πέντε· μετὰ δὲ τὰς πρώτας διετέλει πυῶδες ἀποχρεμπτομένη.

8. Τῇ ἄνω τῶν πυλέων οἰκεοῦση, ἥδη πρεσβυτέρη, πυρέτιον ἐγένετο, καί, ἥδη ἀπολήγοντος, τοῦ τραχήλου ἄλγημα μέχρις ἐς ῥάχιν καὶ ὀσφύν· καὶ οὐ πάνυ ἐγκρατὴς τούτων· γένυες δὲ ξυνηγμέναι καὶ ἑωυτοὺς ὀδόντας πλέον ἢ μήλην παρῆναι οὐκ ἦν· ἥ τε φωνὴ ψελλὴ διὰ τὸ παραλελυμένον καὶ ἀκίνητον καὶ ἀσθενὲς εἶναι τὸ σῶμα· ἔμφρων δέ. χλιάσμασι καὶ μελικρήτῳ χλιερῷ ἐχάλασε τριταίῃ σχε|δόν, καὶ μετὰ ταῦτα χυλοῖσι καὶ ζωμοῖσιν ὑγιὴς ἐγένετο. ξυνέβη δὲ τελευτῶντος τοῦ μετοπωρινοῦ.

9. Ὁ παρὰ Ἀρπαλίδῃ ἀλείπτῃς,¹ ἀκρατέστερος σκελέων καὶ χειρῶν περὶ φθινόπωρον γενόμενος, ἔπιεν ἐκεῖ φάρμακον ἄνω καὶ κάτω· ἐκ δὲ τῆς καθάρσιος πυρετός· καὶ ἐς τὴν ἀρτηρίην κατερρύη τοιοῦτον οἶον ἐπισχεῖν διαλεγόμενον καὶ ἀσθμαίνειν ἐν τῷ διαλέγεσθαι ὁμοίως κυναγχικῷ βραγχῶδει· πνιγμὸς καταπίνουντι, καὶ ἄλλα κυναγχικά, οἷδημα δὲ οὐκ ἦν. ὁ δὲ πυρετὸς ἐπέτεινε, καὶ ἡ βήξ, καὶ ἀπόχρεμψις ὑγροῦ καὶ πολλοῦ φλέγματος. προϊόντος δὲ καὶ ὀδύνη κατὰ στῆθος καὶ μαζὸν ἀριστερόν. ὁπότε δὲ ἐξανασταίῃ ἡ μετακινήθει ἀσθμα πολὺ καὶ ἰδρῶς ἀπὸ μετώπου καὶ κεφαλῆς· καὶ τὰ περὶ τὴν φάρυγγα κατεῖχε, μαλακώτερον δέ, ἐς τὸ στῆθος τῆς ὀδύνης ἀπελθούσης. ἀπ'

In her trachea there was much noise, and there were unfavorable sweats. And very alert looks until the final moments. She passed more than five days without fever. She kept coughing up pus after the first days.

8. The woman who lived over the gate, already rather old, got a fever and, after it had abated, a pain in the spine from the neck to the lower back. She had not much strength there. Her jaws were clenched and the teeth could not relax themselves more than the width of a probe. Her speech was unintelligible because her body was paralyzed, immovable and weak. But she retained her reason. With fomentations and warm hydromel she relaxed on about the third day and afterwards became healthy with barley gruel and soup. This occurred at the end of autumn.

9. The masseur at the house of Harpalides, having grown rather weak in arms and legs towards autumn, drank at that time a drug that purged upward and downward. After the purge, fever. There flowed into the trachea such material as to stop his speech and cause him to choke when talking, like one whose throat is sore with quinsy. He gagged when he was drinking, and had other symptoms of quinsy, but there was no swelling. The fever grew intense, and the cough, and there was bringing up of much watery phlegm. As time went on there was pain in the chest and left breast. Whenever he stood up or moved he had much breathing difficulty and sweat on the forehead and head. Symptoms in the pharynx persisted, but more gently as the pain moved down to the chest. From

¹ ἀλήπτως M: corr. R

ἀρχῆς μὲν οὖν κυάμοισι μελιχροῖσι θερμοῖσιν ἐχρήτο· ἐπεὶ δὲ οἱ πυρετοὶ ἐπεῖχον, μᾶλλον ὀξυμέλιτι θερμῷ καὶ μέλιτος ἐκλίζει¹ πολλῇ. παρελθουσέων δὲ τεσσάρων καὶ δέκα ἡμερέων ἅπαντα ἔληξε, καὶ τῶν περὶ χεῖρας καὶ σκέλεα οὐ πολὺ ὕστερον ἐγκρατὴς ἐγένετο.

10. Χαρτάδει, πυρετὸς καὺσος, ἔμετος χολῆς πολλῆς, καὶ κάτω ὑποχώρησις· ἄγρυπνος· καὶ κατὰ σπλήνα ἔπαρμα στρογγύλον. ἐνάτῃ πρωὶ ἐξανέστη, ψόφου περὶ τὴν κοιλίην ἄνευ ὀδύνης γενομένου· ὥς ἀφοδεύων, ὑπῆλθεν αἵματος πλέον ἢ χοεὺς προσφάτου, καὶ σμικρὸν ἐπισχόντι, καὶ τρίτον· πεπηγότες θρόμβοι. ἄσῃ δὲ περὶ τὴν καρδίην, καὶ ἰδρώτιον σχεδὸν καθ' ὅλον τὸ σῶμα· καὶ τὸ πυρέτιον² καταψύχειν³ ἔδόκει, καὶ ἔμφρων τὸ πρῶτον, προΐούσης δὲ τῆς | ἡμέρης ἥ τε ἄσῃ πλείων,⁴ καὶ ἀλυσμός, καὶ πνεῦμα σμικρῷ πυκνότερον· καὶ θρασύτερον καὶ φιλοφρονώτερον τοῦ καιροῦ προσηγόρευε καὶ ἐδεξιοῦτο. καὶ τινες λειποψυχίαι ἐδόκεον ἐπιγίνεσθαι· προσφερόντων δὲ τινων χυλοὺς καὶ τὸ ἀπὸ κρίμνων ὕδωρ, οὐκ ἔληγεν· ἀλλὰ τὸ πνεῦμα πρὸς τὴν ἐσπέρην ὑπέρπολυ ἦν, καὶ ῥιπτασμός πολὺς, καὶ ἐπὶ τὰ δεξιὰ καὶ τὰ ἀριστερὰ μεταρρίπτων ἑωυτὸν οὐδένα χρόνον⁵ ἀτρεμίζειν δυνατὸς ἦν· πόδες ψυχροί· ἐν κροτάφοισι καὶ κεφαλῇ θερμὴ μᾶλλον ὑπογύου τῆς τελευτῆς· καὶ ἰδρώτια πονηρά· καὶ πίνουντι τὰ τοῦ

¹ ἔλίζει M: corr. Lind.

² πῦρ αἷτιον M here and often

³ κατὰ ψυχὴν M: corr. Lind.

⁴ πλείω M: corr. R

⁵ οὐδὲν ἄχροον M: corr. R

the outset he ate warm honeyed beans. But when the fever came on he took instead oxymel, warm, and much honey as a linctus. When fourteen days had passed all symptoms ceased, and shortly later he regained his strength in arms and legs.

10. When Chartades had burning fever he vomited much bile and passed much in stools. He was sleepless. He had a round swelling by the spleen. On the ninth morning early, he got up with noise in his intestines, without pain. But as he sat at stool there came forth more than a choeus^a of fresh blood, and after he waited a brief time a third of a choeus; and there were blood clots. He had distress in the area of the heart and sweat over virtually the whole body. The fever seemed to cool. At first he was rational, but as the day went on the distress increased, there was delirium and slightly more rapid breathing. He spoke more aggressively and greeted people more warmly than the occasion warranted; he appeared to have lapses of consciousness. When people offered broth and barley water there was no improvement. Towards evening his breathing was very heavy and there was much tossing about. He threw himself from the right side to the left and back again, and was not able to hold still for any time. His feet grew cold, there was heat more at the temples and the head as the end was imminent. Bad sweats. When he

^a An impossible amount, ca. six pints.

ψόφου περί τε στήθεα καὶ κοιλίην κατιόντος τοῦ πόματος. οἶον δὲ κάκιστον. φάμενος δὲ θέλειν τι ἑωυτῷ ὑπελθεῖν. καὶ ἀτενίσας τοῖσιν ὄμμασιν. οὐ πολὺ ἐπισχών, ἐτελεύτησεν.

11. Τῇ Ἑρμοποτολέμου χειμῶνος πυρετὸς καὶ κεφαλῆς ἀλγήματα· καὶ ὁπότε πίοι ὥς χαλεπῶς καταπιούσα ἐξανέστη, καὶ τὴν καρδίην οἱ γυιούσθαι ἔφη· γλῶσσα πελιδνὴ ἀπ' ἀρχῆς. ἡ δὲ πρόφασις ¹ ἐδόκει ἐκ φρίκης μετὰ λουτρὸν γενέσθαι. ἄγρυπνος καὶ νύκτα καὶ ἡμέρην. μετὰ τὰς πρώτας ἡμέρας ἐρωτωμένη οὐκ ἔτι κεφαλὴν ἀλλ' ὅλον τὸ σῶμα πονεῖν ἔφη. δίψα ὅτε μὲν κατακορῆς. ὅτε δὲ μετρίῃ. πέμπτη καὶ ἕκτη καὶ μέχρι τῆς ἐνάτης σχεδὸν παραλήρησις, καὶ αὗτις πρὸς ἑωυτὴν ἐλάλει μετὰ κώματος ἡμιτελέα· καὶ τῇ χειρὶ ἔστιν ὅτε ἐπωρέγετο πρὸς τὸ κονίημα καὶ προσκεφάλαιον τι ψυχρὸν ἐνεὸν τῇ κεφαλῇ· καὶ τοῖσι στήθεσι προσεῖχε. καὶ τὸ ἱμάτιον ἔστιν ὅτε ἀπερρίπτει· καὶ ἐπ' ὀφθαλμοῦ τοῦ δεξιοῦ τὸ ὕφαιμον ἦν, καὶ δάκρυον ἦν· οὖρον δὲ ὁ ² τοῖσι παισὶ πονηρόν ἐστιν αἰεὶ. ὑπεχώρει δὲ ἀπ' ἀρχῆς μὲν ὑπόκιρρα, ὕστερον δὲ ὕδατῶδεα σφόδρα καὶ τοιουτόχροα. ἑνδεκάτῃ, ἐδόκει μετριωτέρῃ εἶναι |
384 θερμῇ, ³ καὶ ἄδιψος ἔστιν ὅτε ἐγένετο οὕτως ὥς εἰ μή τις διδοίῃ ⁴ οὐκ ἤτει. ⁵ ὕπνοι μετὰ τὸν πρῶτον χρόνον ἐγένοντο ἐπιεικῶς ἡμέρης, ἐς δὲ νύκτα ἄγρυπνος, καὶ

¹ πρόφασι M: corr. H

V resumes with ἐδόκει

² recc.: om. MV

³ θερμὴ εἶναι M

⁴ δ' οἰδεῖ M

⁵ ἦν τι MV: corr. Asul.

drank, signs of noise in the chest and intestines as the drink went down. All signs were bad. He said he wanted something under him, stared fixedly, resisted a brief time, and died.

11. The wife of Hermoptolemus, in the winter, had fever and headache. Whenever she drank she sat upright because of difficulty swallowing. She said that her heart had been damaged. Tongue livid from the outset. The cause seemed to be a chill after a bath. She was sleepless, night and day. After the first days, when asked, she no longer said that her head hurt, but that her whole body hurt. Thirst, sometimes insatiable, sometimes moderate. On the fifth and sixth days and up to the ninth, almost constantly delirious. Later, she babbled to herself half-intelligible things in the midst of coma. She would reach out with her hand from time to time towards the plaster wall, and to the cold pack on her head. She would put her hands on her chest and sometimes throw off the cover. There was a bloodshot area in her right eye and a tendency to weep. The urine of the sort that is always bad in children. The stool from the outset yellowish, later very watery and the same color. On the eleventh day the heat seemed more moderate, and she was without thirst sometimes to the extent that if one did not give something to her she did not ask. Sleep, after the initial period, was generally in the day, but towards night she was sleepless

ἐπόνει μᾶλλον ἐς νύκτα. ἐνάτῃ ἢ γαστῆρ ἐξεταράχθη
 ὕδατώδεα, καὶ δεκάτῃ· καὶ τὰς ἐπιούσας ἐπεικῶς
 πολλή ἢ διανάστασις καὶ τοιαύτη. ἦσαν δὲ ἐν τῇσι
 πρόσθεν ἡμέρησιν ἀκρηχολίαι καὶ κλαυθμοὶ οἷον παιδα-
 ρίου, καὶ βοή, καὶ δείματα,¹ καὶ περιβλέψεις ὅποτε ἐκ
 τοῦ κώματος ἐγείροιο. τῇ δὲ² τεσσαρεσκαιδεκάτῃ,
 ἔργον κατέχειν ἦν ἀναπηδῶσαν καὶ βοῶσαν ἐξαίφνης
 καὶ ξυντόνως, ὥσπερ ἂν ἐκ πληγῆς καὶ δεινῆς ὀδύνης
 καὶ φόβου, ὡς καταλαβὼν τις αὐτὴν κατὰσχοι χρόνον
 ὀλίγον· εἶτα πάλιν ἡσυχίην τε εἶχε κεκωματισμένη,³
 καὶ ὑπνώσσουσα διετέλει⁴ οὐχ ὀρῶσα, ἔστι δ' ὅτε οὐδὲ
 ἀκούουσα.⁵ μετέβαλλε δὲ ἐς ἀμφοτέρα θόρυβόν τε καὶ
 ἡσυχίην πυκνὰ σχεδὸν ὅλην τὴν ἡμέρην ταύτην· ἐς
 νύκτα δὲ τὴν ἐπομένην ὑπῆλθέ τι ὕφαιμον οἷον μυξῶ-
 δες, καὶ πάλιν οἷον ἰλυῶδες, μετὰ δὲ πραιοειδέα
 σφόδρα καὶ μέλανα. τῇ δὲ πεντεκαιδεκάτῃ ὀξείς
 ῥιπτασμοί· καὶ οἱ⁶ φόβοι καὶ ἡ βοή ἐγίνετο ἥπιος,
 παρηκολούθει δὲ τὸ ἀγριοῦσθαι καὶ τὸ θυμαίνειν καὶ
 κλαίειν εἰ μὴ οἱ ταχέως ὅτι βούλοιτο ῥεχθείη· καὶ ἐπε-
 γίνωσκεν μὲν πάντας⁷ καὶ πάντα ἤδη μετὰ πρώτας
 εὐθὺς ἡμέρας.⁸ καὶ τὸ τοῦ ὀφθαλμοῦ κατέστη· ἡ δὲ
 μανίη καὶ τὸ παρακαιρὸν καὶ ἡ βοή καὶ ἡ μεταβολή⁹ ἢ
 εἰρημένη παρηκολούθει ἐς τὸ κῶμα· ἤκουεν ἀνωμά-
 λως, τὰ μὲν σφόδρα καὶ εἰ σμικρόν τις¹⁰ λέγοι, ἐπ'
 ἐνίων δὲ μέζον ἔδει διαλέγεσθαι· πόδες αἰεὶ ὁμαλῶς τῶ

¹ δῆματα M ² τῇ δὲ om. V

³ καὶ κωματισμένη M ⁴ διετέλοι M

⁵ οὐδ' ἄκουσα M ⁶ οἱ om. V

and towards night her suffering was worse. On the ninth day her intestines were upset, passing watery excrement, and on the tenth. Through the subsequent days the movements were generally frequent and similar. She had bursts of temper in the previous days, and childish weeping, crying out, frights, and glancing about, whenever she roused from coma. On the fourteenth day it was a task to restrain her as she leaped up and shouted suddenly and intensely, as though from a blow or a dreadful pain or fright, whenever anyone took hold of her and held her down briefly. Then again she lapsed into coma and was silent and persisted in drowsiness, seeing nothing, and sometimes not hearing. And she alternated often between uproar and quiet virtually that whole day. Towards the following night she passed a bloody movement, like mucus, and again muddy, and later very greenish and dark. On the fifteenth day sharp tossing about. The frights and the shouts became gentle, but she persisted in her wildness, her anger and tantrums if what she wanted was not done for her quickly. She recognized everyone and all objects straightway after the first days. The eye condition settled down. But the mania, inappropriate behavior, crying out, and the alternations I described, persisted until the coma. She heard irregularly: some things very clearly, even if one said them quietly, but for some it was necessary to talk louder. Her feet were throughout as warm as the rest of

⁷ ἐπεγίνωσκον μὲν πάντες MV: corr. Corn.

⁸ ἡμέρας εὐθὺς V

⁹ καὶ ἡ μεταβολὴ om. V

¹⁰ τι M

ἄλλω σώματι θερμοὶ ἔς τε τὰς τελευταίας ἡμέρας, τῇ δὲ ἑκκαιδεκάτῃ,¹ ἦσσαν. ἑπτακαιδεκάτῃ μετριώτερον τῶν ἄλλων ἡμερῶν ἔχουσα, ἐς νύκτα ὡς φρίκης αὐτῇ γενομένης ξυνάγουσα ἐπυρέτηνε μᾶλλον· καὶ ἡ δίψα πολλὴ ἦν, τὰ δ' ἄλλα ὅμοια παρηκολούθει· τρόμοι δὲ περὶ τὰς χεῖρας ἐγένοντο, καὶ κεφαλὴν ὑπέσειεν· ὑπώπια² καὶ ἐμβλέψεις τῶν ὀφθαλμῶν πονηραί·³ καὶ ἡ δίψα ἰσχυρὴ· πιέουσα⁴ πάλιν ἤτει, καὶ ἥρπαζε καὶ λάβρως ἔπινεν. ἀποσπάσαι οὐκ ἐδύναντο. γλῶσσα ξηρὴ, ἐρυθρὴ σφόδρα, καὶ τὸ στόμα ὅλον καὶ χεῖλεα καθηλκωμένα,⁵ ξηρά· καὶ τὰς χεῖρας ἀμφοτέρας ἐπὶ τὸ στόμα ἀφαιροῦσα ἐμασᾶτο, τρομώδης ἐοῦσα, καὶ εἴ τι προσενέγκαι τις μασήσασθαι ἢ ῥυφήσασθαι, λάβρως καὶ μανικῶς κατέπινε καὶ ἐρρύφανεν· καὶ τὰ περὶ τὴν ὄψιν πονηρά. ἡμέρησι δὲ τρισὶν⁶ ἢ τέσσαρσι πρὸ τῆς τελευτῆς, φρίκαί τε αὐτῇ ἔστιν ὅτε ἐνέπιπτον, ὥστε ξυνάγειν τὸ σῶμα, καὶ ξυγκαλύπτειν,⁷ καὶ πνευστιᾶν· τέτανοί τε τὰ σκέλεα, καὶ ψύξις ποδῶν· ἡ δίψα δὲ ὁμοίῃ, καὶ τὰ περὶ τὴν διάνοιαν ὅμοια· καὶ ἐξαναστάσεις ἢ διὰ κενῆς ἢ σμικρὰ καὶ λεπτὰ μετὰ τινος βραχέος τόνου. τῇ δὲ τελευταίῃ, τῇ τρίτῃ καὶ εἰκοστῇ, τὸ ὄμμα μέγα πρῶτ' ἦν, καὶ περίβλεψις βραχείῃ· καὶ ἡσυχίην ἔσχεν ἔστιν ὅτε καὶ ἄνευ τοῦ ξυγκεκαλύφθαι τε καὶ κεκωματίσθαι.⁸ πρὸς δὲ τὴν ἐσπέρην τοῦ δεξιοῦ ὀμματος κίνησις οἷα ὀρεοῦσης ἢ τινος βουλήσιος, ἐκ τοῦ ἔξω κανθοῦ πρὸς ῥίνα· καὶ ἐπεγίνωσκε καὶ πρὸς τὸ

¹ ἑξκαιδεκάτῃ MV² ὑπόπιοι M³ πονηρὴ M⁴ ποιέουσα MV: corr. recc.

her body until the final days, but on the sixteenth day less so. On the seventeenth day she was more comfortable than on the other days, but towards night she drew herself together as though a chill was coming on, and her fever increased. There was much thirst. Everything else continued the same. But trembling developed in her hands and she kept tossing her head. The area under her eyes, and the looks of her eyes were bad. Her thirst was powerful. When she had drunk she would ask for more, snatch it and drink violently. They could not take it away from her. Her tongue was dry, quite red, and her whole mouth and lips ulcerated, parched. She kept moving both hands to her mouth and chewing them, trembling, and if anyone gave her something to chew or sip, she drank and sipped it violently, madly. The area around her eyes was bad. On the three or four days before the end shivers came on her at times so that she would draw her body together, cover up, and breathe hard. Cramps in the legs, cold feet. The thirst as before, and mental affection similar. Bowel movements either nothing or small and thin with brief straining. On the last day, the twenty-third, her eye was large in the morning and her vision short. She was quiet at times, without huddling under covers or coma. Towards evening there was movement of the right eye, as though seeing or seeking something, from the outer corner towards the nose. She showed recognition and answered

⁵ καθελκώμενα M

⁶ Asul.: τρίτησιν MV

⁷ ξυγκαλύπτεσθαι τε M

⁸ κωματίσθαι M

ἔρωτώμενον ὑπεκρίνετο· φωνὴ μετὰ πολλὰ ὑπότραυλος, καὶ ὑπὸ τῆς βοῆς ¹ ἀπερρωγυῖα καὶ βραγχώδης. |

388

12. Τῷ Ἀμφιφράδεος θέρεος πλευροῦ ἀριστεροῦ ὀδύνῃ, καὶ βῆξ, καὶ ὑποχωρήματα πολλὰ ὑδατώδεα καὶ ὑπόχολα. ὁ πυρετὸς ἐδόκει λῆξαι περὶ ἐβδόμην· ἡ βῆξ ἐνῆν· χρώμα ὑπόλευκον καὶ ὑπώχρον. περὶ δὲ τὰς δώδεκα ὑπόχλωρον ἔπτυνεν· τὸ πνεῦμα προϊόντος τοῦ νοσήματος αἰεὶ πυκνότερον, καὶ ² ὑποκαρχάλεον περὶ στήθεα καὶ ἀρτηρίην. ῥυφήμασιν ἐχρήτο· ἔμφρων ἅπαντα τὸν χρόνον. περὶ δὲ εἰκοστὴν καὶ ὀγδόην ἐτελεύτησεν· ἰδρῶτες ἔστιν ὅτε ἐγένοντο.

13. Ὁ ³ ἔξω κάπηλος ὁ περιπλευμονικός, κοιλίῃ εὐθὺς ὑπῆει. περὶ τετάρτην, ἰδρῶς πολὺς· ἐδόκει λῆξαι τὸ πυρέτιον· βηχίον οὐδὲν ὥς εἰπεῖν. πέμπτη καὶ ἕκτη καὶ ἐβδόμη ἐπέιχεν ὁ πυρετός. ἰδρῶς ὀγδόῃ. ἐνάτῃ, ἀπεχρέμψατο ὠχρόν. δεκάτῃ ἄλες ⁴ οὐ πολλάκις. περὶ ἐνδεκάτην, ἡπιώτερος. ἐν τῇ τεσσαρεσκαίδεκάτῃ, ὑγιής.

14. Ἑρμοποτόλῳ μετὰ Πληϊάδος δύσιν πυρετός, βῆξ οὐ πάνυ· γλῶσσα δὲ περιπλευμονική. ἐνάτῃ ἐξιδρωσεν ὅλος κατεψύχθη τε ὥς ⁵ ἐδόκει· προσήνεγκαν αὐτῷ χυλόν· περὶ μέσον ἡμέρης ἐθερμαίνεται. ἐνδεκάτῃ ἰδρῶς, καὶ κοιλίῃ ἐξυγραίνεται· κατάχολα ὑποχωρή-

¹ βοῆς om. V² καὶ ἀσθμα καὶ M³ om. M (which attaches ἔξω to the preceding sentence: "external sweats")⁴ Smith: ἄλες V: εἰαλες M: εἴη ἄλες recc.⁵ τε ὥς] τελέως M

what was asked. Her voice lisping after much talking, and broken and hoarse from the shouting.

12. Amphiphrades' son, in summer, had a pain in the left side of the rib cage, cough, much watery bilious excrement. His fever seemed to stop about the seventh day. The cough persisted. Complexion whitish, yellowish. About day twelve he spat up greenish-yellow matter. His breathing, as the illness progressed, was ever more rapid; there was rattling in the chest and trachea. He took gruel. He was conscious the whole time. He died about the twenty-eighth day. There were sweats sometimes.

13. The salesman from outside who had peripneumonia: his bowels immediately moved. On the fourth day much sweat. The fever seemed to stop. No cough to speak of. On the fifth, sixth, and seventh days the fever persisted. Sweat on the eighth. On the ninth he coughed up yellowish matter. On the tenth abundant bowel movements, not often. Around the eleventh day the symptoms were less severe. On the fourteenth, he was healthy.

14. Hermoptolemus had fever with some coughing after the setting of the Pleiades; his tongue peripneumonic. On the ninth, his whole body sweated, and he was chilled, so it appeared. They gave him broth. About mid-day he grew hot. On the eleventh, sweat; intestines grew

ματα· τὸ βηχίον ἐπεγένετο. τεσσαρεσκαίδεκάτῃ ὥχρον ἀπεχρέμψατο.¹ καὶ ῥεγχώδης ἦν. καὶ πεντεκαίδεκάτῃ, ἔμφρων δὲ πάντα τὸν χρόνον ἑὼν, ἐτελεύτησεν. |

390 15. Ἐτερός τις ἐπὶ τοῦ ὑπερώου ῥεγχώδης, γλῶσσα ξηρή, περιπλευμονική, ἔμφρων ἐτελεύτησεν.

16. Καὶ Ποσειδώνιος ἔτι τοῦ θέρους κατὰ στήθος καὶ ὑποχόνδρια καὶ πλευρὸν ἐπόνει χρόνον πολὺν² ἄνευ πυρετῶν· πολλοῖσι δὲ ἔτεσιν ἔμπροσθεν ἔμπυος ἐγένετο. τοῦ δὲ χειμῶνος φρίζαντι ἐπέτεινεν ἡ ὀδύνη, καὶ τὸ πυρέτιον³ λεπτόν, καὶ ἀπόχρεμψις πυώδης, βῆξ κερχαλέη περὶ φάρυγγα, καὶ ῥεγχώδης, ἔμφρων δὲ σφόδρα ἑὼν τεταρταῖος ἐτελεύτησεν.

17. Ὁ δὲ Βαλοῖος⁴ ἐκ τοῦ ὄρεος πάντα ἡμαρτηκῶς, ἐννεακαίδεκάτῃ γλῶσσα πονηρή, ὑπέρυθρος, καὶ κατὰ φωνὴν ἦν ἐν τῇ ῥέμβῃ.⁵ ὀφθαλμοὶ κεχρωσμένοι, πλέοντες ὥσπερ τῶν νυσταζόντων· χρῶμα καὶ τοῦ ἄλλου σώματος οὐκ ἱκτεριῶδες⁶ σφόδρα, ἀλλ' ὑπαχρον, πελιδνόν· φωνὴ πονηρή, ἀσαφής· γλῶσσα περιπλευμονική· οὐκ ἔμφρων· πνεῦμα πρὸς χεῖρα πονηρόν, οὐ πυκνὸν οὐδὲ μέγα· πόδες ψυχροί, λιθῶδεις, περὶ εἰκοστὴν⁷ ἐτελεύτησεν.

¹ ἀπεχρήμψατο M

² πολὺν χρόνον V

³ πῦρ αἷτιον M

⁴ Gal. Gloss.: Βάλλεος MV

⁵ Gal. Gloss.: ῥεμβίη MV

⁶ ἱκτεριῶδες M

⁷ ἐνάτην MV: corr. Li. ex ms. Q'

moist; bilious feces; the cough supervened. On the fourteenth he coughed up yellowish matter and began to wheeze. On the fifteenth day, having been conscious throughout, he died.

15. Another man, in the upper town. Wheezing. Tongue dry and peripneumonic. Died conscious.^a

16. Posidonius, still in the summer, suffered for a considerable time in chest, hypochondria, and ribs, without fever. Many years earlier he had been empyemic. In the winter after shivering the pain intensified, the fever was light. He coughed up purulent matter, had a rattling cough in his throat, wheezing. He remained quite conscious and died on the fourth day.

17. The man from Baloea who lived on the hill had been very careless in his way of life; on the nineteenth day his tongue was bad, quite red, and he was imprecise in speech. Eyes colored, swimming like those of very tired people. Color, even of the rest of the body, not very like jaundice, but pale yellow, livid. Speech bad, unclear. Tongue peripneumonic. He was not conscious. Breathing, to feel, was bad, not frequent or large. Feet cold, stony. He died around the twentieth day.

^a Cf. *Epid.* 5.105.

18. Κυναγχικὴ ἢ παρὰ Μέτρωνι χεῖρα δεξιήν, σκέλος ἡλγησε, πυρέτιον ἐπέιχε, βηχίον, πνίγμα. τρίτη, ἐχάλασεν. ἐβδόμη σπασμώδης, ἄφωνος, ῥέγχος, ὀδόντων ξυνέρειςις, γνάθων ἔρευθος πλέον· ἐτελεύτησε. πέμπτη, ἕκτη σημεῖον περὶ χεῖρα ὑποπέλιον.

392 19. Βίων ἐξ ὑδρωπικοῦ πολυχρονίου ἀπόσιτος ἐγένετο πολλὰς | ἡμέρας καὶ στραγγουριώδης· ἐπὶ γούνατος ἀριστεροῦ ἀπόστημα ἐγένετο, ἐξεπύησεν, ἐτελεύτησεν.

20. Κτησιφῶν ὑδρωπικὸς ἐκ καύσου πολλοῦ, καὶ πρότερον ὑδρωπικὸς καὶ σπληνώδης, σφόδρα ξυνεπληρώθη καὶ ὅσχεον¹ καὶ σκέλεα καὶ περιτόναια. ἐπὶ τῇ τελευτῇ βῆξ καὶ πνιγμοὶ ἐγένοντο, ἐς νύκτα μᾶλλον, ἀπὸ τοῦ πλεύμονος, ὥσπερ τοῖσι πνευμονώδεσιν. πρὸ δὲ τῆς τελευτῆς ἡμέρησι² τρισὶν ἢ τέσσαρσι ῥίγος, πυρετός· κατὰ μηρὸν δεξιόν, ἔσω κατὰ φλέβα μέσῃν τὴν ἀπὸ τοῦ βουβῶνος, ὡς πυρὸς ἀγρίου σύστρεμμα ὑποπέλιον ἔχον ἔρευθος· ἐς νύκτα, καρδίης ἄλγος, καὶ οὐ πολὺ ὕστερον ἀφωνίη, πνιγμὸς μετὰ ῥέγχους, καὶ ἐτελεύτησεν.

21. Καὶ ὁ ἐν Ὀλύνθῳ ὑδρωπικὸς ἐξαίφνης ἄφωνος, ἐκφρων νύκτα καὶ ἡμέρην, ἐτελεύτησεν.

22. Ἡ δὲ Προδρόμου, θέρεος, ὑπότραυλος, καυσώδης, γλῶσσα ὑπόξηρος, ἀσαφής· κάτω πολλὴ ἄφοδος· περιεγένετο.

¹ ἴσχιον V

² πρὸ τῆς δὲ τελευτῆς ἡμέρης M

18. The woman at Metron's house with quinsy had pain in the right arm and leg. Fever held her, cough, choking. On the third day it relaxed. On the seventh she had spasms, was voiceless; there was wheezing, clenching of teeth, increased redness of the cheeks; she died. On the fifth or sixth day, a sign: lividness around the hand.^a

19. Bion, after a long hydropic illness, could not eat for many days, and had strangury. An abscess appeared on his left knee; it festered. He died.

20. Ctesiphon was hydropic after a lengthy burning fever, having also been previously hydropic and having had spleen problems. He was quite filled up in the scrotum, legs and peritoneum. At the end, coughing and choking occurred, more towards night, from the lungs, as in pneumoniacs. In the three or four days before the end, shivering, fever. On the right thigh, inside along the central vein from the groin, there was a livid gathering, as of a fierce fire, containing a redness. Towards night, pain at the heart, and not much later voicelessness, choking and wheezing. And he died.

21. And the hydropic man at Olynthus. Suddenly voiceless. Delirious a night and a day. He died.^b

22. The wife of Prodromus, in summer, was lisping, had burning fever. Tongue dry, unintelligible. Much excrement from bowels. She survived.

^a Cf. *Epid.* 5.104.

^b Cf. *Epid.* 5.106.

23. Λεωφορβείδῃ, πυρετὸς ὀξύς μετὰ χειμερινὰς τροπὰς, ὑποχονδρίων καὶ κατὰ κοιλίην ἄλγῃμα· ὑποχωρήματα ὑγρά, χολώδεα πολλά· καὶ μεθ' ἡμέρην κωματώδης· γλῶσσα περιπλευμονική· βῆξ οὐκ ἐνῆν. δωδεκάτῃ μέλανα σμικρὰ καὶ πρασοειδέα ὑπεχώρησεν. τεσσαρεσκαίδεκάτῃ λῆξαι πυρέτιον ἐδόκει, μετὰ δὲ ῥυφήμασιν ἐχρήτο. ἐκκαίδεκάτῃ στόμα σφόδρα¹ ἁλμῶδες, ξηρὸν ἐγένετο· ἀκρέσπερον δὲ φρίκη, πυρετός. μιῇ καὶ εἰκοστῇ περὶ μέσον ἡμέρης ῥίγος καὶ ἰδρώς· τὸ πυρέτιον ἔληξε, θερμὴ δὲ ὑπῆν λεπτή· ἐς νύκτα πάλιν ἰδρώς· | καὶ δευτέρῃ καὶ εἰκοστῇ ἐς νύκτα ἰδρώς·² καὶ ἡ θερμὴ ἐχάλασεν. τῇσι δὲ ἔμπροσθεν πάσῃσιν ἀνιδρωτός ἦν, ἡ δὲ κοιλίη ὑγράνθη καὶ ἐν τῇ ὕστερον δοκεύσῃ ὑποστροφῇ.

24. Ἡ ἄνω οἰκοῦσα ἡ Θεοκλῇ προσήκουσα, ὑπὸ Πληϊάδα πυρετὸς ὀξύς. ἕκτῃ ἐδόκει λῆξαι· ἐλούσατο ὡς πεπαυμένη. ἐβδόμῃ πρῶτ' ἡ γνάθος σφόδρα ἐρυθρή, ὅποτέρῃ οὐ μέμνημαι· ἐς τὴν ἐσπέρην ὁ πυρετὸς ἦκε πολὺς, καὶ λειποψυχίη, καὶ ἀφωνίη ἦν· οὐ πολὺ δὲ ὕστερον ἰδρώς, καὶ παῦσις ἐβδομαίῃ.

25. Καὶ ἡ Θεοδώρου σφόδρα ἐν πυρετῷ, αἰμορραγίης γενομένης, χειμῶνος· λήξαντος δὲ τοῦ πυρετοῦ περὶ δευτέρην,³ οὐ πολὺ ὕστερον πλευροῦ δεξιοῦ ὡς ἀπὸ ὑστερέων βάρους· καὶ πρῶτον⁴ ἐγεγόνει, καὶ τὰς

¹ om. V

² καὶ δευτέρῃ . . . ἰδρώς om. V

³ ἐνάτην mss.: corr. Foës

⁴ πρῶτον δὲ M

23. Leophorbides had acute fever after the winter solstice, pain in the hypochondria and in the intestines. Watery, large, bilious movements. Even in the daytime, comatose. Tongue peripneumonic. There was no cough. On the twelfth day he passed small dark green bowel movements. On the fourteenth day the fever seemed to relent, and afterwards he had gruel. On the sixteenth day his mouth became very salty and dry. In the evening shivering, fever. On the twenty-first in the middle of the day, chill and sweat. The fever relented but there was moderate heat. At night again sweat. And on the twenty-second day towards night, sweat. And the heat abated. On all previous days he was without sweat, but the bowels were moist, even at what seemed in retrospect the relapse.

24. The woman who lived above, the relative of Theocles, acute fever towards the setting of the Pleiades. On the sixth day it seemed to abate. She bathed as though she was cured. Early on the seventh day her cheek was suddenly red, I don't recall which. Towards the evening the fever came on severely, and fainting, and she was voiceless. Not much later, sweat, and cessation of the sickness on the seventh day.

25. The wife of Theodorus, greatly in fever, hemorrhage having occurred, in winter. The fever abated the second day; shortly afterwards she had heaviness of the right side, as from the womb. This was the first time it had

ἐχομένας ἢ ὀδύνῃ κατὰ στῆθος δεινὴ· καὶ πλευρὸν
 δεξιὸν πυριωμένη ἐχάλασεν. τεταρταίῃ τὰ ἀλγήματα,
 τὸ πνεῦμα πυκνότερον· ἀρτηρίῃ¹ μόγις ἀναπνεοῦσθ
 ὑπεσύριζεν· κλισίῃ² ὑπτίῃ, ἐπιστρέφεσθαι χαλεπῶς·
 ἐς νύκτα ὀξύτερος ὁ πυρετός, καὶ λῆρος βραχὺς ἐγέ-
 νετο. πέμπτῃ πρῶτὸν ἐδόκει ἡπιώτερος εἶναι· ἰδρώτιον
 ἀπὸ μετώπου κατεχύθη ὀλίγον πρῶτον, ἔπειτα πολὺν
 χρόνον ἐς ὅλον τὸ σῶμα καὶ πόδας· μετὰ δὲ ταῦτα
 ἐδόκει αὐτῇ κεχαλακέναι τὸ πῦρ· ἦν δὲ πρὸς χεῖρα
 ψυχρότερον τὸ σῶμα· αἱ δὲ ἐν κροτάφοισι καὶ μᾶλλον
 ἐπήδων, καὶ πνεῦμα πυκνότερον, καὶ ὑπελήρει ἄλλοτε
 καὶ ἄλλοτε, καὶ πάντα ἐπὶ τὸ χεῖρον. γλῶσσα διὰ
 τέλεος λευκὴ λίην· ἥ τε βῆξ οὐκ ἐνῆν ὅτι μὴ τριταίῃ
 καὶ πεμπταίῃ ὀλίγον χρόνον· δίψα οὐκ ἐνῆν, πτυσμός
 ἦν· ὑποχόνδριον δεξιὸν σφόδρα ἐπήρθη³ περὶ τὴν⁴
 396 πέμπτην, μετὰ δὲ μαλακώτερον· ὑποχώρησις τριταίῃ
 ἀπὸ βαλάνου⁵ κόπρου ὀλίγης, πέμπτῃ πάλιν ὑγρὸν
 ὀλίγον· κοιλίῃ δὲ λαπαρὴ· οὖρα στρυφνὰ, ὀποειδέα·
 ὄμματα ὡς κοπιώσης, χαλεπῶς ἀνέβλεπε καὶ περιέφε-
 ρεν. πέμπτῃ, ἐς νύκτα χαλεπῶς, καὶ λῆρος. ἕκτη
 πάλιν, τὴν αὐτὴν ὥρην περὶ πλήθουσιν ἀγορήν, ἰδρὼς
 πολὺς κατεχεῖτο,⁶ ἀπὸ μετώπου ἤρχετο ἐς ὅλον τὸ
 σῶμα πολὺν χρόνον· ἐμφρόνως⁷ διετίθετο τὰ ἐσωτῆς·
 πρὸς μέσον δὲ ἡμέρης σφόδρα ἐλήρει, καὶ τὰ τῆς κατα-

¹ ἀρτηρίου V² καὶ σιη M³ ἐπήρθαι M⁴ om. V⁵ βαλανείου MV (here and frequently)

happened. On succeeding days the pain in the chest was terrible. With fomentations on the right side she improved. On the fourth day, the pains; the breathing quicker. Her trachea whistled as she breathed with difficulty. She lay on her back; difficulty turning over. Towards night the fever grew more acute. There was, briefly, delirious talk. Early on the fifth day the fever seemed more mild. Sweat poured from her forehead, briefly at first, then for a long period over her whole body and feet. After this she thought the burning had grown less, and her body was cooler to the touch, but the vessels at the temples jumped more, her breath was more rapid, she talked deliriously from time to time, and all signs changed for the worse. Throughout, the tongue was extremely white; there was no cough except on the third and fifth day for a short time. There was no thirst, but expectoration. The right hypochondrium was much swollen on the fifth day but afterwards softer. Some solid excrement on the third day after a suppository. On the fifth again, a little liquid. The belly soft. Urine astringent, like fig juice. The eyes as of one who is weary. She had difficulty seeing things and looking about. On the fifth day towards night, difficulty and delirious talk. On the sixth, again, at the same hour, that of the filling of the market-place, much sweat poured from her. It went from the forehead to the whole body for a long time. She conducted herself rationally. Towards midday, however, she

⁶ κατείχeto mss.: corr. Foës: V adds οὐ before κατείχeto above the line

⁷ ἀφρόνως V

ψύξιος ὅμοια, βαρύτερα δὲ τὰ κατὰ τὸν χρῶτα πάντα· πρὸς δὲ τὴν ἐσπέρην ἢ κνήμη αὐτῆς ἐκ τῆς κλίνης κατερρύη, καὶ τῷ παιδί παραλόγως ἠπείλησέ τε¹ καὶ πάλιν ἐσιώπησε, καὶ ἐς ἡσυχίην μετέβαλεν· περὶ δὲ τὸν πρῶτον ὕπνον, δίψα, πολλὴ μανίη, καὶ ἀνεκάθιζε, καὶ τοῖσι παροῦσιν ἐλοιδορεῖτο, καὶ πάλιν ἀπεσιώπησε καὶ ἐν ἡσυχίῃ ἦν· καὶ ἐδόκει τὴν ἐπίλοιπον νύκτα κεκωματίσθαι·² τοὺς δὲ ὀφθαλμοὺς οὐ ξυνῆγεν. ἐπὶ δ' ἡμέρην ὑπεκρίνετο τὰ πλεῖστα νεύμασιν, ἀτρεμίζουσα τὸ σῶμα, καὶ κατανοοῦσα ἐπιεικῶς· πάλιν δὲ ἰδρῶς τὴν αὐτὴν ὥρην· ὁμοίως οἱ ὀφθαλμοὶ κατηφεῖς, ἐς τὸ κάτω βλέφαρον μᾶλλον ἐγκείμενοι, ἀτενίζοντες, κεκαρωμένοι,³ τὰ λευκὰ τῶν ὀφθαλμῶν ὠχρὰ καὶ νεκρώδεα, καὶ τὸ πᾶν χρῶμα ὠχρὸν καὶ μέλαν⁴ ἐόν. τῇ χειρὶ τὰ πολλὰ πρὸς τοῖχον ἢ πρὸς ἱμάτιον· οἱ ψόφοι δὲ πινοῦσῃ ἐγίνοντο, ἀπεπύτιζε καὶ ἄνω ἐς τὴν ῥίνα ἐφόρει,⁵ καὶ ἐκροκυδολόγει, καὶ ξυνεκαλύπτετο πρόσωπον· μετὰ δὲ τὸν ἰδρῶτα, χεῖρες ὥσπερ κρυστάλλιναι· ὁ ἰδρῶς παρηκολούθει ψυχρός· σῶμα πρὸς χεῖρα ψυχρόν· ἀνεπήδα, ἐκεκράγει, ἐμαίνεται· πνεῦμα πολὺ· τρομώδης χεῖρας ἐγίνετο, ὑπὸ δὲ τὸν θάνατον σπασμῶδης. ἐβδομαίῃ ἐτελεύτησεν. ἐνούρησε τῇ ἕκτῃ ἐν νυκτὶ ὀλίγον· τὸ οὐρούμενον τῷ κάρφει εἴλκετο, γλίσχρον, γονοειδές· ἄγρυπνος ἀπάσας· μετὰ τὴν ἕκτην οὖρον ὕφαιμον.

¹ ται M: corr. M²

² καὶ κωματίσθαι M

³ κεκαρωμένω MV: corr. Lind.

talked very deliriously, the chilling was similar but she had greater heaviness all over the body. Towards evening her lower leg slipped out of bed, she threatened her child irrationally and again fell silent, changed into quiescence. About the first sleep, thirst. Much delirium: she sat up and rebuked those who were there. Again she fell silent and remained quiescent. She seemed to be in a coma the rest of the night. She did not close her eyes. Towards day she answered mostly with nods, her body unmoving, reasonably alert. Again the sweat at the same hour. The eyes similarly downcast, leaning more on the lower lid, staring, torpid, the whites of the eyes yellowish and corpselike. Her whole color yellowish and dark. Mostly reaching with her hand towards the wall or the bedclothes. The gurgling occurred when she drank, and she spurted it out and brought it up through her nose. She plucked at the blankets, and kept her face covered up. After the sweats her hands were like ice. Cold sweat persisted. Body cold to the touch. She jumped up, cried out, raved. Breathing very rapid. She developed trembling in the hands. At the point of death she twitched. She died on the seventh day. She urinated a little in her bed on the sixth day in the night. The urine was picked up on a twig, sticky, like semen. Sleepless all nights. After the sixth day bloody urine.

⁴ τὸ μέλαν V

⁵ Smith: ῥιναφορεῖ M: ῥίνα V

26. Τῷ Ἀντιφάνους χειμῶνος ἄλγῆμα πλευροῦ δεξιοῦ, βήξ, πυρετός· ἦσθιεν, ἐπορευέτο ὑποπυρεταίνων, ἐδόκει ῥηγματώδης εἶναι. ἐνάτω ἀφῆκτο ὁ πυρετός, οὐκ ἔλιπεν· ἡ βήξ πολλή, καὶ παχέα ἀφρώδεα· τὸ πλευρὸν ἐπόνει. περὶ τὴν τεσσαρεσκαιδεκάτην καὶ πάλιν τὴν εἰκοστὴν ἐδόκεον ἀπολήγειν οἱ πυρετοί, καὶ πάλιν ἐπελάμβανον· ἦν δὲ λεπτὴ θερμὴ,¹ βραχὺ τι ἐξέλιπεν· ἡ² δὲ βήξ ὅτε μὲν ἐξέλιπεν,³ ὅτε δὲ κατακορῆς μετὰ πνίγματος πολλοῦ, τότε δὲ ἐχάλα· καὶ ἀποχρεμψις μετὰ ταῦτα⁴ πολλὴ μετὰ πνιγμώδους βηχός, καὶ πυώδεα ζέοντα ὑπὲρ τοῦ ἀγγείου καὶ ἀφρέοντα· καὶ ἐν τῇ φάρυγγι τὰ πολλὰ κερχαλέα ὑπεσύριζεν· ἄσθμα αἰεὶ κατεῖχε, καὶ πνεῦμα πυκνότερον, ὀλιγάκις εὐπνοος. ὑπὲρ δὲ τὰς τεσσαράκοντα, ἐγγὺς οἶμαι τῶν ἐξήκοντα, ὀφθαλμὸς ἀριστερὸς ἐτυφλώθη μετὰ οἰδήματος ἄνευ ὀδύνης, οὐ πολὺ δ' ὕστερον καὶ ὁ δεξιός· καὶ σφόδρα αἱ κόραι λευκαὶ καὶ ξηραὶ ἐγένοντο· ἐτελεύτησε μετὰ τὴν τύφλωσιν οὐ πολὺ ὑπὲρ ἑπτὰ ἡμέρας μετὰ ῥέγχου καὶ ληρήσιος.

27. Ὅμοια δὲ καὶ ἐξ ὁμοίων τὴν ὥρην τὴν αὐτὴν ξυνέβη Θεσσαλίῳ, τὰ ζέοντα καὶ ἀφρέοντα καὶ πυώδεα, καὶ βῆχες, καὶ οἱ κερχμοί. |

¹ καὶ θερμὴ M

² recc.: om. M

³ ἡ δὲ . . . ἐξέλιπεν om. V

⁴ ταύτας τὰς ἡμέρας M

26. Antiphanes' son, in the winter, had pain in the right side, cough, fever. He kept eating, went outdoors with a slight fever. He seemed to have some fissuring. On the ninth day the fever came on and did not again leave him. The cough extensive; thick, foamy matter. Pains in the thorax. On the fourteenth and again on the twentieth day the fever appeared to be stopping, and again seized him, but it was a mild heat and ceased for a brief time. The cough sometimes left him, sometimes was overwhelming with much choking, but at that time (day twenty) it diminished. Afterwards much material was brought up with a choking cough, purulent matter seething and foaming over the basin. In his pharynx there was generally a hoarse whistling. Asthma possessed him continuously, and quite rapid breathing; occasionally he breathed easily. After the fortieth day, approaching the sixtieth, I think, his left eye went blind with a swelling and without pain. Not much later, the right also. The pupils became very white and dry. He died after the blindness, not much beyond seven days, with wheezing and delirium.

27. Thessalion had similar phenomena in the same season, starting from similar symptoms; he had the seething, foaming, and purulent matter, the cough and the hoarse whistling.

28. Τῇ Πολεμάρχου χειμῶνος κυναγρικῇ, οἶδημα ὑπὸ τὸν βρόγχον,¹ πολὺς πυρετός· φλέβα ἐτμήθη· ἔληξεν ὁ πνιγμὸς ἐκ τῆς φάρυγγος· ὁ πυρετός² παρείπετο.³ περὶ πέμπτῃν γούνατος ἄλγῃμα καὶ οἶδημα ἀριστεροῦ· καὶ κατὰ τὴν καρδίην ἔφη δοκεῖν τι ξυνάγεσθαι ἑωυτῇ, καὶ ἀνέπνει οἶον ἐκ τοῦ βεβαπτίσθαι ἀναπνεοῦσῃ, καὶ ἐκ τοῦ στήθεος ὑπεψόφει· ὥς⁴ ἐγγαστρίμυθοι λεγόμεναι, τοιοῦτόν τι ξυνέβαινεν. περὶ δὲ τὴν ὀγδόην ἢ ἐνάτην ἐς νύκτα κοιλίῃ κατερράγη· ὑγρά, πολλὰ καὶ ἀλέα καὶ κάκοδμα· ἀφωνίῃ ἔσχεν· ἐτελεύτησεν.

29. Ἀρίστιππος ἐς τὴν κοιλίην ἐτοξεύθη ἄνω βίῃ χαλεπῶς· ἄλγος κοιλίης δεινόν· καὶ ἐπίμπρατο⁵ ταχέως· κάτω δὲ οὐδὲν διεχώρειν· ἀσώδης ἦν· ἡμεὶ χολώδεα⁶ κατακορέα· ὁπότε⁷ δὴ ἀπεμέσειεν, ἐδόκει ῥήϊων εἶναι· μετ' ὀλίγον δὲ τὰ ἀλγήματα πάλιν δεινά· καὶ ἡ κοιλίῃ ὁμοίως ἐπίμπρατο⁵ ὥς ἐν εἰλεοῖσιν· θέρμαι, δίφαι· ἐν ἑπτὰ ἡμέρησιν ἐτελεύτησεν.

30. Ὁ δὲ Νεόπολις, πληγεῖς ὁμοίως, ταῦτ' ἔπασχεν· κλυσθέντι δὲ δριμεῖ ἡ κοιλίῃ κατερράγη· χρώμα κατεχύθη λεπτόν, ὠχρόν, μελανόν·⁸ ὄμματα αὐχμηρά, καρῶδεα, ἐνδεδινημένα, ἀτενίζοντα.

¹ βρόχον MV: corr. recce.

² φλέβα . . . πυρετός om. V

³ παρήπετο V

⁴ V adds αἰ above the line after ὥς

⁵ ἐπίμπρατο M

⁶ ἡμιχολώδεα M

⁷ ποτὲ M

⁸ Smith: μέλαν ἐὸν MV: μελανέον Li.

28. Polemarchus' wife had quinsy in the winter, swelling by the windpipe, much fever. A vein was opened. The choking in her pharynx was relieved, the fever persisted. About the fifth day, pain and swelling in the left knee. She said she felt as though there was a gathering around her heart: she breathed as though she was catching her breath after being submerged. She made a noise from her chest. It was something like that which so-called ventriloquists make. Towards the eighth or ninth day her intestines broke loose towards night: much wet, gushing, foul-smelling excrement. Voicelessness possessed her. She died.^a

29. Aristippus was struck a powerful blow by an arrow in the upper belly. Terrible pain in the intestine. It was quickly inflamed, but no excrement passed below. He was nauseous. He vomited very bilious matter; whenever he vomited he seemed easier, but shortly later the pains were again terrible. And the intestine became inflamed as in intestinal obstructions. Fever, thirst. He died in seven days.^b

30. Neopolis, wounded similarly, had the same affections. But with an acrid clyster his bowel broke loose. A light color was diffused over him, yellow and black. His eyes were dry, stuporous, rolling inwards, staring.^c

^a Cf. *Epid.* 5.63.

^b Cf. *Epid.* 5.98.

^c Cf. *Epid.* 5.99.

31. Τῷ δὲ καθ' ἡπαρ ἐγγὺς πληγέντι ἀκοντίῳ εὐθὺ τὸ χρῶμα κατεχύθη νεκρῶδες· τὰ ὄμματα κοῖλα· ἀλυσμός· δυσφορίη· ἀπέθανε πρὶν ἀγορὴν λυθῆναι, ἅμ' ἡμέρῃ πληγείς.

402 32. Ἐπὶ τὸν Μακεδονικόν· ὁ τὴν κεφαλὴν ἀπὸ Μακεδόνοιο λίθῳ πληγείς, ὑπὲρ κροτάφου ἀριστεροῦ ὄσσην ἀμυχὴν διεκόπη· ἐσκοτώθη πληγείς, καὶ ἔπεσεν. τριταῖος ἄφωνος ἦν· ἀλυσμός· πυρετὸς οὐ πάνυ σφοδρός· σφυγμός ἐν κροτάφοισιν ὡς λεπτῆς θερμῆς· ἤκουεν οὐδέν, οὐδὲ ἐφρόνειν, οὐδ' ἠτρέμιζεν· νοτὶς¹ περὶ μέτωπον καὶ ὑπὸ ῥίνα καὶ ἄχρι ἀνθερεῶνος· πεμπταῖος ἐτελεύτησεν.

33. Ὁ Αἰνιήτης² ἐν Δήλῳ ἀκοντίῳ πληγείς ἐς τοῦπισθεν τοῦ πλευροῦ κατὰ τὸ ἀριστερὸν μέρος· τὸ μὲν ἔλκος ἄπονον, τριταίῳ δὲ γαστρὸς ὀδύνη σμικρὴ· οὐχ ὑπεχώρει, κλυσθέντι δὲ κόπρος ἐς νύκτα ἦν· ὁ πόνος διαλιπών. ἔδρη ἔξω ἐς τοὺς ὄρχιας τεταρταίῳ, καὶ ἐς ἥβην καὶ κοιλίην ὅλην δεινὸς ὁ πόνος καταιγίζων· ἀτρεμεῖν οὐκ ἐδύνατο· χολώδεα ἤμεσε κατακορέα· χλωώδεις οἱ³ ὀφθαλμοί, καὶ οἱοὶ⁴ τῶν λειποθυμεόντων. μετὰ πέμπτην ἐτελεύτησεν· θερμὴ λεπτή τις ἐνῆν.

34. Αὐδέλλῳ πληγέντι ἐς τὸν νῶτον, πνεῦμα πολὺ κατὰ τὸ τρῶμα μετὰ ψόφου⁵ ἐχώρει, καὶ ἡμορράγει· τῷ ἐναίμῳ καταδεθεὶς ὑγίης. ξυνέβη δὲ καὶ τῷ Δυσχύτῃ.

¹ ὅστις MV (cf. Epid. 5.60)

² γενιήτης M: γενειήτης V (cf. Epid. 5.61)

³ om. M

⁴ οἱ M

⁵ φόβου MV (cf. Epid. 5.96)

31. The man struck near the liver with a javelin: immediately he was suffused with a corpse-like color. His eyes were hollow; tossing about; distress; he died before the marketplace closed, having been wounded at day-break.^a

32. The Macedonian. The man struck in the head with a stone thrown by the Macedonian: he was struck above the left temple, a superficial wound. When hit he blacked out and fell. On the third day he was voiceless. Tossing about. Fever, not very intense. Throbbing in temples as of moderate heat. He heard nothing, nor was conscious, nor was he still. Moisture around the forehead and beneath the nose to the chin. He died on the fifth day.^b

33. The man from Aenus, wounded at Delos, by a javelin in the upper back on the left. The wound was painless, but on the third day he had a small pain in the belly. He had no bowel movements, but when he had a clyster there were solid feces towards night, and the pain departed. In the seat, and outwards towards the testicles on the fourth day and into the pubis and whole intestinal cavity, there was terrible pain which came like a thunderclap. He could not keep still. He vomited very bilious matter. The eyes were greenish-yellow, like those of people who have fainted. He died after the fifth day. He had a slight fever.^c

34. Audellus, struck in the back. Much wind escaped from the wound noisily, and he hemorrhaged. Bandaged with drugs for stopping blood, he recovered. The same happened to Dyschyas.^d

^a Cf. *Epid.* 5.62.

^b Cf. *Epid.* 5.60.

^c Cf. *Epid.* 5.61.

^d Cf. *Epid.* 5.96.

35. Τῷ Φιλίας παιδίῳ, ψιλώματος ἐν μετώπῳ¹ γενομένου, ἐναταίῳ πυρετός· ἐπελιάνθη τὸ ὀστέον· ἐτελεύτησεν. καὶ τῷ Φανίου καὶ τῷ Εὐέργου· πελαιο-
νομένων δὲ τῶν ὀστέων καὶ πυρεταινόντων, ἀφίστατο τὸ δέρμα ἀπὸ τοῦ ὀστέου, καὶ πύον ὑπεμένετο· τούτοις τρυπωμένοις ἐξ αὐτοῦ τοῦ ὀστέου ἀνήρχετο ἰχώρ λεπτός, ὀρώδης, ὑπόχρος, κάκοδμος, θανάσιμος. συμ-
βαίνει δὲ τοῖσι τοιούτοις, καὶ ἐμέτους ἐπιγίνεσθαι καὶ τὰ σπασμώδεα ἐπὶ τελευτῇ, καὶ ἐνίους κλαγγώδεας εἶναι, καὶ ἀκρατέας ἐνίους, καὶ ἦν μὲν ἐν τοῖσι δεξιούσι
404 τὸ τρώμα ἦ, τὰ ἀριστερά· ἦν² δὲ | τοῖσιν ἀριστεροῖσι, τὰ δεξιὰ. τῷ Θεοδώρου ἐναταίῳ ἡλιωθέντι πυρετὸς δεκαταίῳ ἐκ ψιλώματος, οὐδενὸς ἄξιος εἰπεῖν, κατὰ τὸ ὀστέον· ἐν δὲ τῷ πυρετῷ ἐμελάνθη, ἀπέστη τὸ δέρμα· ἐπὶ πολὺ κλαγγώδης· δευτέρῃ καὶ εἰκοστῇ, ἡ γαστήρ ἐπῆρθη, μάλιστα δὲ κατὰ τὰ ὑποχόνδρια· τρίτῃ καὶ εἰκοστῇ ἐτελεύτησεν.³ οἷσι δ' ἂν ὀστέα καταγῇ, τούτοις ἐβδομαίοις οἱ πυρετοί· ἦν δὲ θερμότερη ἡ ὥρη, καὶ θάσσον· ἦν δὲ μᾶλλον κλασθῇ, καὶ παραχρῆμα, καὶ ὁ Ἐξαρμόδου παιδίσκος παραπλησίως, καὶ ἄλγημα ἐς μηρὸν οὐ κατ' ἴξιν τοῦ τρώματος, καὶ κλαγγώδης, καὶ τραχήλου ὀδύνη, καὶ ὁ Ποσειδοκρέων, τρίτῃ σπασμός· θερμῇ οὐκ ἔλιπεν· ἐτελεύτησεν ὀκτωκαιδεκταταῖος, ὁ τοῦ Ἰσαγόρα ὀπισθεν ἐπλήγη τῆς κεφαλῆς, φλασθέντος τοῦ ὀστέου καὶ μελανθέντος πεμ-
πταίῳ,⁴ περιεγένετο,⁵ ὀστέον δὲ⁶ οὐκ ἀπέστη.

¹ ἐν μετώπου V² ἐν V³ ἐτέλευσε M⁴ πεμπταῖος V

35. The child of Philia, whose skull was laid bare on his forehead, had fever on the ninth day. The bone became livid. The child died. Also the children of Phantias and Euergus: when their bones became livid and they became feverish, the skin stood away from the bone and pus gathered below. When they were trephined a thin serum came out of the bone itself, like fig juice, slightly yellow, foul-smelling, deathly. And it occurs in such cases that there are vomiting and convulsions at the end, and some cry shrilly; some are paralyzed: if the wound is on the right side paralysis on the left, if on the left, the right. Theodoros' child, having been exposed to the sun on the ninth day, got an insignificant fever on the tenth day from the exposed bone. But in the fever it turned black, the skin fell away. Much shrill crying. On the twenty-second day the child's belly swelled up, especially at the hypochondria. On the twenty-third death. Those whose bones are broken have fever on the seventh day. If the weather is warm, even earlier. The more the bones are shattered the quicker it comes. Exarmodus' young slave had it immediately, and the pain in the thigh, not on the side of the wound, and he cried shrilly, and had pain in the neck. Poseidocreon had convulsions on the third day. The fever did not leave him; he died on the eighteenth day. Isagoras' son was struck behind the head, the bone was shattered and grew black on the fifth day. He survived, and the bone did not come away.^a

^a Cf. *Epid.* 5.97.

⁵ περιγέμετο V

⁶ τε V

36. Τῷ ἐκ τοῦ μεγάλου πλοίου διόπῳ, ᾧ¹ ἡ ἄγκυρα τὸν λιχανὸν δάκτυλον καὶ τὸ ὀστέον ξυνέφλασε² τῆς δεξιῆς χειρός, φλεγμασίῃ ἐπεγένετο, καὶ σφάκελος καὶ πυρετός. ὑπεκαθάρθη πέμπτῃ μετρίῳς, αἱ θέρμαι ἀνῆκαν καὶ αἱ ὀδύναι, τοῦ δακτύλου τι ἀπέπεσεν. μετὰ δὲ τὴν ἐβδόμην ἐξῆει ἰχώρ ἐπιεικῶς· μετὰ ταῦτα τῇ γλώσσει οὐ πάντα ἔφη δύνασθαι ἐρμηνεύειν· πρόρρησις, ὀπισθότονος· ξυνεφέροντο³ αἱ γνάθοι ξυνερείδμεναι, ἔπειτα ἐς τράχηλον, τριταῖος ὅλος ἐσπᾶτο ἐς τοῦπίσω ξὺν ἰδρώτι· ἐκταῖος ἀπὸ τῆς προρρήσιος ἀπέθανεν.

406 37. Ὁ δὲ⁴ ἐκ τῆς Ἀρπάλου ἀπελευθέρης Τηλεφάνης τύμμα κάτωθεν μεγάλου δακτύλου ἔλαβεν· ἐπεφλέγγμηνε, καὶ σφόδρα | ἐπώδυνος ἦν, καί, ἐπεὶ ἀνῆκεν, ᾧχετο ἐς ἀγρόν. ὀσφῦν ἤλγησεν, ἐλούσατο, αἱ γένυες ξυνήγοντο ἐς νύκτα·⁵ καὶ ὀπισθότονος παρῆν· τὸ σίαλον ἀφρῶδες, μόγις ἔξω διὰ τῶν ὀδόντων διήει· τριταῖος ἀπέθανεν.

38. Ῥίνων ὁ τοῦ Δάμωνος, περὶ κνήμην καὶ σφυρὸν ἔλκος κατὰ νεῦρον, ἥδη καθαρὸν· τούτῳ δηχθέντι ὑπὸ φαρμάκου ξυνέβη ὀπισθοτόνῳ ἀποθανεῖν.

¹ διόπῳ, ᾧ Ii.: Διοπῶω (proper name) V: δειοπωιω M (cf. Epid. 5.74)

² συνέθλασε MV; corr. recc.

³ τι πρόρρησις ὀπισθότονος ηεξει ξυνεφ. M

⁴ M writes ὁ δὲ twice

⁵ ἐς νύκτα om. V

36. The commander of the large ship, whose right forefinger and its bone the anchor crushed: inflammation developed, gangrene, and fever. He was purged moderately on the fifth day. The fever relaxed and the pain: part of the finger fell away. After the seventh day a fair amount of serum ran out. After that he said that he could not articulate everything with his tongue. The prediction: *opisthotonos*.^a His jaws became fixed together, then it went to the neck, on the third day he was entirely convulsed backward, with sweating. On the sixth day after the prediction he died.

37. Telephanes, son of Harpalus' freedwoman, received a blow at the base of the thumb. It became inflamed and was extremely painful, and when it desisted he went into the fields. He had pain in the lower back. He bathed. His jaws were drawn together towards night and *opisthotonos* was present. His saliva was frothy: it passed out through the teeth with difficulty. He died on the third day.

38. Rhinon, Damon's son, had a wound in the tendon at the lower leg and the ankle; it had already become clean. But, eroded by a drug, he died from *opisthotonos*.^b

^a The kind of tetanus that draws the patient backwards into a bow shape.

^b It looks as though the writer blames a purgative drug for the tetanus which killed the patient.

39. Δείνωνι¹ ὑπ' Ἄρκτουρον, καὶ πρότερον ἐκ πυρετοῦ θερινοῦ καὶ διαρροίης ἀσθενέως² διατεθέντι, ἐκ πορείης κοπιάσαντι, καὶ πλευροῦ ὀδύνη ἀριστεροῦ· καὶ βήξ, ἔχουσα μὲν ἐκ καταρροῦ καὶ πρότερον,³ τότε δὲ ἦν κατακορῆς· καὶ ἄγρυπνος, καὶ δυσφόρως φέρων τὸν πυρετὸν εὐθύς ἀπ' ἀρχῆς. καὶ ἀνακαθίζων τριταῖος ἔπτυσεν ὥχρόν· ἀρτηρίῃ ὑπεσύριξε ῥεγχῶδες. περὶ τὴν πέμπτην, πνεῦμα ἐπιεικῶς πυκνόν· πόδες, καὶ αἱ κνημαί, ἄκρεα τὰ πλεῖστα ψυχρά, καὶ ἔξω τοῦ ἱματίου· ὑποχώρησις ἀπ' ἀρχῆς ἐπεγένετο χολώδης, οὔτε λίην ὀλίγη, οὔτε πολλή. ἐβδομαῖος καὶ ὀγδοαῖος καὶ ἐναταῖος ῥᾶον ἐδόκει φέρειν, καὶ τινες ὕπνοι ἐγένοντο, καὶ τὰ ἀποχρεμπτόμενα πεπτότερα.⁴ δεκάτῃ καὶ μέχρι τρισκαιδεκάτης, σφόδρα λευκὰ καὶ καθαρὰ· καὶ ὑποχόνδριον λαπαρώτερον ἐγένετο, ἀριστερὸν ξυντεταμένον· καὶ εὐπνούστερος.⁵ πρὸς βάλανον ὑπῆλθε μετρίως.⁶ τρισκαιδεκάτῃ πάλιν ἔπτυσεν ὥχρόν, τεσσαρεσκαιδεκάτῃ δὲ μᾶλλον, πεντεκαιδεκάτῃ δὲ πραιοειδές· κοιλίῃ δὲ κακώδεα, χολώδεα, ὑγρά, συχνὰ ὑπῆλθεν· ἀριστερὸν ὑποχόνδριον ἐπήρετο, ἐκκαιδεκάτῃ δὲ καὶ σφόδρα ἐπώδησε· καὶ τὸ πνεῦμα ἤδη ῥεγχῶδες· ἰδρὼς περὶ μέτωπον καὶ αὐχένα, ὀλιγάκις ἐπὶ στῆθος· ἄκρεα καὶ μέτωπον ἐπιεικῶς διετέλει ψυχρά· πηδηθμὸς δὲ φλεβῶν περὶ κροτάφους κατεῖχεν· ὕπνοι κωματώδεις καὶ ἡμέρην καὶ νύκτα τοὺς

¹ Δείνωνι R: Δειννόνη V: δεινὸν εἰ M: Δίνωνι III

² ἀσθενῶς M

³ καὶ οὐ πρότερον MV: corr. Asul.

39. Deinon, towards the rising of Arcturus, having previously been weakly disposed because of summer fever and diarrhea, was fatigued from a journey and got a pain in his left thorax. And the cough, which he had had earlier from a catarrh, became at that time severe. He was sleepless and bore the fever badly from the beginning. And sitting up on the third day he spat up yellowish matter. His trachea whistled and wheezed. About the fifth day, breathing somewhat rapid. His feet and calves, most of his extremities, were cold and outside the covers. The excrement was bilious from the beginning, not excessively little, not a lot. On the seventh, eighth, and ninth days he seemed to be better and had some sleep: the material coughed up was more ripened. On the tenth day and up to the thirteenth it was quite white and clean. And his hypochondrium became softer: left side tight. He breathed more easily. A suppository produced a moderate movement. On the thirteenth day he again spat up yellowish matter, more on the fourteenth, and on the fifteenth leek-colored matter. Bowels produced large, foul-smelling, bilious, damp movements. His left hypochondrium became elevated, and on the sixteenth day was very swollen. By now his breath was wheezing. Sweat about forehead and neck, sometimes on to the chest. Extremities and forehead stayed rather cold. There was persistent leaping of the blood-vessels in the temples. Sleep was comatose night and day in the last period. The urine from

⁴ Smith: ἀπεπτότερα MV: ἀμεμπτότερα Li.

⁵ εὐπνούστερον MV: corr. Li.

⁶ μεθίως (sic) V

τελευταίους χρόνους· οὖρον ἀπ' ἀρχῆς ὠμόν, σποδοει-
δές· περὶ δεκάτην μέχρι τρισκαιδεκάτης λεπτὰ καὶ
οὐκ ἄχροα, ἀπὸ δὲ τῆς τρίτης καὶ δεκάτης οἶάπερ ἀπ'
ἀρχῆς.

40. Κλεόχῳ πλευροῦ ἄλγημα· ἀνῆκεν ὁ πυρετός·
ἴδρωσε τὸ σῶμα ὅλον· ἐν τῷ οὖρῳ πολλὰ τὰ ἐμφερό-
μενα ἦν, ἐθορυβήθη μετὰ ταῦτα.

41. Μετὰ Πληϊάδων δύσιν τὴν Ὀλυμπιάδew, ὀκτά-
μηνον ἔχουσιν, ἐκ πτώματος πυρετός ὁξὺς ἔλαβε·
γλῶσσα καυσώδης, ξηρή, τρηχείη, ὠχρή· ὀφθαλμοὶ
ὠχροί, καὶ τὸ χρῶμα νεκρῶδες. διέφθειρε πεμπταίη·
ῥηϊδίως ἀπήλλαξε, καὶ ὕπνος, ὡς ἐδόκει, κωματώ-
δης.¹ δείλης διεγειρόντων οὐκ ἠσθάνετο, παρμικῶ
ὑπήκουσε, πόμα κατεδέξατο καὶ χυλοῦ, ὑπέβησσε
καταπίνουσα² τὸ πόμα· ἡ φωνὴ οὐκ ἔλυετο, οὐδὲ αὐτῇ
τι ἀνέφερεν· τὰ ὄμματα κατηφέα· πνεῦμα μετέωρον,
κατὰ ῥίνα σπώμενον· χρῶμα πονηρόν· ἰδρῶς περὶ τοὺς
πόδας καὶ σκέλεα τελευτώσης.

42. Τῇ Νικολάου ἐκ καύσου τὰ παρ' οὗς ἐγένετο
ἐπ' ἀμφοτέρα, ὀλίγῳ ὕστερον τὸ ἕτερον, ἥδη δοκέοντος
χαλᾶν τοῦ πυρετοῦ, ὡς οἶμαι, περὶ τεσσαρεσκαϊδεκά-
την· μεγάλα ἀσήμως κατέστη· ὑπέστρεψεν· χρῶμα
νεκρῶδες, γλῶσσα τρηχείη, δασέη σφόδρα, | ὑπόλευ-
410 κος, διψώδης· ὑποχώρησις κάτω, πολλή, ὑγρή, κακώ-
δης παρὰ πάντα τὸν χρόνον, πρὸ τῆς τελευτῆς ἐφθάρη
τὸ σῶμα τῷ πλήθει· ἐτελεύτησεν ὑπὲρ τὰς εἴκοσιν.

¹ καυματώδης MV: corr. ms. rec. D (Li.)

² καταπίσα M: corr. M²

the beginning raw, full of particles. About the tenth to the thirteenth day thin and not colorless, but after the thirteenth as from the beginning.

40. Cleochus had pain in the thorax. The fever remitted. He sweated over the whole body. In the urine there were many particles suspended; later it was turbid.

41. After the setting of the Pleiades an acute fever seized Olympiades' wife after a fall in her eighth month of pregnancy. Her tongue was burnt, dry, rough, pale yellowish. Her eyes were yellowish and her skin corpselike. She aborted on the fifth day. The abortion was easy, and her sleep, as it appeared, was comatose. When they tried to rouse her in the evening she did not notice; after a sternutatory she could hear. She took a drink and some broth: she coughed while drinking the drink. Her voice was not released, nor did she bring up anything. Her eyes were dim. Breath shallow, drawn through the nose. Color bad. Sweat about the feet and legs as she was dying.

42. Nicolaus' wife, as a result of a burning fever, developed swellings by both ears, one shortly after the other, when it seemed that the fever was already stopping. I believe about the fourteenth day. They remained large, without signs. She relapsed. Color corpselike, tongue rough, very fuzzy, whitish; thirsty. Bowel movements numerous, wet, foul-smelling the whole time. Her body was wasted in its bulk before the end. She died after the twentieth day.

43. Ἀνδρέαν πρὸ Πληϊάδος, φρίκη, πυρετός, ἔμετος· ἀπ' ἀρχῆς ἡμιτριταῖος ἐφαίνετο. τριταῖος δ' οὖν ἔων πάλιν ἀγοράζων ἔφριξε· πυρετὸς ὀξύς· ἔμετος χολῆς ἀκρήτου· παραλήρησις ἐς νύκτα· ῥάων¹ πάλιν, πέμπτη, χαλεπῶς. ἕκτη, ἀπὸ λινοζώστιος εὐ² ὑπῆλθεν. ἐβδόμη, χαλεπώτερον· καὶ τὰς ἐφεξῆς ξυνεχέστερος ἦδη, καὶ ἀνιδρωτος ἀπ' ἀρχῆς καὶ διψώδης· μάλιστα δὲ τὸ στόμα ἀπεξηραίνεται, καὶ πόμα οὐδὲν ἡδέως προσεδέχετο, ἀηδίας πολλῆς ἐούσης περὶ τὸ στόμα· γλῶσσα ξηρή, ἄκροπις,³ τρηχύτης ἐπήνθει ὠχρόλευκος· ἄγρυπνος, ἀσώδης, ἐκκελυμένος, κεκλασμένος, γλῶσσα ὑπὸ ξηρότητος ἐνίστε ὑπότεραυλος, ἕως διαβρέξειεν· χυλὸν μάλιστα προσεδέχετο, ἐναταίῳ ἢ δεκαταίῳ παρ' οὓς ἀριστερόν καὶ παρὰ τὸ ἕτερον ἐπάρματα σμικρά· ἀσῆμως ἠφανίσθη· οὐρα διὰ παντὸς οὐκ ἄχροα, ἄνευ δὲ ὑποστάσιος. τεσσαρεσκαideκαταίῳ ἰδρώτιον περὶ τὰ ἄνω· οὐ πολὺ μετριώτερον ἢ θερμὴ, περὶ τὰς ἑπτακαίδεκα ἐμωλύνθη, κοιλὴ μετὰ τὰς δέκα ξηρή, οὐκ ἄνευ βαλάνων ὑποχωρέουσα. περὶ δὲ τὰς πέντε καὶ εἴκοσιν, ἐξανθήματα¹ ὀλίγου κνησμώδεα, θερμά, ὥσπερ πυρίκαυστα. ὀδύνη δὲ ἦν περὶ μασχάλας καὶ πλευρά· ἐς σκέλεα διῆλθεν ἀσῆμως, καὶ ἔληξεν. λουτρὸν ὠφέλει καὶ χρῖμα⁵ τὸ ἐν τῷ ὄξει. μηνὶ δὲ⁶ δευτέρῳ ἴσως ἢ τρίτῳ, ἐς νεφροὺς ἢ ὀδύνη, καὶ πρότερόν ποτε γενομένη, κατέστη. |

¹ ῥέων MV: corr. M² recc.² καλῶς V³ M: κόπις V: ἀκροαπὶς Gal. Gloss.

43. Before the rising of the Pleiades, Andreas had shivering, fever, vomiting. From the outset it looked like a semitertian. On the third day he again had a fit of shivering in the marketplace. Acute fever. Vomitus of pure bile. Delirious towards night; easy again. On the fifth day, bad. On the sixth, a good bowel movement from *linozostis*. On the seventh, worse. On the following days it became more continuous, and was without sweat from the beginning, and accompanied by thirst. Especially his mouth was parched and there was no drink he could take with pleasure because of the great discomfort of the mouth. The tongue was dry, inarticulate. A yellow-white hardness bloomed on it. He was sleepless, nauseous, uncoordinated, helpless. The tongue, from dryness, sometimes lisped until he wetted it. He took barley broth for the most part. On the ninth or tenth day there were small swellings by the left ear and then beside the other one. They disappeared without a trace. Throughout, the urine was not of bad color but without sediment. On the fourteenth day, sweat around the upper parts. The fever continued not much moderated: it went down on the seventeenth day. Bowel dry after the tenth day, passing nothing without a suppository. About the twenty-fifth day, an eruption appeared, almost itching, hot, like burns. There was pain around the armpits and the thorax. It went down into the legs without signs, and ceased. Bathing helped, and ointment made with vinegar. In the second month, perhaps, or the third, the pain went to the kidneys, having appeared there sometime before. He recovered.

⁴ recc.: ἐξάνθημα MV

⁵ Smith: χρῆμα MV: κρίσμα recc., edd.

⁶ om. V

44. Ἀριστοκράτει περὶ ἡλίου τροπὰς χειμερινὰς¹ κόπος καὶ φρίκη καὶ θερμῇ· μετὰ δὲ ἤρξατο τριταίῳ πλευροῦ ὀδύνη καὶ ὀσφύος, καὶ οἶδημα ἐκ τῆς μασχάλης ἀρξάμενον παρ' ὅλον τὸ δεξιὸν πλευρόν, σκληρόν· κατὰ δ' αὐτὴν τὴν πλευρὴν ἐκ μασχάλης ἀρξάμενον ἐρυθρόν καὶ πελιδνὸν ὡς ὑπὸ πυρὸς θαλφθὲν καὶ ἐκκεκαυμένον.² ἀσώδης, δυσφόρως ἔχων, σφόδρα διψώδης, γλῶσσα ὑπόλευκος, οὖρα οὐκ ἐχώρει, σκέλεα ὑπόψυχρα· ὑποχώρησις ἀπὸ λινοζώστιος ὀλίγη, ὑγρά, ὑπόλευκα, ἀφρώδεα. ἐς νύκτα πνεῦμα ἐμετεωρίζετο· ἰδρώτιον περὶ μέτωπον· τὰ κάτω ψυχρά· ἀσώδης· τράχηλος ἐνεφυσᾶτο· βῆξ οὐκ ἐνῆν· ἐτελεύτησεν ἔμφρων.

45. Μνησιάνακτι περὶ φθινόπωρον ὀφθαλμίῃ, μετὰ δὲ τεταρταίῳ πυρετός· ἀρχόμενος τοῦ τεταρταίου σφόδρα ἀπόσιτος, προσιόντος δὲ ἡδέως πρὸς σιτίον· καὶ Πολυχάρει³ δὲ ἐν τεταρταίῳ ὅμοια τὰ περὶ τὴν σίτισιν. ξυνέβη δὲ τῷ Μνησιάνακτι ὑποχώρησις ἔμπροσθεν τοῦ πυρετοῦ, καὶ μετὰ ἐπὶ πολὺν χρόνον παρηκολούθει πολλῶν, λευκῶν, μυξοποιῶν, καὶ ἔστιν ὅτε σμικρὸν αἷμα ἄνευ τόνων καὶ ὀδύνης· ψόφοι δὲ ἐν γαστρὶ. μετὰ τὸν πυρετόν, ἀπέστη παρὰ τὴν ἔδρην φῦμα σκληρόν, πολὺν χρόνον παρηκολούθει ἄπεπτον, ἑρράγῃ ἐς τὸ ἔντερον, καὶ ἔξω συριγγῶδες ἐγένετο. περιπατοῦντι δ' αὐτῷ ἐν τῇ ἀγορῇ, μαρμαρυγαὶ πρὸ τῶν ὀφθαλμῶν, καὶ τὸν ἥλιον οὐ πάνυ καθεώρα· ἀπο-

¹ Corn.: τροπέας χ. V: τροπέων χειμερινέων M

44. Aristocrates, around the winter solstice, had fatigue, shivering and fever. Later, on the third day, a pain developed in his ribs and lower back, and a swelling, commencing from the armpit, down the whole right side: it was hard. On the ribs themselves, starting from the armpit, it was red and livid as though scalded and burned by fire. He was nauseous, uncomfortable, very thirsty, his tongue whitish: no urine passed: legs chilly. A bowel movement from *linozostis*, small, wet, whitish, foamy. Towards night his breathing became shallow: sweat on the forehead: lower limbs cold. Nauseous. Neck inflated. There was no cough. He died while conscious.

45. Mnesianax had eye trouble towards fall. Later, quartan fever. When he began his quartan he was without appetite, but as it progressed he enjoyed food. (Polycharès, in a quartan, had similar responses to meals.) It occurred with Mnesianax that before the fever and for a long time afterwards his bowel movements continued to be of much white, mucous matter, and sometimes there was a little blood without stretching and pain. And noise in the belly. After the fever there rose by his anus a hard swelling. It persisted unripened a long time, broke through into the gut, and came outward as a fistula. As he was walking about in the marketplace there were sparks before his eyes and he did not see the sunlight well. He

² ἔκκαυμένον (sic) M

³ Πολύχαρι MV: corr. Li. ex ms. rec. K

χωρήσας δὲ σμικρὸν ἐξ ἑωυτοῦ ἦν καὶ τράχηλον
 σπασμώδης. ἐπεὶ¹ δὲ ἐκομίσθη ἐς οἶκον, μόγισ ἀνέ-
 βλεψε, καὶ αὐτὸς ἑωυτοῦ μόγισ ἐγένετο· τὸ πρῶτον δὲ
 414 περιέβλεπε τοὺς περιεστῶτας, καὶ τὸ σῶμα | κατε-
 ψύχθη, μόγισ δὲ ἀνθερμάνθη ἀσκίοισι καὶ πυρίῃ ὑπὸ
 τῇ κλίνῃ.² ἐπεὶ δ' ἐντὸς ἑωυτοῦ ἦν, καὶ ἐξανίστατο,
 οὐκ ἐξιέναι ἤθελεν, ἀλλὰ δεδιέναι ἔφη· εἴ τε τις περὶ
 νοσημάτων χαλεπῶν διαλέγοιτο, ὑπεξήειν φόβῳ.³
 ἔστι δ' ὅτε προσπίπτειν αὐτῷ πρὸς τὰ ὑποχόνδρια θερ-
 μασιὴν ἔφη, καὶ τῶν ὀφθαλμῶν μαρμαρυγὰς παρακο-
 λουθεῖν. καὶ ἡ ὑποχώρησις πολλὴ καὶ πολλάκις, καὶ
 ὁμοίῃ χειμῶνος ξυνέβη. φλεβοτομή· ἐλλέβοροι·
 γαλακτοποσίη βοείου, πρότερον δὲ οὐρείου, ξυνήνεγκε,
 καὶ τὰς ὑποχωρήσιας ἔπαυσεν· ὕδροποσίη ἀπ' ἀρχῆς,
 καὶ περίπατοί τε καὶ κεφαλῆς καθάρσεις.

46. Τῷ Ἀνεχέτου ταῦτα·⁴ χειμῶνος ἐν βαλανείῳ
 πρὸς πυρὶ χριόμενος ἐθερμάνθη, καὶ παραχρῆμα ἐπιλη-
 πτικοῖσι σπασμοῖς.⁵ ἐπεὶ δ' ἀνῆκαν οἱ⁶ σπασμοί,
 περιέβλεπεν, οὐ παρὰ⁷ ἑωυτῷ ἦν. ἐπεὶ δὲ ἐντὸς ἐγέ-
 νετο ἑωυτοῦ, πάλιν τῇ ὑστεραίῃ πρῶτ' ἐλήφθη·
 σπασμώδης· ἀφρὸς δὲ οὐ πάνυ· καὶ τρίτῃ ἄκροπις· καὶ
 τετάρτῃ ἐπεσήμανεν αὐτῇ τῇ γλώσση, ἔπταιεν, οὐχ
 οἶός τε ἦν λέγειν, ἀλλ' ἴσχετο ἐν τῇσιν ἀρχῇσι τῶν

¹ ἐπὶ M ² κλίνῃ (sic) V: καὶ νῇ M

³ Smith: ὑπεξέειν φόβον V: ὑπέξῃ φόβῳ M

⁴ ταῦτα V ⁵ σπάσμασιν V

⁶ ἐπεὶ δ' ἂν ἱκανοὶ MV: corr. Li.

⁷ περὶ M

withdrew a short distance. He was beside himself, and began to have spasms in the neck. When he was taken home he could hardly see and had difficulty coming to himself. At first he peered around at the bystanders and his body was cold, and was warmed only with difficulty, with bags of hot water and with steam beneath his bed. When he had come to himself and stood up he did not want to go out, but said he was afraid. And if anyone spoke of severe illnesses he would withdraw in fright. Sometimes he said heat fell on his hypochondria and that the sparks before his eyes continued. Bowel movements large and frequent, and they were like those of winter. Phlebotomy: hellebore. Drinking cow's milk, but earlier, ass's, helped, and stopped the bowel movements. Drinking of water from the beginning and walks, along with purges of the head.

46. Anechetus' son had these symptoms: in winter, in the bath, he was heated by the fire as he was being rubbed with oil. Suddenly he had epileptic convulsions. When the convulsions stopped he gazed about: he was not with himself. And when he came to himself he was again seized on the next day in the morning. Convulsions, some foam. On the third day inarticulate. On the fourth day he gave a sign with his tongue, fell, was unable to speak, but hung up on

ονομάτων. καὶ τῇ πέμπτῃ¹ γλῶσσα σφοδρά, καὶ ὁ σπασμὸς ἐπεγένετο, καὶ ἐξ ἑαυτοῦ ἐγένετο· ὅτε δὲ ἡνίει² ταῦτα, ἡ γλῶσσα μόγῃς ἀποκαθίστατο εἰς τωυτό. ἐκταίω ἀποσχομένῳ πάντων, καὶ ῥυφήματος καὶ ποτοῦ, οὐκ ἔτι ἐλάμβανεν.

416 47. Κλεόχω ἐκ κόπων καὶ γυμνασίων, μέλιτι τὰς ἡμέρας διαχρωμένῳ, οἴδημα ἐς γόνυ δεξιόν, μᾶλλον δὲ ἐς τὸ κάτω περὶ τοὺς τένον|τας τοὺς ὑπὸ τῷ γούνατι· περιῆει ὑποχωλαίνων·³ καὶ ἡ γαστροκνημὴ ῥῖδει, καὶ σκληρὴ ἦν καὶ ἐς τὸν πόδα καὶ ἐς τὸ σφυρὸν τὸ⁴ δεξιόν· καὶ ἐς τὰ οὖλα παρ' ὀδόντας μεγάλα, ὡς ῥᾶγες, πελιδνά, μελαινόμενα, ἀνώδυνα ὁπότε μὴ ἐσθίοι, καὶ τὰ σκέλεα, εἰ μὴ ἐξανίστατο·⁵ ἦλθε γὰρ καὶ ἐς τὸ ἀριστερὸν τὸ οἴδημα, ἥσσον δέ· καὶ ἀπελειαίνετο⁶ ἐν τοῖσιν οἰδήμασι τοῖσι περὶ γούνατα καὶ πόδας, ὥσπερ ὑπώπια.⁷ τέλος δὲ οὐχ οἷός τε ἦν ἵστασθαι, οὐδ' ἐπὶ τὰς πτέρνας ἐπιβαίνειν, ἀλλὰ κλινοπετῆς. θερμαὶ δῆλοι ἐνίστε· ἀπόσιτος, οὐ πάνυ διψώδης· οὐδὲ ἐπὶ θῶκον⁸ ἀνίστατο, ἀσώδης, καὶ ἔστιν ὅτε ὀλιγοψυχία. ἐλλέβοροι, κεφαλῆς καθάρσιες· πρὸς τὸ στόμα μαννῶδες⁹ ξὺν τοῖσιν μισγομένοισι ξυνήνεγκεν· πρὸς τὰ ἐν τῷ στόματι ἔλκεα, ῥύφημα φακῇ ἐπιτήδειον. περὶ δὲ¹⁰ ἐξηκοστὴν κατέστη τὰ οἰδήματα πρὸς τοῦ δευτέρου ἐλλεβόρου μῦνον· ὀδύναι ἐς τὰ γούνατα κατακειμένῳ ἦλθον, ὑγρὸν δὲ καὶ χολή¹¹ ἀπέστη ἐς γούνατα, καὶ πλείους ἡμέρας πρὸ¹² τοῦ ἐλλεβόρου.

¹ πέμπτῃ τε M² ἦν εἴη V³ ὑποχολαίνων M⁴ τὸν σφυρὸν τὸν V⁵ ἐξανίστατο V⁶ ἀπολειάνετο M: ἐπεμελαίνετο Langholf

the beginnings of words. On the fifth day, tongue severely affected: the convulsion came on and he was beside himself. When these things ceased, his tongue with difficulty returned to its own condition. On the sixth day, as he abstained from everything, both gruel and drink, there were no further seizures.

47. Cleochus, after exercise and fatigue, and after having used honey for some days, had a swelling on the right knee, especially below it on the tendons under the knee. He walked about lamed. His calf swelled up. It was hard, clear down to the foot and the right ankle. On the gums by the teeth developed large grapelike swellings, livid, blackish, painless except when he was eating, as were the legs if he did not stand up, for the swelling had gone to his left side too, though less. There was a smoothness in the swelling about the knees and feet, like that of a black eye. Finally he was not able to stand or to put weight on his heels, but was confined to bed. Fever sometimes evident. No appetite, very little thirst. He did not get up for the toilet, was nauseous, and periodically had faintness. Hellebore, purging of the head. *Manna* in a mixture was of benefit for his mouth. For the ulcers on the mouth lentil soup as a porridge was a help. About the sixtieth day, the swellings went down only because of the second hellebore. Pains came on his knees as he was lying down, and water and bile settled on the knees even for many days before the hellebore.

⁷ ὑπόπια M

⁸ Smith: θάκον MV

⁹ μανῶδες M: μανιώδες V

¹⁰ om. M

¹¹ πολλή χολή V

¹² πρὸς M

45. Πεισιστράτῳ ὤμου ἄλγημα, καὶ βάρος πολυχρό-
νιον περιπατοῦντι¹ καὶ τᾶλλα ὑγιαίνουντι· χειμῶνος δὲ
ἐπέπεσε πλευροῦ ὀδύνη, καὶ θερμῇ, καὶ βήξ, ἀπόχρεμ-
ψίς τε αἵματος ἀφρώδεος· τούτῳ² καὶ ρεγχῶδες ἐν τῇ
φάρυγγι· εὐφορος δὲ καὶ παρ' ἐωυτῷ, καὶ ἡ θερμὴ ἐχά-
λασεν, ἅμα δὲ καὶ ἡ ἀπόχρεμψις, καὶ τὸ κέρχνον· καὶ
περὶ τετάρτην ἢ πέμπτην ἡμέρην ὑγίης. |

418

49. Τῇ Σίμου ἐν τόκῳ σεισθείσῃ ἄλγημα περὶ
στῆθος καὶ πλευρόν· βήξ, πυρετοί, ἀποχρέμψεις ὑπο-
πνώδεις, ἐς φθίσεας³ καὶ κατέστη· καὶ ἔξ μῆνας οἱ
πυρετοί, καὶ διάρροια αἰεὶ· ἐπὶ τέλει παῦσις πυρετοῦ·
κοιλίῃ ἔσθη μετὰ τὴν παῦσιν· ἡμέρας μεθ' ἐπτὰ ἐτε-
λεύτησεν.

50. Καὶ ἡ Εὐξένου· ἐκ πυριήσιος ἐδόκει· θερμαὶ οὐκ
ἔλειπον οὐδένα χρόνον, μᾶλλον πρὸς ἐσπέρην ἐπέτει-
νον· ἰδρῶτες ἐγίνοντο ἐς ὅλον τὸ σῶμα· μέλλοντος
ἐπιτείνειν τοῦ πυρετοῦ ψύξεις τῶν ποδῶν, ὅτε δὲ καὶ
κνημέων καὶ γουνάτων, ἐγίνοντο· βηχίον⁴ ξηρὸν ὀλί-
γον χρόνον ἀρχομένου τοῦ πυρετοῦ παροξύνεσθαι, εἴτ' ⁵
ἔληγε, διὰ δὲ χρόνου πολλοῦ καὶ ὅλου⁶ τοῦ σώματος
ῥίγος ἐγένετο· ἄδιψος διὰ παντός, φάρμακον πιούσα
καὶ ὀρὸν ἐβλάβη μᾶλλον, ἀπ' ἀρχῆς πάντων ἀνώδυνος
καὶ εὐπνοος· μεσοῦντος δὲ τοῦ χρόνου πλευροῦ δεξιῷ

¹ περικρατοῦντι V² τοῦτο M³ Smith: πυώδεις φθίσις M: ὑποπνώδεις ἐς φθίσεις V⁴ βήξιον M⁵ εἴτ' M⁶ ὀλίγου V

48. Peisistratus had pain in the shoulder and heaviness for a long time, though he walked about and was otherwise healthy. In the winter there came on much pain in the thorax, fever, cough, coughing up of frothy blood. And with this there was wheezing in the pharynx. But he was generally sound and rational. The fever receded, and with it the expectoration and the hoarseness. On the fourth or fifth day he was healthy.

49. The wife of Simus, shaken in childbirth, had a pain in the chest and ribs. Cough, fever, bringing up of somewhat purulent matter. She went into consumption and for six months had fever and constant diarrhea. At the end, cessation of fever. Her bowels stabilized after the cessation. After seven days she died.^a

50. Also Euxenes' wife. It seemed to come after a steam bath. The fever did not depart for any period, but intensified more towards evening. Sweat occurred over her whole body. When the fever was going to intensify, her feet were cold, and sometimes her calves and knees. Dry cough for a short time as the fever was beginning to intensify, then it stopped and for a long time there was shivering of her whole body. No thirst throughout. She drank a purgative drug and whey and was further harmed. From the beginning she was without all pain and breathed easily. About the middle of the time, pain developed in

^a Cf. *Epid.* 5.103.

ἐγένετο ἄλγημα καὶ ἡ βῆξ ἐκινήθη, καὶ ἄσθμα, καὶ ἀποχρέμψεις σμικραί, λευκαί, ὑπόλεπτοι· καὶ ἡ φρίκη, οὐκ ἔτι ἐκ ποδῶν ἀλλὰ ἀπὸ τραχήλου καὶ νώτου· κοιλίη ὑγροτέρη. ἐχάλασεν ὁ πυρετὸς μετὰ πολλοῦ ἰδρώτος, καὶ κατεψύχθη· ἄσθμα δὲ ἦν ποικίλον· ἐτελεύτησε μετὰ τὴν ἄφεσιν ἐβδόμη ἔμφρων.

51. Καὶ ἡ Πολεμάρχου θέρεος ἤρξατο πυρεταίνειν· ἀφῆκε δεκαταίην.¹ μετὰ δὲ ὑπεφέρετο· ἐς νύκτα θέρμαι.² πάλιν δὲ διαλιπὼν ἔλαβεν ὁ πυρετός, καὶ οὐκ ἀνῆκε σχεδὸν τριῶν μηνῶν. βῆξ πολλή· ἀπόχρεμψις φλέγματος· ἐπεὶ περὶ³ τὰς εἴκοσιν ἐγένετο, | πνεῦμα
420 αἰεὶ πυκνόν· ἐν τῷ στήθει ψόφοι· ἰδρώδης τὰ πολλά· πρῶτ' ἡπιώτερος ὁ πυρετός· καὶ φρίκαι ἔστιν ὅτε ἐλάβανον· ὕπνοι ἐγίνοντο· καὶ κοιλίη ἔστιν ὅτε καθυγραίνετο, καὶ πάλιν ξυνίστατο· ἐγεύετο ἐπιεικῶς. μεσοῦντος δὲ τοῦ χρόνου ἐς γούνατα καὶ κνήμας ἄλγημα· καὶ ξυγκάμπτειν καὶ ἐκτείνειν ἄλλον ἔδει· διετέλει τὰ τῶν σκελέων μέχρι τελευτῆς· ὑπόγουον δέ· καὶ ἐπώδησαν⁴ οἱ πόδες μέχρι κνημέων, καὶ ἐφαπτομένων ἤλγει· καὶ οἱ ἰδρώτες ἔληξαν καὶ τὰ ῥίγεια· ὁ δὲ πυρετὸς αἰεὶ ἐπέτεινεν. πρὸ δὲ τῆς τελευτῆς κοιλίη κατερράγη· ἔμφρων διετέλει· πρὸ τριῶν ῥεγχώδης ἐν φάρυγγι, καὶ πάλιν ἐπανίετο.

¹ δεκαταίη V

² θέρμη V

³ ἐπίπερ M

⁴ ἐπώδησαν V

her right thorax, the cough was aroused, and asthma, and small expectorations, white, thinnish. And the shivering, no longer from the feet but from the neck and back. Bowels rather watery. The fever ceased with much sweat, and she grew chilled. The asthma was variegated. She died conscious on the seventh day after the withdrawal of fever.

51. Also Polemarchus' wife, in summer, started to be feverish. It left her on the tenth day. But afterwards she relapsed. Fever towards night. Again the fever left and then seized her and did not leave her for nearly three months. Much coughing, bringing up of phlegm. When she came to about twenty days her breathing became continuously rapid. There were noises in her chest. She was sweaty for the most part. The fever was milder early in the day, and shivering sometimes seized her. She slept. Her bowels were watery sometimes and again stabilized. She had a fairly good appetite. But in the middle of the time she developed pain in the knees and lower legs, and it was necessary for someone else to bend and extend them. The symptoms in the legs persisted to the end, and that was at hand. Her feet swelled up as far as the calves, and were painful when touched. The sweats and the shivering abated, but the fever continually intensified. And before the end the bowel broke loose. She remained conscious. Three days before, she had wheezing in the pharynx, and again that stopped.

52. Ἦγησιπόλιος παιδίον σχεδὸν τέσσαρας μῆνας ἄλγημα περὶ ὀμφαλόν, βρωτικῶς¹ εἶχεν· προΐοντος ἐπέτεινεν ἢ ὀδύνη, ἔκοπτε τὴν γαστέρα, ἐτίλλετο. θερμαὶ ἐπελάμβανον· ἐτήκετο· ὁστέα ἐλείφθη· τὰ πόδια ἐπῴδει, ὄρχιες· γαστρὸς τὰ περὶ ὀμφαλὸν πεφυσηγγωμένον² ἀραιὸν οἷσι μέλλουσι κοιλίαι ὑποταράσσεσθαι· ἀπόσιτος ἐγένετο, γάλα προσεδέχετο· ὑπόγυον, καὶ ἡ κοιλίη καθυγράνθη, καὶ ὕφαιμος ἰχὼρ ὑπῆρει κάκοδος· κοιλίῃ ἐπίμπρατο.³ ἔτελεύτησεν ἐμέσας σμικρόν, βραχύ, φλεγματῶδες, ὥστε δόξαι οἶον γονὴν τῆς πλατεΐης. τελευτήσαντι δ' ἡ ῥαφή⁴ τῆς κεφαλῆς σφόδρα ἐκοιλάνθη· ἀρρωστών δ' αἰεὶ τῇ χειρὶ κατῆγε κατὰ τοῦ βρέγματος, μάλιστα δ' ὑπόγυον, οὐκ ἤλγει δὲ τὴν κεφαλὴν· καὶ ἐν μηνῶ ἀριστερῶ ὑπὸ |
 422 βουβῶνα τὸν⁵ κάτω, πελιδνόν· ἴσως τῇ προτεραίῃ ὄρχις⁶ κατισχνάνθησαν. ὅμοια⁷ δὲ καὶ τῷ Ἦγητορίδew παιδίῳ. ἀπέθανε. πλὴν ὅτι ἔμετοι προσεγένοντο ὑπὸ τὴν τελευτὴν πλείους.

53. Ἡ⁸ Ἰππίου⁹ ἀδελφεή, χειμῶνος, φρενιτικῆ, ἁμαρτάνουσα, τῇσι χερσὶ πραγματευομένη, ἀμύσσουσα ἑωυτὴν πέμπτη, ἕκτη, ἐς νύκτα ἄφωνος, κωματώδης, ἐμφυσῶσα ἐς γνάθους καὶ χεῖλεα, ὥς οἱ καθεύδοντες· ἔτελεύτησε περὶ ἐβδόμην.

¹ βρωτικὸς M² πεφυσηγγωμένον M³ ἐπίμπρατο M⁴ γόνη M⁵ τῷ M⁶ ὄρχις δὲ M⁷ om. V⁸ om. V⁹ Ἰππίος MV: corr. rece.

52. The infant son of Hegesipolis had, for nearly four months, a gnawing pain by the navel. As time passed, the pain intensified, he beat on his belly, plucked at it. Fever seized him. He wasted away. The bones were seized. His feet swelled: testicles. The parts of the belly around the navel formed a loose-textured stalk of material that was going to make a disturbance in the bowel.^a He did not want food. He would take milk. The end was near. The bowel became watery, and bloody serous matter came out, foul-smelling. The intestine was inflamed. He died after vomiting a small short phlegmy object that seemed like the embryo of the flatworm. On his death the suture of his skull became very hollow. While he was sick he kept drawing down with the hand from the front of his head, especially as the end was imminent, but he had no pain in the head. And on the left thigh underneath the lower gland, a livid area. The testicles lost their swelling, perhaps on the previous day. Similar symptoms occurred for the child of Hegetorides, which died. Except that more vomiting occurred towards the end.

53. The sister of Hippias, in the winter, was phrenitic; regimen bad; very busy with her hands, lacerating herself on the fifth day. On the sixth day, towards night, speechless, comatose, puffing into her jaws and lips like sleeping people. She died towards the seventh day.

^aThe grammar and meaning here are not very clear, but the comparison seems to be drawn between the swelling of the area of navel and the growth of a garlic stalk which "puffs" as it grows.

54. Ἄσανδρος¹ φρίξας· πλευροῦ ἄλγος, ἐς γούνατα καὶ μηρὸν ὀδύνη. φαγὼν παρεφρόνει, ἐτελεύτησε ταχέως.

55. Τῷ Κλεοτίμου σκυτεῖ, κοιλῆς ὑγρανθείσης πολὺν χρόνον, καὶ θερμῆς γενομένης, καθ' ἥπαρ ἔπαρμα φυματῶδες ἐς ὑπογάστριον κατέβη· καὶ κοιλὴ ὑγραίνετο· καὶ ἕτερον αὐτῷ καθ' ἥπαρ ἄνω πρὸς ὑποχόνδριον φῦμα· ἐτελεύτησεν.

56. Οἷσι κεφαλῆς ὀδύνη δεινὴ ξὺν θερμῇ, οἷσι μὲν ἐς τὸ ἥμισυ τῆς κεφαλῆς, καὶ κατὰ ῥινάς τι ὑγρὸν ἀποχωρεῖ λεπτὸν ἢ πέπον, ἢ ἐς ὦτα. ἐς φάρυγγα ἐκ κεφαλῆς, ἀσφαλέστερον· οἷσι δὲ ξηρὰ ταῦτα, ὁ δὲ σφάκελος δεινός, ἐπικίνδυνα· ἦν δὲ προσῆ ἀσώδης, ἢ χολώδης² ἔμετος, ἢ κατάπληξις ὀμμάτων, ἢ ἀφωνίη, καὶ σπᾶνιόν τι φθέγγηται, ἢ λῆρός τις, θανάσιμα καὶ σπασμώδεα. ὅποσοι δ' αὖν ἐκ κατάρρου τὸ ἥμισυ τῆς κεφαλῆς πονέοντες, καὶ κατὰ ῥίνας ὑγροῦ ὑποχωρέοντος, ἐπιπυρετήνωσιν, ἐπιεικῶς ἐν τῇ πέμπτῃ ἢ ἕκτῃ περιψύχονται.

57. Ἐχεκράτει τῷ τυφλῷ, κεφαλῆς ὀδύνη δεινὴ, μᾶλλον ἐς τοῦπισθεν, καὶ τραχήλου, ἢ ἢ πρόσφυσις, καὶ ἐς κορυφὴν ἐχώρει, προϊόντος δὲ καὶ ἐς οὓς ἀριστερόν· καὶ τὸ ἥμισυ τῆς κεφαλῆς ἐπώδυνον· μυξώδεα αἰεὶ ἐχώρει ἐπιεικῶς συγκεκαυμένα· καὶ θερμὴ παρηκολούθει λεπτή· καὶ ἀπόσιτος· τὴν ἡμέρην ῥάων, ἐς νύκτα δὲ ὀδύνη. ἐπεὶ δὲ τὸ κατὰ τὸ οὓς ἐρράγη πύον,

¹ ὁσάνδιος MV: ὄσανδρος recc.: corr. Asul.

² χυλώδης M

54. Asandrus had been shivering; pain in thorax, painfulness into knees and thighs. He ate, became delirious, died swiftly.

55. For Cleotimus' shoemaker, after his bowels had been watery for a long time and a fever had come on, a tumorous swelling developed by the liver and descended to the lower abdomen. The bowels were watery. Another tumor developed above the liver towards the hypochondrium. He died.

56. People who have dreadful pain in the head with fever: if they have it in half the head, and their nose exudes something watery, or thin, or concocted, or if it comes to the ears or into the pharynx from the head, there is less danger. But when these things are dry, and the lesions are frightful, there is much danger. And if nausea be present, or bilious vomiting, or fixity of the eyes, or voicelessness and infrequent speech, or delirious talk; these signs are fatal and convulsive. Those who suffer from flux in half their head, and develop fever while there is a watery discharge by the nose, generally lose the fever on the fifth or sixth day.^a

57. Echecrates, who was blind, had a dreadful pain in the head, more to the back and in the neck at the top of the spine, and it reached to the crown of the head and as time passed also to the left ear. Half his head was painful. There was continuous mucous discharge, rather burnt. A light fever persisted, and he did not want food. In the daytime he was easier, but he had pain towards night. When

^a Cf. *Epid.* 5.102.

ἔληξε πάντα· ἐρράγη δὲ περὶ χειμῶνα. ἦρά γε ἐν¹ πᾶσι τοῖσιν ἐμπυήμασιν, καὶ τοῖσι περὶ ὀφθαλμόν, ἐς νύκτα οἱ πόνοι;

58. Οἷσι βῆχες χειμῶνος, μάλιστα δὲ ἐν² νότοισι, παχέα καὶ πολλὰ χρεμπτομένοισι, πυρετοὶ ἐπιγίνονται, ἐπιεικῶς δὲ πεμπταῖοι παύονται· αἱ βῆχες δὲ περὶ τὰς τεσσαράκοντα, οἷον Ἑγησιπόλει. οἷσι θέρμαι λεπταὶ ἔστιν ὅτε παυομένων, οὐχ ὅλον τὸ σῶμα, ἀλλ' ἢ περὶ αὐχένα καὶ ὑπὸ μασχάλας, ἢ κεφαλὴν ἀφιδρώσαντες,³ παύονται.

59. Χάρητι,⁴ χειμῶνος, ἐκ βηχίου ἐπιδημίου προσγενόμενος πυρετὸς ἐπέλαβεν ὀξύς· τὰ ἱμάτια ἀπέβαλλε· κῶμα μετὰ πόνου ἐγένετο· οὖρα⁵ ἐρυθρά, οἷον ὀρόβων πλύμα· ὑπόστασις εὐθύς ἀπ' ἀρχῆς πολλὴ λευκή, ὕστερον δὲ καὶ ὑπέρυθρος. ἐβδόμη, ἀπὸ βαλάνου σμικρὰ ὑπῆλθεν· τὸ κῶμα κατεῖχεν ἄλυτον· νοτὶς ἐπὶ μετώπῳ· ὕπνος ἐς νύκτα, καὶ θερμὴ ἡπιωτέρη.⁶ ὀγδόη, χυλὸν προσεδέξατο· κωματώδης διετέλει μέχρις ἑνδεκάτης. ταύτῃ δὲ καὶ ἡ θερμὴ μάλιστα ἔληξεν· ὑπῆν δὲ βῆξ,⁷ ἀπόχρεμψις διετέλει αἰεὶ πολλή, ῥηϊδίως, πρῶτον γλίσχρη, λευκή, παχέη, ἐπεὶ δὲ ξυνε-

¹ ἦρά γε ἐν] ἦράγεε V: ἦραγεεν M (cf. Epid. 5.77)

² om. M (cf. Epid. 5.78)

³ ἀφιδρώεντες M

⁴ χάριτι M

⁵ ἐγένετονετοούρα M

⁶ ἡπιώτερον MV: corr. rece.

⁷ ὑπῆν δὲ ἦν βῆξ M

the pus broke out by the ear all symptoms abated. It broke out towards winter. Is it true that in all suppurations, including those around the eye, the distress comes towards night?^a

58. Those who have coughs in winter, especially in south winds, and who cough up much thick matter, develop fevers, but the fevers generally cease on the fifth day, while the coughs last until around the fortieth day, as with Hegesipolis. If people have light fevers of the sort that stop periodically, when they have sweats that are not over the whole of the body but either about the neck and down to the armpits or about the head, they are recovering.^b

59. Chares, in winter. After an epidemic cough an acute fever adding to the cough seized him. He kept throwing off the bedcovers. Coma with distress developed. Urine red, like the water that vetch seeds have soaked in. There was much white sediment immediately from the beginning, later reddish. On the seventh day, from a suppository, a small movement. The coma persisted, without pain. Moisture on the forehead. Sleep towards night and more gentle fever. On the eighth day he took broth. He stayed comatose until the eleventh day. On that day the fever, too, abated for the most part. But the cough was there; much matter continued to be brought up, easily, sticky at first, white, thick, and, when it

^a Cf. *Epid.* 5.77.

^b Cf. *Epid.* 5.78.

πεπαίνεται, ὁμοίῃ πυώδεσιν· οὔρα ἀπὸ ἐνδεκάτης¹
καθαρώτερα, ὑπόστασις τρηχέϊη. τρισ|καιδεκάτη
ἄλγημα ἐπὶ δεξιὰ μέχρι κενεῶνος ἐς ὑπογάστριον·
οὔρον ἔσχετο· πόμα τὸ ἀπὸ τοῦ καλλιφύλλου ξυνή-
νεγκεν. πεντεκαιδεκάτη πάλιν τὸ ἄλγημα. ἐκκαι-
δεκάτη ἐς νύκτα μᾶλλον τὸ ἄλγημα² ὑποχονδρίου
ἦρχετο ἐς κοιλίην· λινοζώστιος ὕδωρ ὑπήγαγεν. ἡ
θέρμη ἐντὸς τῶν εἴκοσιν ἐμωλύνθη, καὶ³ ἀποχρέμψιες
παρηκολούθουν παχέαι, ῥηϊδίως, ἐς τεσσαράκοντα.

60. Ὑποκαθαίρειν τὰς κοιλίας ἐν τοῖσι νοσήμασιν,
ἐπὴν πέπονα ἢ πεμπταῖα, τὰς μὲν κάτω ἐπὴν ἰδρυ-
μένα ἴδης· σημεῖον, ἢν μὴ ἀσώδεις μηδὲ καρηβαρικοὶ
ἔωσι, καὶ ὅτε αἱ θέρμαι πρηῦταται, καὶ ὅταν λήγῃσι⁴
μετὰ τοὺς παροξυσμούς· τὰς δὲ ἄνω ἐν τοῖσι παρο-
ξυσμοῖσι, τότε γὰρ καὶ αὗται μετεωρίζονται, ἐπὴν
ἀσώδεις καὶ βαρεῖς τὰ ἄνω ἔωσιν. διὰ τοῦτο δὲ μὴ ἐν
ἀρχῇσι καθαίρειν, ὅτι ἀπὸ τοῦ αὐτομάτου ἐν τοῖσι χρό-
νοις⁵ τούτοιςιν⁶ ἡ χρονία ἐπικίνδυνος.⁷

61. Ἐπὶ ὠλεκράνου⁸ ἐκ τρώματος τρωθέντος
πῆχυσ ἐπισφακελίσας πυοῦται·⁹ πεπαινομένου δὲ
γλίσχρος ἰχώρ καὶ κολλώδης ἐκθλίβεται· ταχὺ προσί-

¹ ἀπὸ ἐνδεκάτην M

² ἐκκαιδεκάτη . . . ἄλγημα om. V ³ om. V

⁴ ληρῶσι MV (cf. *Epid.* 5.64)

⁵ χρονίοισι MV: corr. Li. ⁶ om. V

⁷ ἐπικίνδυνα M

⁸ ὠλεκράνου MV (proper name in V): corr. Asul.

⁹ recc.: πυοῦται τε MV

was concocted, like purulent discharges. Urine from the eleventh day clearer, the deposit coarse. On the thirteenth day, pain on the right side and stretching to the flank, towards the lower belly. The urine was retained. The drink made from *kalliphyllon* helped. On the fifteenth day, again the pain. On the sixteenth, more towards night, the pain of the hypochondrium proceeded towards the lower belly. Water of *linozostis* produced a bowel movement. The fever was relieved before the twentieth day, and the expectorations continued thick, easily produced, to the fortieth day.

60. In diseases purge the intestines when the diseases are ripe (concocted), or in their fifth day; the lower intestines, when you see the diseases are settled. Indication: if the patients are not nauseous or heavy-headed, and when the fever is mildest, and when it abates after the exacerbations. Purge the upper intestines during the exacerbations, because the intestines are then elevated when patients are nauseous and heavy in the upper parts. But here is the reason not to purge at the beginning: because chronic illness is automatically a danger in this period.^a

61. The one pierced by a wound in the tip of the elbow: his forearm grew purulent from mortification. But when it ripened a sticky, gluey serum was expressed. It

^a Cf. *Epid.* 5.64.

σταται, ὥς καὶ Κλεογενίσκῳ καὶ Δημάρχῳ τῷ Ἀγλαο-
τέλεος· ὁμοίως δὲ καὶ πάνυ ἐκ τῶν αὐτῶν πύον οὐδέν,
οἶον τῷ Αἰσχύλου παιδί ξυνέβη· πυουμένου δὲ τοῖσι
πλείστοισι φρίκαι καὶ πυρετοὶ ἐπιγίνονται.

62. Ἀλκμᾶνι ἐκ νεφριτικῶν¹ ἀνακομιζομένῳ,
κάτω καὶ αἵματος ἀφαιρεθέντος ἄνω καθ' ἥπαρ
ἐτράφη καὶ πρὸς καρδίην. ἄλγος δεινόν, καὶ τὸ πνεῦμα
ὑπὸ τοῦ πόνου κατείχετο· καὶ ἡ κοιλίη χαλεπῶς | ὑπε-
425 χῶρει σμικρὰ σπυραθώδεα·² ἄση οὐκ ἐνῆν· ῥίγος δ'
ἔστιν ὅτε καὶ πυρετὸς ἐπελάμβανε, καὶ ἰδρώς, καὶ ἔμε-
τος. ἐν τῷ ἀλγῇματι οὐ ξυνέφερεν ὑποκλύσαι θαλάσση,
ξυνήνεγκεν ἀπὸ πιτύρων. ἡσίτησεν ἡμέρας ἑπτὰ·
μελίκρητον ἀκρητέστερον. μετὰ δὲ χυλὸς φακῶν, ὅτε
δὲ λεπτὸν τὸ ἔτνος,³ ἐπέπινεν ὕδωρ. μετὰ δὲ σκυλα-
κίου ἐφθοῦ, μάζης μικρὸν ὅτι μάλιστα πάλαι ξυγκειμέ-
νης· προϊόντος δὲ ἡ βόεια τραχήλια ἡ κωλῆνας ὑείων
κρεῶν⁴ ἐφθῶν. τῇ προτεραίῃ ὑδροποσίῃ, ἡσυχίῃ,
σκέπη· πρὸς τὸ⁵ νεφριτικόν, ἐκ τῆς σικύης κλυσμός.

63. Τῷ Παρμενίσκου παιδί, κώφωσις· ξυνήνεγκε
μὴ κλύζειν, διακαθαίρειν δὲ εἰρίῳ· μούνον ἐγχεῖν
ἔλαιον ἢ νέτωπον·⁶ περιπατεῖν, ἐγείρεσθαι πρῶτ', οἶνον
πίνειν λευκόν, λαχάνων⁷ ἀπέχεσθαι. ἄρτον, ἰχθῦς⁸
πετραίους.

¹ φρενιτικῶν V ² σπυθαρώδεα V

³ Asul.: ἔθνος M: ἔλνος V

⁴ ὕιον ἀκρέων M

⁵ τὸν MV: corr. Asul. ⁶ μέτοπον V

⁷ λάχων M ⁸ ἰχθύσι M

quickly stopped, as it did also for Cleogeniscus and for Demarchus, son of Aglaoteles. Similarly, it happens that there is no pus in very much the same condition, as was the case with Aeschylus' son. But where there is purulence, most develop shivering and fever.^a

62. Aleman was recovering from nephritic affections and, when blood was removed below, the disease was diverted up along the liver and towards the heart. The pain was terrible and his breathing was checked by the suffering. And the bowels, with difficulty, produced small pellets. There was no nausea, but shivering at times and fever seized him, and sweat and vomiting. And in the midst of the pain it did not help to give seawater clysters: there was help from bran-husk clysters. He abstained from food for seven days, drank melicrat in a strong mixture. Afterwards bean broth and sometimes thin pea soup: he drank water: later some boiled young dog, and a little barley cake which had been made as long before as possible. As time went on either beef neck-meat or pork leg-bones, boiled. The previous day, drinking water, quiet, keeping covered. For the nephritic condition, a clyster of wild cucumber.

63. Parmeniscus' child was afflicted with deafness. Not to wash it (the ear?) out was helpful, but to clean it with wool, and only to pour in olive oil or bitter almond oil. Walking about, rising early, drinking white wine, refraining from garden vegetables. Bread and rock fishes to eat.^b

^a Cf. *Epid.* 5.65.

^b Cf. *Epid.* 5.66.

64. Τῇ Ἀσπασίου ὀδόντος δεινὸν ἄλγημα καὶ γνάθου· καστόριον καὶ πέπερι διακλυζομένη καὶ κατέχουσα ἐν τῷ στόματι ἀνῆκε, καὶ στραγγουρικὸν αὐτὴ ἀνῆκε. προσθερμαίνει τὸ ἄλευρον τὸ ξὺν τῷ ῥοδίνῳ. τὰς ἀφ' ὑστερέων κεφαλαλγίας καστόριον παύει. τὰ πλεῖστα τῶν ὑστερικῶν, αἱ φῦσαι· σημεῖον, οἱ ἐρευγμοὶ καὶ οἱ περὶ γαστέρα ψόφοι, καὶ ἐπάρματα ὁσφύος, καὶ περὶ νεφροὺς ἀλγήματα καὶ ἰσχία· καὶ ἐκγεγλευκισμένος¹ μέλας, ἢ ἄρωμάτων τρίτον μέρος, ἀλεύρου δύο, ἐν οἴνῳ εὐώδει ἐψῆσαι λευκῷ, ἐπ' ὀθόνιον ἐπιχέοντα, ἐπαλείψαντα,² καταπλάσσειν, ἐπὶ τῆς γαστρὸς ἀλγήματα ὑστερικά.

430

65. Τῷ Καλλιμέδοντος ξυνήνεγκε πρὸς τὸ φῦμα τὸ ἐν τῷ τραχήλῳ, σκληρὸν ἐὼν καὶ μέγα καὶ ἄπεπτον καὶ ἐπώδυνον, καὶ ἀπόσχασις βραχίονος, λίνον καταπλάσσειν πεφυρημένον.³ οἴνῳ λευκῷ καὶ ἐλαίῳ δεύοντα ἐπιδεῖν μὴ θερμὸν μηδ' ἐφθὸν ἄγαν, ἢ ξὺν μελικρήτῳ ἐψεῖν ἄλευρον τήλιος, ἢ κριθῶν, ἢ πυρῶν.

66. Μελησάνδρῳ τοῦ οὔλου⁴ ἐπιβαλόντος, καὶ ὄντος ἐπωδύνου, καὶ σφόδρα οἰδέοντος, ἀπόσχασις βραχίονος, στυπτηρίη αἰγυπτίη, ἐν ἀκμῇ παραστέλλειν.

¹ ἐκλευκισμένος M: ἐκλελευκισμένος V: corr. Li.

² ἐπαλείφοντα V

³ Smith: πεφυργμένον MV (cf. Epid. 5.68)

⁴ ὄλου V

64. Aspasius' wife had a dreadful pain of the tooth and jaw. She got relief by washing it with castorium and pepper, and holding the solution in her mouth. And she relieved her strangury. Barley meal with rose oil added heat. Castorium stops headaches from the womb. Most of the hysteric^a affections: intestinal gas. An indication is belching and noise in the belly, swelling of the back, pains about the kidney and loins. Give also newly fermented sweet red wine, or a third part of aromatic herbs, two of fine meal: boil in fragrant white wine: pour it on a cloth, and after rubbing her with oil, apply the cloth as a poultice to treat her belly's hysteric pains.^b

65. For Callimedon's son what also helped for the swelling on the neck, which was hard, large, unripe and painful, was opening the vein of the arm, putting on a plaster of saturated linen: wetting it in white wine and oil and binding it on, not hot or too much boiled. Or with melicrat boil meal of fenugreek, or barley, or wheat.^c

66. For Melisander, when his gum was troublesome, painful and very swollen: opening the vein of the arm, Egyptian alum, for reducing it at its height.^d

^a Hysteric probably means simply "uterine" in this passage, without the implications of the wandering womb.

^b Cf. *Epid.* 5.67.

^c Cf. *Epid.* 5.68.

^d Cf. *Epid.* 5.69.

67. Εὐτυχίδει ἐκ χολερικῶν ἔπειτα τῶν σκελέων τετανώδεα· ἔληξεν ἅμα τῇ κάτω ὑποχωρήσει. κατακορέα χολὴν πολλὴν ἡμεὶ ἐπὶ τρεῖς ἡμέρας καὶ νύκτας, σφόδρα ὑπέρυθρον· ὑπὸ δὲ τὸν ἔμετον ἔπινε, καὶ ἀκρατῆς ἦν καὶ ἀσώδης· οὐδὲν κατέχειν ἐδύνατο οὐδὲ τὸ ἐκ τῶν σιδίων· καὶ οὔρου σχέσις καὶ τῆς κάτω διόδου· διὰ τοὺς ἐμέτους τρυῖ μαλακὴ ἦλθε, καὶ κατέρρηξε¹ κάτω.

67b. Ὑδρωπιώδεα² ταλαιπωρεῖν, ἰδροῦν, ἄρτον ἐσθίειν, πίνειν μὴ πολὺ, λούεσθαι³ κατὰ κεφαλῆς πολλῶ μὴ θερμῶ, ἀλλὰ χλιρῶ· οἶνος λευκός· ὕπνῳ μὴ πολλῶ χρῆσθαι.

68. Καλλιγένει, περὶ πέντε καὶ εἴκοσιν ἔτεα γεγεννημένῳ, κατάρροος· ἡ βῆξ πολλὴ ἀνῆγε τὸ καταρρέον ὑπὸ βίης· οὐδὲν κάτω·⁴ ἔτεα τέσσαρα διετέλεσεν· θέρμαι λεπταὶ ἐν ἀρχῇ ἐγένοντο. ἐλλέβορος οὐκ ὠφέλησεν, ἀλλὰ ὀλιγοσιτίη, ἀλλὰ τὸ ξυμπιασθῆναι· | ἐσθίειν ἄρτον· οἶνος μέλας· ὄψα ὅποια ἐθέλοι· ἀπέχεσθαι δριμέων, ἀλυκῶν, λιπαρῶν, ὅποῦ σιλφίου, λαχάνων ὠμῶν· περιπατεῖν πολλὰ· γαλακτοποσίη οὐ ξυνήνεγκεν, ἀλλὰ σήσαμον πίνειν καθαρόν, ὠμόν, ὅσον ὀξύβαφον, σὺν οἶνῳ μαλακῶ.

¹ κατέρυξε M

² Li.: ἰκτεριώδη MV (cf. Epid. 5.70)

³ Corn.: λουῖσθαι MV (possibly correctly)

⁴ κάτω ὑπέμενεν M

EPIDEMICS 7

67. Eutychides, after biliousness, had cramping of the legs. He got better at the same time as the purgation through the bowel. He vomited much pure bile for three days and nights, extremely reddish. He took the drink for vomiting, and was weak and nauseated; he could hold nothing down, even the extract of pomegranate rind. The urine was stopped as well as the bowels. Because of the vomitings soft "wine lees" came out, and his bowels broke loose.^a

67b. Hydropics should exercise, sweat, eat bread, drink little; wash around the head with much water, not hot but lukewarm. White wine. Use not too much sleep.^b

68. Calligenes, when he was about twenty-five years, had a flow from the head. Much coughing brought up violently the matter that had flowed down. Nothing through the bowels. It persisted for four years. There were light fevers at the beginning. Hellebore did not help, but reducing food, yet fattening him. Eating bread. Wine, red. Meats, whichever he wanted. Refraining from acrid, salt, fat, juice of silphium, raw vegetables. Many walks. Drinking milk was of no benefit, but drinking, with mild wine, pure raw sesame, about one tenth of a pint.

^a Cf. *Epid.* 5.79.

^b Cf. *Epid.* 5.70.

69. Τιμοχάρει¹ χειμῶνος κατάρρους, μάλιστα ἐς τὰς ῥίνας· ἀφροδισιάσαντι ἐξηράνθη πάντα· κόπος, θερμὴ ἐπεγένετο· κεφαλὴ βαρὴ· ἰδρῶς ἀπὸ κεφαλῆς πολὺς· κατέρρει δὲ καὶ κατὰ τοῦ σώματος ὅλου· ἦν δὲ καὶ ὑγιαίνων ἰδρώδης· τριταῖος ὑγιάνθη.

70. Ὁ Κλεομένεος παῖς, χειμῶνος ἀρξάμενος, ἀπόσιτος, ἄνευ πυρετοῦ ἐτρύχετο, καὶ ἡμεῖς τὰ σιτία καὶ φλέγμα. δύο μῆνας ἡ ἀσιτίη παρηκολούθησεν.

71. Τῷ μαγεῖρῳ ἐν Ἀκάνθῳ τὸ κύφωμα ἐκ φρενίτιδος ἐγένετο· φαρμακοποσίη οὐδεμία ξυνήνεγκεν· οἶνος μέλας, καὶ ἀρτοσιτίη, καὶ λουτρῶν ἀπέχεσθαι, χρίεσθαί τε καὶ ἀνατρίβεσθαι, μὴ σφόδρα θάλπειν, μὴ πολλῶ πυρί, ἀλλ' ἡπίῳ.

72. Οἷσι ρεύματα ἐς ὀφθαλμοὺς λεπτὰ καὶ χρόνια, ἦν πέποινα κατὰ ῥίνας χωρήσῃ.² ὠφελέονται.

73. Ἦισιν ἐν κυήμασιν ἐκ πτώματος ἢ σπάσματος ἢ πληγῆς πόνοι, ἐπικεικῶς ἐν τῇσι τρίτησι δηλοῖ εἰ διαφθείρει.

74. Τῇ Σίμου³ τὸ τριηκοσταῖον ἀπόφθαρμα πιούση τι ἢ⁴ αὐτόματον· ξυνέβη πόνος, ἔμετος χολωδέων πολλῶν ὠχρῶν, πρασοειδέων, μελάνων, ὅτε πίῳι.⁵ τριταίῃ, σπασμός· τὴν γλῶσσαν κατεμασᾶτο. πρὸς

¹ τιμοχαρίη MII: τιμοχαρίῳ V: (but V reads -ει in Epid. 5.72): τιμοχαρίτι IR

² χωρήσει M

³ τησίμου M

⁴ τι ἢ Li. from Epid. 5.53: τῇ MV

⁵ πίθι M

69. Timochares, in winter, had catarrhs, mostly towards the nose. When he had sexual activity, all was dried up. Fatigue, fever came on. Head heavy. Much sweat from the head, and it flowed down from the whole body; but he tended to sweat even when in health. On the third day he was healthy.^a

70. Cleomenes' son, beginning in the winter, had no desire for food, wasted away without fever, and vomited his food and phlegm. The aversion to food persisted two months.^b

71. The butcher in Acanthus developed a humpback after phrenitis. No drug helped. Red wine and eating bread, and refraining from bathing, being rubbed with oil, warming the back, not excessively, by a small and gentle fire.^c

72. People who have thin chronic flows into their eyes are helped if the flows come ripened through the nostrils.

73. In the case of women in pregnancy who have distress from a fall or from a convulsion or from a blow; generally a woman shows clearly on the third day whether she is aborting.

74. Simus' wife had an abortion on the thirtieth day, from drinking something, or spontaneously. She had pain, vomiting of much bilious material, yellow, leek-colored, black, whenever she drank. On the third day convulsion. She kept biting her tongue. Towards the fourth day it

^a Cf. *Epid.* 5.72.

^b Cf. *Epid.* 5.51.

^c Cf. *Epid.* 5.52.

τεταρταίην εἰσῆλθεν· ἡ γλῶσσα μέλαινα, μεγάλη·
τῶν ὀφθαλμῶν τὰ λευκὰ ἐρυθρά· ἄγρυπνος· τεταρταίη
ἀπέθανεν ἐς νύκτα. |

434 76d.¹ Ὅριγανος ὀφθαλμοῖσι κακὸν πινομένη καὶ
ὀδοῦσιν.

77. Ἡ ἀπὸ τοῦ κρημνοῦ κόρη πεσοῦσα ἄφωνος·
ρίπτασμὸς εἶχεν· ἤμεσεν ἐς νύκτα αἷμα πολὺ, κατὰ τὸ
οὖς τὸ ἀριστερὸν πεσοῦσης αἷμα σύχνον ἐρρύη· μελί-
κρητον χαλεπῶς κατέπινεν· ῥέγχος, πνεῦμα πυκνόν,
ὥσπερ τῶν ἀποθνησκόντων, φλέβες αἱ περὶ τὸ μέτω-
πον τεταμέναι, κλίσις² ὑπτίη, πόδες χλιηροί· πυρετὸς
πολύς· ὁπότε ὀξύτατος μάλιστα κατεπλήσσετο.
ἐβδόμη, φωνὴν ἔρρηξεν· αἱ θερμαὶ λεπτότεραι εἶχον.
περιεγένετο.³

75. Πυθοκλῆς τοῖσι κάμνουσιν ὕδωρ, γάλα πολλῶ
τῷ ὕδατι μινγνὺς ἐδίδου, καὶ ἀνέτρεφον.⁴

76a. Χιμέτλων, κατασχᾶν, ἀλεαίνειν τοὺς πόδας,
ὥς μάλιστα ἐκθερμαίνειν πυρὶ καὶ ὕδατι.

76b. Ὅφθαλμοῖσι πονηρόν, φακῇ, ὀπώρη γλυκέη,
καὶ λάχανα.

¹ From here to ch. 75 I restore the ms. order of the text, but indicate Littré's numeration

² κληῖς MV (cf. *Epid.* 5.55)

³ περιγέγοντο MV (cf. *Epid.* 5.55)

⁴ ἀνέτρεφαν M

invaded that: her tongue was black, swollen. The whites of her eyes were red. Sleepless. She died towards night on the fourth day.^a

76d. Oregano, when drunk, is bad for eyes and for teeth.

77. The girl who fell from the cliff became speechless: restless tossing persisted. She vomited much blood towards night. She had fallen on her left ear, and there was a large flow of blood. She had trouble drinking melicrat. Rasping in the throat: rapid breathing, as of dying people; the blood vessels about the forehead stretched: lying on her back, feet warm. Much fever: when it was very acute she was especially prostrated. On the seventh day she broke her voice free. The fevers continued lighter. She survived.^b

75. Pythocles gave ill people water, and milk which he had mixed with much water, which nourished them successfully.^c

76a. Chilblains: scarifying, warming the feet, heating as much as possible with fire and water.^d

76b. Bad for eyes: lentil soup, sweet fruit, and vegetables.^e

^a Cf. *Epid.* 5.53.

^b Cf. *Epid.* 5.55.

^c Cf. *Epid.* 5.56.

^d Cf. *Epid.* 5.57.

^e Cf. *Epid.* 5.58.

76c. Τοῖσι περὶ ὀσφύν ἢ ἰσχίον ἢ σκέλεα ¹ ἀλγήμασιν ἐκ πόνων, θαλάσση, ὅξει, θερμοῖσι καταιονᾶν, καὶ σπόγγους βάπτοντα πυριᾶν, ἐπικαταδεῖν δὲ εἰρίοισιν οἰσυπηροῖσιν. ²

78. Ὀνισαντίδης τοῦ ὤμου τὸ ἄλγημα ἔσχεν ἐν θέρει γενόμενον ἐξ ἀποστάσιος· ἐν τῇ θαλάσση βρέχειν τὸ σῶμα καὶ τὸν ὤμον ὥς πλεῖστον χρόνον ἐπὶ τρεῖς ἡμέρας· οἶνον λευκὸν ὑδαρέα ἅμα πίνειν ἐν τῇ θαλάσση κατακείμενον, καὶ οὐρεῖν ἐν τῇ θαλάσση.

436 79. Ὁ γναφεὺς ὁ ἐν Σύρῳ, ὁ φρενιτικός· μετὰ δὲ καύσιος τρομώδης· σκελέων τὸ χρῶμα οἶον ὑπὸ κωνῶπων ἐγκαταδήγμασιν. ³ | ὀφθαλμοὺς μέγας, βραχείη κίνησις· φωνὴ κεκλασμένη, σαφὴς δέ· οὖρον καθαρὸν, ὑπόστασιν οὐκ ἔχον· ἦρα διὰ τὴν ἀπὸ τῆς θαψίης ὑποχώρησιν· ὀκτωκαιδεκαταῖος ἀνῆκε μολυνθεὶς ἀνευ ἰδρῶτος.

80. Καὶ ὁ ἐν Ὀλύνθῳ Νικόξενος ὁμοίως· ἐβδομαῖος ἐδόκει χαλάσειν μεθ' ἰδρῶτος· ῥυφήματα προσεφέρετο, οἶνον, βότρυν ἐξ ἡλίου, πρὸς ἑπτακαιδεκαταῖον εἰσῆλθον· καυστικός· τοιοῦτον, ἢ γλῶσσα· θερμὴ ἔξωθεν οὐ πάνυ ἰσχυρή· ἔκλυσις σώματος δεινὴ· φωνὴ κεκλασμένη, ἔργον ἀκοῦσαι, σαφὴς ⁴ δέ· κρόταφοὶ συμπεπτωκότες· ὀφθαλμοὶ κοῖλοι· πόδες μαλακοὶ καὶ χλιηροὶ· κατὰ σπλῆνα ξύντασις· τὸ κλύσμα οὐ πάνυ τι

¹ Τοῖσι περὶ ἰσχίον καὶ σκέλεα ἢ ἰσχίον V

² ὕσυπυροῖσι ῥίνας V οἰσυπηροῖσιν ῥίνας M (cf. Epid. 5.58)

³ ἐν καταδήγμασιν V

⁴ σαφεῖς V

76c. For pains of the lower back or hips or legs from exertion, pour over a mixture of sea water, vinegar, hot water, and give fomentations with sponges that have been dipped in it, and bind with wool that still has oil in it.^a

78. Onisantides, in the summer, had the pain of the shoulder which comes from an apostasis. Soaking his body and his shoulder in the sea for as long as possible for three days; at the same time drinking watery white wine while lying in the sea, and urinating in the sea.

79. The fuller on Syros who was phrenitic: trembling, with burning fever. The color of his legs like that of gnat bites. Eye large, very little movement. Voice broken but intelligible. Urine clear, having no sediment. Was it because of the bowel movement from thapsia? On the eighteenth day the fever ceased, having come down without sweat.

80. The man in Olynthus, Nicoxenus, fared similarly. On the seventh day his fever seemed to slacken with sweat. He was given porridge, wine, raisins dried in the sun. Towards the seventeenth day I visited him. He had burning fever: his tongue was of that kind. The fever outside was not very strong. Dreadful disorganization of body; voice broken, a task to hear it, but intelligible; temples collapsed; eyes hollow; feet soft and warm. Tightness at the spleen. He would not take much enema, but it

^a Cf. *Epid.* 5.58.

ἐδέχετο, ἀλλ' ἀνεπήδα· ἐς νύκτα¹ ἐπῆλθε κόπρος
 ξυνεστηκυῖα ὀλίγη, καὶ αἵματός τι, οἶμαι ἀπὸ τοῦ
 κλυσμοῦ· οὖρον καθαρὸν, λαμπρὸν· κλισίῃ ὑπτίῃ.
 σκέλεα διηνοιγμένα² διὰ τὴν ἔκλυσιν· παράπαν
 ἄγρυπνος. ἐντὸς τῶν εἴκοσιν ἢ θέρμη ἐμολύνθη ἀπὸ
 τῶν ἀπὸ κρίμνου, ἄλλοτε ἀπὸ μήλων³ ὁμοῦ καὶ σίδης
 χυλὸς καὶ φακοῦ πεφωγμένου ψυχρός· καὶ ἀλεύρου
 πλῦμα ἐφθόν, ψυχρόν· λεπτὸν ρύφημα· περιεγένετο.

81. Τῶν κναφῶν οἱ βουβῶνες ἐφυματοῦντο
 σκληροὶ καὶ ἀνώδυνοι καὶ περὶ ἥβην· ἐν τραχήλῳ
 ὅμοια μεγάλα· πυρετός· ἔμπροσθεν δέκα⁴ βηχώδεις
 ἀπὸ ῥηγμάτων. τρίτῃ μὲν ἢ τετάρτῃ γαστῆρ ξυνε-
 τάκη, θέρμαι ἐπεγένοντο· γλῶσσα ξηρή, δίψα· ὑποχω-
 ρήσις⁵ ἐκάστῳ χαλεπαί· ἀπέθανον.

438 82. Τὰ χολερικὰ ἐκ κρηφαγίης, μάλιστα δὲ χοι-
 ρείων ἐνωμωτέρων, καὶ ἐρεβίνθων,⁶ καὶ μέθης εὐώδους
 παλαιοῦ, καὶ ἡλιώσιος, καὶ σηπίης, καὶ καράβων τε
 καὶ ἀστακῶν, καὶ λαχανοφαγίης, μάλιστα δὲ πράσων
 καὶ κρομμύων, ἔτι δὲ θριδάκων ἐφθῶν, καὶ κράμβης,
 καὶ λαπάθων ἐνωμωτέρων, καὶ ἀπὸ περμμάτων, καὶ
 μελιτωμάτων, καὶ ὀπώρης, καὶ σικύου πέπονος, καὶ
 οἴνου καὶ γάλακτος, καὶ ὀρόβων, καὶ ἀλφίτων νέων.
 μᾶλλον ἐν θέρει τὰ χολερικά, καὶ οἱ⁷ διαλείποντες⁸

¹ ἐς νύκτα om. V

² διηνοιγμένα M

³ μήδων MV: corr. HR

⁴ δὲ καὶ conl. Li.

⁵ ὑποχώρησις M

⁶ ἐνερεβίνθων M

⁷ οὐ V

⁸ διαλείποντες M

spurted out. Towards night came a small amount of feces, formed, and a little blood, I believe from the clyster. Urine clear, bright. He lay on his back, legs spread out because of disorientation, totally sleepless. Before the twentieth day the fever came down from the drink made from coarse barley meal, sometimes from apple and pomegranate juice and juice from toasted lentils, cold. Boiled water from soaking wheat meal, cold. Light porridge. He survived.

81. The glands of the fullers swelled up hard, painless, even in the groin; at the neck, similar large swellings. Fever. Ten days previously, coughing caused by fissures. In the third or fourth month the bowels liquified, fevers came on. Tongue dry, thirst. Painful bowel movements for all of them. They died.^a

82. Choleric conditions, from meat-eating and especially undercooked pork, and from chickpeas and from fragrant old wine, exposure to sun, and cuttlefish, from crayfish and lobsters, from eating garden vegetables, especially leeks and onions, and also boiled lettuce, cabbage, and undercooked dock, and from pastry and honey cakes, and fruit and ripe cucumber, and wine with milk, and vetches, and fresh barley. Choleric conditions are more likely in summer, as also remittent fevers and those

^a Cf. *Epid.* 5.59.

πυρετοὶ καὶ οἷσι φρίκαι ἐπιγίνονται. οὗτοι ἔστιν ὅτε κακοήθεις γίνονται καὶ ἐς νοσήματα ὀξέα καθίστανται· ἀλλ' εὐλαβεῖσθαι. μάλιστα δὲ ἡ πέμπτη καὶ ἡ ἐβδόμη καὶ ἡ ἐνάτη δηλοῦσι, βέλτιον δὲ μέχρι τῶν τεσσαρεσκαίδεκα φυλάσσεσθαι.

83. Κύδει¹ μεθ' ἡλίου τροπὰς χειμερινάς, τῆς νυκτός πλευροῦ δεξιοῦ ἄλγημα, καὶ πρότερον εἰθισμένον. ἔληξεν· ἡρίστησεν· ἐξελθὼν, ἔφριξε· πυρετὸς ἐς νύκτα· ἀνώδυνος· βηχίον ῥέον τι ξηρόν. οὔρα οὐ πολλά, ὑπόστασις πολλή, ξυσματώδεα μαδαρά διεσπασμένα ἀπ' ἀρχῆς, μετὰ δὲ τεσσάρων² θολερὰ ὑφίστατο, καὶ τὸ οὔρον οὐκ ἄχρουν, ὑπόστασιν ἔχον, καὶ τὸ σύστημα οὐκ ἐφαίνετο ἐν τῷ χερνιβίῳ,³ ψύχεος ἐόντος. τριταίῳ αὐτομάτῃ κοιλίῃ ὑπῆλθεν. τετάρτῃ, πρὸς βάλανον⁴ εἷ κοπρώδεα καὶ χολώδεα· ὑγρὸς περίρροος. ὕπνος ἐς νύκτα οὐ πάνυ, ἡμέρης δὲ τι ἐκοιμᾶτο· δίψα οὐ σφοδρή, τεταρταίῳ μάλιστα ἐς νύκτα· δέρμα περὶ μέτωπον, καὶ τὸ ἄλλο μαλακόν, ἐπέφερεν⁵ αἰεὶ· πυρετὸς πρὸς χεῖρα ἐκρατεῖτο. ὑπενότιζεν ἄδηλος· σφυγμὸς σφόδρα ἐν μετώπῳ φλεβῶν· βάρος | ἐν τῇσιν ἐπιστροφῇσι καὶ ἐν τῇσιν ὑποχωρήσεσι πάσῃσιν ὀλίγον χρόνον· διὰ παντὸς ἀνώδυνος· ἀπ' ἀρχῆς ἀσώδης, καὶ κατὰ σμικρὸν ἡμει. ἐβδόμῃ πρὸς βάλανον ὑπεχώ-

¹ Smith: Κύδη MV: Φερεκύδει recc.

² τὰς τεσσάρων V

³ Galen writes this at Epid. 6.3.7 as καὶ σύναγμα ἐφαίνετο ἐν τῷ χερνιβίῳ

⁴ βαλάνιον MV

⁵ ἐπέφερεειν M

attended by shivering. These sometimes become of ill habit and are established as acute diseases. Beware. Especially do the fifth day and the seventh and ninth give indication, but it is better to keep watch up to the fourteenth day.^a

83. Cydes, after the winter solstice, had in the night a pain in his right thorax, which had been common before. It went away. He ate a meal. When he went out he had shivering. Fever towards night, without pain. A little cough produced some dry flux. Not much urine, much sediment, pulpy, dispersed particles from the beginning, and after the fourth day it became turbid, the urine itself not of bad color, having suspended matter, and the deposit did not appear in the pan when the urine was cold. On the third day the bowel moved spontaneously. On the fourth in response to a suppository, a solid and bilious movement. Liquid flowed around it. Sleep towards nights, not much, but he had some sleep during the day. Thirst, not severe, on the fourth day, especially towards night. Skin about the forehead, otherwise soft, kept forming ridges. The fever was powerful to the hand. It became damp, but not obviously so. There was violent beating of blood vessels in the forehead. Heaviness for a brief time when he turned and (always) when his bowels moved. He was without pain throughout; nauseous from the first, and he vomited a little. On the seventh day, from a suppository, he had three

^a Cf. *Epid.* 5.71.

ρησε τρίς, χολῶδες¹ καὶ κοπρῶδες, ὑγρὸν, σφόδρα ὠχρόν· καὶ ἤδη τι ὑποπαρέκρουε, καὶ νοτὶς ἐπ' ὀλίγον ἔστιν ὅτε περὶ μέτωπον· τὸ ἱμάτιον ἐπὶ τὸ πρόσωπον· τὰ ὄμματα διὰ κενῆς ὥς εἴ τις βλέπων ξυνέστρεφε,² καὶ πάλιν κατέμυεν· τὸ ἱμάτιον ἀπέβαλλεν. ἐναταίω ἰδρῶς πρῶτ' ἀρξάμενος μέχρι στήθεος³ διετέλει ἕως ἐτελεύτησε, καὶ ὁ πυρετὸς ἐπέτεινε καὶ ἡ παραλήρησις· περὶ μέτωπον πλείστος ἰδρῶς, καὶ οἶον δεινὸν μὲν ἢ ἔκλευκον τὸ χρῶμα,⁴ τὸ ὑπὸ τὰς τρίχας ὥς ἐσμηγμένῳ· ὑποχόνδριον δεξιὸν ἐπηρμένον· ὑφῆκεν ὑφ'⁵ ἑωυτὸν χολῶδες. ὀγδόῃ, ὥς ὑπὸ κωνώπων ἀναδήγματα. πρὸ τῆς τελευτῆς ἐνέβηξεν, οἶον ἐκ μύξης, μύκητα ξυνεστηκότα, λευκῷ φλέγματι περιεχόμενον· ἀπεχρέμπτετο δὲ καὶ ἔμπροσθεν σμικρά, λεπτά,⁶ γαλακτώδεα.

84.⁷ . . . μετὰ τὸ δεῖπνον ἐν τῷ ὕπνῳ ἔφριξεν. πρῶτ' ἐξανέστη καρηβαρικός· ἔφριξεν, ἀπήμεσε, κεφαλὴν ἐβαρύνετο· ἐς νύκτα ἀνῆκε μέχρι μέσου ἡμέρης ἐπιεικῶς·⁸ ἔφριξε πάλιν· νύκτα χαλεπῶς. τὴν ἐπιούσαν δὲ ἡμέρην, πυρετὸς ὀξύς· κεφαλῆς σφάκελος· ἔμετος χολῆς πολλῆς, ἢ πλείστη πρασοειδής· ἔληξε πάντα· ὕπνος ἐς νύκτα. πρῶτ' περιέψυκτο· ἰδρώτιον, νοτὶς ἐπὶ πολὺ τοῦ σώματος· κατὰ σπλῆνα τῇ χειρὶ ἐδείκνυνε ὀλίγον χρόνον ξύστρεμμα ἀνώδυνον, παραχρῆμα | ἔμα-

¹ χολῶδες M ² ξυνέστρεφε M

³ στήθος M ⁴ δέρμα M

⁵ ἐφ' MV: corr. Li. ⁶ λευκά M

⁷ There is no break in the text of the mss.

⁸ om. V

bowel movements, bilious and formed, watery, very yellowish: at that time he became somewhat delirious, and had dampness briefly sometimes about the forehead. His covers over his face. He moved his eyes about emptily, like one glancing about, and again nodded off. He would throw the bedclothes off. On the ninth day sweat which extended to his chest began in the morning, and persisted until his death. And the fever intensified, and the delirium. Most of the sweat was about the forehead: his skin was frightening and whitish, that under his hair as on a person who has been scrubbed with soap. Distension of the right hypochondrium. Bilious bowel movement spontaneously. On the eighth day marks like gnat bites. Before the end he coughed up a mushroom-like object formed as if from mucus, surrounded by white phlegm. And he had previously brought up a little thin, milky matter.

54. . . .^a After the meal he shivered in his sleep. He arose in the morning heavy headed. He shivered, vomited, head weighed down. Towards night it relented somewhat until midday. He began to shiver again. During the night he was in a bad way, and on the subsequent day had acute fever. Violent headache, vomiting much bile, most of it leek-colored. All symptoms relented, there was sleep towards night. In the morning he was chilled. Sweat, dampness over much of his body. By the spleen he indicated with his hand, for a brief time, a painless gather-

^a The beginning of this case history appears to have been lost.

442 ράνθη. ἐς νύκτα ἄγρυπνος· περὶ ἀγορὴν παρωξύνετο
 πυρετός· ἄση, σκοτόδιος, στρόφος, κεφαλῆς ὀδύνη,
 ἔμετος πρασοειδῆς, λεῖος, γλίσχρος ὡς φλέγμα· πρὸ
 δυσμῶν ἔληξε πάντα· ἰδρῶς κεφαλῆς, τραχήλου· ὑπε-
 χώρησε μετὰ τὸν ἔμετον κοπρώδεα, ὑγρά, χολώδεα,
 οὔτε μέλανα, οὔτε ἐπεικίότα. νύκτα μετρίως, καὶ τὴν
 ἐπιούσαν ἡμέρην· ἐς νύκτα πάλιν ἄγρυπνος· ἔμετος
 ὀρθρου ὁμοίως, καὶ τὴν ἐπιούσαν ἡμέρην ἄνευ ἄσης·
 τῆς δὲ κεφαλῆς μετὰ τὸν ἰδρώτα ἔληξαν αἱ ὀδύναι· ἐς
 τὴν ἐσπέρην πάντα ἐχάλασεν. ἐνάτῃ, οὐκ ἔτι ἤμεσεν·
 ἐθερμάνθη μᾶλλον· τοῖσιν ἄλλοισιν οὐκ ἐδόκει πυρεταί-
 νειν· αἱ ἐν κροτάφοισι ἐπήδων· ἀνώδυνος πάντων·
 δίψος ἦν αἰεὶ. ἐναταῖος ἐπὶ θῶκον ἀναστὰς ἐλειποψύχει
 σφόδρα· ὑπεχώρησε πρὸς βάλανον ξυσμάτια μέλανα
 καὶ χολώδεα· χρῶμα κοπρώδες, ὅσον ἀπέσταξεν· ἡ
 φωνὴ κεκλασμένη· ἐν τῇσιν ἐπιστροφῇσι βαρύς·
 ὀφθαλμοὶ κοῖλοι· δέρμα μετώπου περιτεταμένον·
 ἄλλως εὐπνοος, κόσμιος· πρὸς τοῖχον τὰ πλεῖστα ἀπε-
 στραμμένος, ὑγρὸς ἐν τῇσι κλίσεσιν, ἐπικεκαμμένος,
 ἀτρεμίζων· γλῶσσα λευκὴ, λείη. περὶ δὲ τὰς δέκα καὶ
 μετά, οὔρα ἐρυθρὰ τὰ κυκλώδεα, ἐν μέσῳ¹ σμικρὸν
 λευκόν. δωδεκαταίῳ, πρὸς βάλανον ὅμοια ἀπέσταξε
 χολῶ² καὶ ξύσματι· μετὰ τοῦ βαλάνου, λειποψυχίη·
 ἔπειτα τὸ στόμα ἐπεξηραίνεται, διεκλύζετο αἰεὶ· καὶ εἰ
 μὴ σφόδρα ψυχρὸν ἦν,³ θερμὸν ἔφασκεν εἶναι· τῆς χιό-
 νος, ἐπιεικῶς. εἴτα δίψα οὐκ ἐνῆν· τὸ ἱμάτιον αἰεὶ ἀπὸ

¹ ἐν μέσῳ] μέσου V² χυλῶ V³ καὶ εἰ . . . ἦν om. V

ing which suddenly withered away. Towards night, sleepless. At the filling of the marketplace the fever became acute. Nausea, vertigo, pain in the bowel, head pain, vomit of leek-colored matter, smooth, sticky, like phlegm. Before sunset all symptoms relented. Sweat of the head, neck. After the vomit he had a bowel movement, formed, watery, bilious, neither black nor proper-looking. He was easier in the night and the subsequent day. Towards night he was again sleepless. The morning's vomit was similar and through the day he was without nausea. The head pains stopped after the sweat. Towards evening all symptoms relaxed. On the ninth day he did not vomit again. He was warmer. He did not seem feverish in other respects.^a The vessels at his temples leaped. No pain anywhere. There was continuous thirst. On the ninth day when he got up for the toilet he was very faint. In response to a suppository he passed black, bilious particles; what dribbled out was dung-colored. His voice was broken; he was heavy in his movements, his eyes hollow, the skin of his forehead tight. Otherwise he breathed easily and was composed. Mostly turned towards the wall, lying loosely on the bed, bent, not moving. His tongue white, smooth. Around the tenth day and afterwards there were globules in his urine, red with a little white at the center. On the twelfth day in response to a suppository he dribbled feces like bile and scrapings. At the time of the suppository, he was faint. Then his mouth became dry; he kept rinsing it. Unless the water was very cold he said it was hot, if like ice, moderately cold; then his thirst departed. He kept throwing the covers off his chest. He

^a Or "to the other people."

τῶν στηθέων ἀπεώθει· τὴν ἀμίδα χλιαίνειν οὐκ εἶα· τὸ πῦρ πόρρω καὶ σμικρά· γνάθων ἀμφοτέρων ἔρευθος· μετὰ ταῦτα ἄκροπις· ἀνεθερμάνθη μίαν ἢ δύο ἡμέρας· καὶ ἔληξεν. |

444

85. Ἀνδροθαλεῖ ἀφωνίη, ἄγνοια, παραλήρησις· λυθέντων¹ δὲ τούτων, περιῖχει ἔτεα² συχνά· καὶ ὑποστροφαὶ ἐγίνοντο. ἡ γλῶσσα διετέλει πάντα τὸν χρόνον ξηρή· εἰ μὴ διακλύσαιτο, διαλέγεσθαι οὐχ οἷός τε ἦν· καὶ σφόδρα πικρὴ ἦν τὰ πολλά· ἔστι δ' ὅτε καὶ πρὸς καρδίην ὀδύνη. φλεβοτομή ἐλυσε ταῦτα· ὑδροποσίη· μελίκρητον· ἐλλέβορον ἔπιε μέλανα, χολῶδες οὐ διῆει, ἀλλ' ὀλίγον. τέλος δέ, χειμῶνος κατακλιθεῖς, ἐξ ἑωυτοῦ ἐγένετο· καὶ τὰ τῆς γλώσσης παθήματα ὅμοια· θερμὴ λεπτή· γλῶσσα ἄχρως· φωνὴ περιπλευμονική· ἀπὸ τοῦ στήθεος τὸ ἱμάτιον ἀπέρριπτε, καὶ ἐξάγειν ἑωυτὸν ὡς οὐρήσοντα ἐκέλευεν, οὐδὲν δυνάμενος σάφα εἰπεῖν, οὐδὲ ἑὼν παρ' ἑωυτόν, ἐξῆγον αὐτόν· ἐς νύκτα ἐτελεύτησεν· ἦσι κατεκλίνη.³ δύο ἢ τρεῖς ἡμέραι ἐγένοντο.

86. Τὸ Νικάνορος πάθος, ὁπότε ἐς ποτὸν ὀρμῶτο, φόβος τῆς αὐλητρίδος· ὅτε ἀρχομένης⁴ αὐλεῖν ἀκούσειεν ἐν τῷ ξυμποσίῳ ὑπὸ δειμάτων⁵ ὄχλοι. μόγισ ὑπομένειν ἔφη ὅτε νύξ εἴη. ἡμέρης δὲ ἀκούων οὐδὲν διετρέπετο. καὶ ταῦτα παρείπετο χρόνον συχνόν.⁶

¹ αὐθέντων MV (cf. Epid. 5.80)² om. V³ κατεκλίνει MV: corr. Li.⁴ ἀρχόμενος V⁵ ὑποδημάτων M⁶ σύχρον χρόνον V

did not want the chamber pot warmed. The fire was distant and made little heat. There was redness on both cheeks. After that, speech slurred. He had fever for one or two days, and it left him.

85. Androthales suffered from voicelessness, unawareness, and delirium. When these things had stopped he went about many years, and there was a relapse. His tongue stayed dry all the time. If he did not rinse it he could not speak. And it was bitter most of the time. Sometimes he also had pain at the heart. Phlebotomy stopped these symptoms, drinking water; melicrat. He drank black hellebore. No bilious excrement, save a little. At the end, in winter, he took to his bed; he lost his sense of himself. Similar affections of the tongue; light fever; tongue colorless; voice peripneumonic. He threw the covers from his chest and asked that someone get him up to urinate; he could not speak clearly, nor was he aware of himself. They took him to urinate. He died towards night. He had been in bed two or three days.^a

86. Nicanor's affection, whenever he went out drinking, was terror of the flute girl. Whenever he heard one starting to play at the symposium, masses of terrors rose up. He said that he could hardly bear it when it was at night. But when he heard it in the daytime he not affected. This continued over a long period of time.^b

^a Cf. *Epid.* 5.80.

^b Cf. *Epid.* 5.81.

87. Δημοκλῆς δὲ ὁ μετ' ἐκείνου ἀμβλυώσσειν καὶ λυσισωματεῖν ἐδόκει, καὶ οὐκ ἂν κρημνὸν ¹ ἔφη παρελθεῖν οὐδὲ ἐπὶ γεφύρης, οὐδὲ τοῦλάχιστον βάθος τάφρου τολμῆσαι ἂν, ὑπὸ δείματος μὴ πῆσῃ, διελθεῖν, ἀλλὰ δι' αὐτῆς τῆς τάφρου πορεύεσθαι· τοῦτο χρόνον τινὰ αὐτῷ ξυμβῆναι.

88. Τὸ Φοίνικος, ἐκ τοῦ ὀφθαλμοῦ τὰ πολλὰ ἐκ τοῦ δεξιοῦ ὥσπερ ἀστραπὴν ἐκλάμπειν ἐδόκει· οὐ πολὺ δὲ ἐπισχόντι, ὁδύνῃ ἐς κρόταφον τὸν δεξιὸν ² ἐγένετο δεινὴ, ἔπειτα καὶ ἐς ὅλην τὴν κεφαλὴν καὶ ἐς τράχηλον ἥ δέδεται ³ ἢ κεφαλὴν ὀπισθεν τῶν σπονδύλων· καὶ ξύντασις καὶ σκληρότης ἀμφὶ τοὺς τένοντας· εἰ γοῦν ἐπειρᾶτο διακινεῖν τὴν κεφαλὴν ἢ διοίγειν τοὺς ὁδόντας, ἡδυνάτει, ⁴ ὡς σφόδρα ξυντεινόμενος. ἔμετοι, ὁπότε γενοίαιτο, ⁵ ἀπέτρεπον τὰς εἰρημένας ὁδύνας ἥ ⁶ ἡπιωτέρας ἐποίειον· καὶ φλεβοτομήν ὠφέλησε, καὶ ἐλλέβοροι ἦγον παντοδαπά, οὐχ ἥκιστα πρασσοειδέα.

89. Παρμενίσκῳ καὶ πρότερον ἐνέπιπτον ἀθυμίας καὶ ἡμερος ἀπαλλαγῆς ⁷ βίου, ὅτε δὲ πάλιν εὐθυμίῃ. ἐν Ὀλύνθῳ δὲ ποτε φθινοπώρου ἄφωνος κατέκειτο ἡσυχίῃν ἔχων, βραχύ τι ὅσον ἄρχεσθαι ἐπιχειρέων προσεπειν· ἥδη δέ τι καὶ διελέχθη, καὶ πάλιν ἄφωνος. ὕπνοι

¹ παρὰ κρημνὸν M

² τὸν δεξιὸν om. V

³ εἶδεται V: ἦδεται M (cf. Epid. 5.83)

⁴ Smith: δύναιο MV: ὠδυνᾶτο Lind.

⁵ R: γενοίαντο MV

⁶ ἥ add. Lind.

⁷ ἀπαλλαγὴ M

87. Democles, who was with him, seemed to lose his sight and become limp. He said he could not go along a cliff nor cross on a bridge over a ditch of the least depth for fear of falling, but would go through the ditch itself. This affected him for some time.^a

88. Phoenix's problem: he seemed to see flashes like lightning in his eye, mostly the right. And when he had suffered that a short time, a terrible pain developed towards his right temple and then around his whole head and on to the part of the neck where the head is attached behind the vertebrae. And there was tension and hardening around the tendons. If he tried to move his head or open his teeth, he could not, as being violently stretched. Vomits, whenever they occurred, averted the pains I have described, or made them gentler. Phlebotomy helped, and hellebore produced variegated matter, much of it leek-colored.^b

89. Parmeniscus had previously been affected by depression and desire for death, and then again by optimism. One time in Olynthus in the fall he took to his bed, voiceless. He kept still, hardly attempting to begin speaking. At times he said something, and again voiceless.

^a Cf. *Epid.* 5.82.

^b Cf. *Epid.* 5.83.

ἐνῆσαν, ὅτε δὲ ἀγρυπνίῃ, καὶ ῥιπτασμός μετὰ σιγῆς, καὶ ἀλυσμός, καὶ χεὶρ πρὸς ὑποχόνδρια ὡς ὀδυνωμένῳ· ὅτε δὲ ἀποστραφεὶς ἔκειτο ἡσυχίην ἄγων. ὁ πυρετός δὲ διατέλεος, καὶ εὐπνοος· ἔφη δὲ ὕστερον ἐπιγινώσκειν τοὺς ἐσιόντας· πιεῖν ὅτε μὲν ἡμέρης ὅλης καὶ νυκτὸς διδόντων, οὐκ ἤθελεν, ὅτε δὲ ἐξαίφνης τὸν στάμνον ἀρπάσας τοῦ ὕδατος ἐξέπιεν· οὖρον παχὺ ὡς ὑποζυγίου. περὶ δὲ τὴν τεσσαρεσκαίδεκα ἀνῆκεν.

90. Ἡ δὲ Κόνωνος θεραπείανα,¹ ἐκ κεφαλῆς ὀδύνης ἀρξαμένη, ἐκτὸς ἐωυτῆς καὶ βοῇ καὶ κλαυθμός πολὺς, ὀλιγάκις δὲ ἡσυχίῃ. περὶ δὲ τὰς² τεσσαράκοντα ἐτελεύτησεν· τὰς δὲ ἐπὶ τελευτῆς ὡς δέκα³ ἡμέρας ἄφωρος καὶ σπασμώδης ἐγίνετο. |

448

91. Καὶ ὁ τοῦ Τιμοχάριος θεραπείων, ἐκ μελαγχολικῶν δοκεύντων εἶναι καὶ τοιούτων, ἐτελεύτησεν ὁμοίως, καὶ περὶ ἡμέρας τὰς αὐτάς.

92. Τῷ Νικολάου περὶ ἡλίου τροπὰς χειμερινὰς ἐκ πότων ἔφριξεν· ἐς νύκτα πυρετός. τῇ ὑστεραίῃ ἔμετος χολώδης, ἄκρητος, ὀλίγος. τρίτῃ ἀγορῆς πληθούσης ἰδρῶς δι' ὅλου τοῦ σώματος· ἔλξηε καὶ ταχὺ πάλιν ἐθερμάνθη· περὶ μέσας νύκτας ῥίγος, πυρετός ὀξύς. ἡμέρης δὲ τὴν αὐτὴν ὥρην ἰδρῶς· ταχὺ πάλιν ἐπεθερμάνθη· ἔμετος ὁμοίος. τῇ τετάρτῃ, ἀπὸ ὕδατος λινοζώστιος ὑπεχώρησεν εὖ κοπρώδεα καὶ ὑγρά, ὑπομύσαρα δέ, σποδοειδέα, οἷα ὕδωρ λινοζώστιος, οὐκ

¹ θεραπείῃ M

² δὲ τὰς] ἔτεα MV (cf. Epid. 5.85)

³ δέκα] ἕξ V: δ' εχ (sic) M (cf. Epid. 5.85)

Sleep came on, and periodically wakefulness, and tossing silently, and delirium, and his hand went to his hypochondria as though he was in pain. And at times he turned away and lay still. His fever was continuous and he was breathing easily. He later said that he recognized people who came in. At times for a whole day and night when they offered water to drink he did not want it, but at times he would suddenly seize the water cooler and drink it down. His urine thick like a mule's. He was cured about the fourteenth day.^a

90. Conon's (female) servant, who began with a pain in the head, became delirious; shouting, much crying out, with some periods of quiet. She died about the fortieth day. For about ten days before her death she was speechless and convulsive.^b

91. And Timochareus' (male) servant, from what seemed a similar melancholic affection, died similarly in about the same number of days.^c

92. Nicolaus' son, about the winter solstice, had shivering after drinking. Towards night, fever. The following day, bilious vomit, unmixed, in small quantity. On the third day at the time when the agora was filled, sweat over his whole body; that stopped and he quickly again became feverish. About the middle of the night, a chill, acute fever. In the day at the same hour, sweat; quickly again feverish; vomit similar. On the fourth day, from water of *linozostis* a good movement, formed and moist, but somewhat foul, cinder-like, such as water of *linozostis* produces,

^a Cf. *Epid.* 5.84.

^b Cf. *Epid.* 5.85.

^c Cf. *Epid.* 5.87.

ἀνόμοια, ὑπόστασις οὐκ ἦν· οὐδὲ πολὺ τὸ οὖρον, ἐναιω-
ρήματα σμικρά· ἀλγήματα ὑποχονδρίου ἀριστεροῦ καὶ
ὀσφύος, ὥετο ἐκ τοῦ ἐμέτου· ἐπανέπνει ἔστι δ' ὅτε
διπλόον· γλῶσσα λευκή, ἔχουσα ἐκ δεξιοῦ οἶον θέρμου
πρόσφυσιν ὑποβρυχίην·¹ διψώδης, ἄγρυπνος, ἔμφρων.
ἐκταίῳ δεξιὸς ὀφθαλμὸς μέζων ἦν² τῷ βλέπειν. ἐβδο-
μαῖος ἐτελεύτησε· κοιλήν πρὸ τῇ τελευτῇ ἐμετεω-
ρίσθη· ἀποθανόντος³ τὰ ὀπισθεν ἐφοινίχθη.

93. Μέτωνι μετὰ Πληϊάδος δύσιν πυρετός, πλευροῦ
ἀριστεροῦ ὀδύνη μέχρι ἐς κληΐδα οὕτω δεινὴ ὥστε
450 ἀτρεμίζειν οὐχ οἷός τ' ἦν, | καὶ τὸ φλέγμα κατεῖχεν·
ὑποχώρησις πολλὴ χολώδης. ἐν τρισὶν ἡμέρησι σχεδὸν
ἔληξεν ἡ ὀδύνη, ἡ θέρμη δὲ περὶ τὰς ἑπτὰ ἢ ἐννέα. βῆξ
ἐνῆν· ἀποχρέμψεις ὑπόχολοι οὐδὲ ἐγένοντο, οὐδὲ πολ-
λαί, φλεγματώδεις δέ.⁴ αἱ βῆχες παρηκολούθειον·
σιτίων ἀπεγεύετο· ἔστιν ὅτε ἐξῆι ὡς ὑγιῆς· ὑπελάμ-
βανον ἐνίοτε θέρμαι λεπταὶ ὀλίγον χρόνον· ἰδρώτια
ἐγίνοντο ἐς νύκτα· πνεῦμα ἐν τῇ θέρμῃ πυκνότερον·
γνάθων ἔρευθος· περὶ τὸ πλευρὸν βάρος καὶ ὑπὸ
μασχάλην⁵ καὶ ἐς ὤμον. αἱ βῆχες ἀπεῖχον·⁶ φάρμακον
ἄνωθεν ἤγαγε χολώδεα· τρίτῃ ἀπὸ τοῦ φαρμάκου
ἐρράγη τὸ πύον, ἀπὸ δὲ τῆς ἀρχῆς τοῦ ἀρρωστήματος
τεσσαρακοστῇ·⁷ ἀποκαθῆραι δὲ περὶ πέντε καὶ τριή-
κοντα ἡμέρας ἄλλας, καὶ ὑγιῆς.

¹ ἐπὴν βραχῇ MV: corr. Li.

² Smith: ἐν mss.

³ ἀποθανόντας M

⁴ δέ om. V

⁵ τὴν μασχάλην M

fairly uniform. There was no deposit, and not much urine; small suspended particles. He had pains in the left hypochondrium and lower back, from the vomit, he believed. He inhaled doubly sometimes. Tongue white, and with an underlying swelling on the right, as if from heat. Thirsty, sleepless, conscious. On the sixth day the right eye was greater to look at. He died on the seventh day. The belly before the end was elevated, and after death his back became bright red.^a

93. Meton, after the setting of the Pleiades, had fever. Pain in the left side up to the collarbone, so severe that he could not keep still, and phlegm possessed him. There was much bilious excrement. Within three days the pain virtually disappeared, and the fever about the seventh or ninth. He had a cough, the expectorated material was not bilious nor was there much of it, but phlegmatic. The coughing persisted. He nibbled at his food. Sometimes he went out, as though healthy. But sometimes light fevers seized him for a brief time. There were sweats towards night. His breathing was more rapid in the fever. His cheeks were red. Around the thorax a heaviness, and beneath the armpits and up to the shoulder. The cough slackened. A drug brought up bilious vomit. On the third day after the drug, the pus broke forth, the fortieth day after the beginning of the illness. With purging for thirty-five more days, he became healthy.

^a Cf. *Epid.* 5.88.

⁶ ἐπεῖχον Foës

⁷ τεσσαρακοστήν M

⁸ ἀπεκαθάρθη Foës

94. Τῇ Θεοτίμου ἐν ἡμιτριταίῳ ἄση καὶ ἔμετος καὶ φρίκη ἅμα ἀρχομένῳ τῷ πυρετῷ, καὶ δίψα· προϊόντος καὶ ἀρχομένῳ ἐξαίσιον τὸ θερμόν· μελίκρητον πιούση καὶ ἀπεμεύση ἢ τε φρίκη καὶ ἡ ἄση ἐπαύσατο· καὶ τὸ ἀπὸ τῆς σίδης ὕστερον.

95. Τῇ Διοπείθεος ἀδελφεῇ ἐν ἡμιτριταίῳ δεινὴ καρδιαλγίη περὶ τὴν λῆψιν, καὶ παρείπετο¹ ὅλην τὴν ἡμέρην· καὶ κεφαλαλγίη. καὶ τῇσιν ἄλλησιν ὡσαύτως ὑπὸ Πληϊάδος δύσιν· ἀνδράσι σπανιαιτέρα ἐγένετο τὰ τοιαῦτα.

96. Τῇ Ἀπομότου ἐν ἡμιτριταίῳ, περὶ Ἀρκτοῦρον, δεινὴ καρδιαλγίη περὶ τὴν λῆψιν,² καὶ ἔμετοι, καὶ πνίγες προϊόνταντο ἅμα ὕστερικάι, καὶ ἐς τὸ μετὰφρενον ὀδύναι κατὰ ράχιν· ὅτε ἐνταῦθά οἱ ἦει, ἔλγηγον αἱ καρδιαλγίαι.

452 97. Τῇ Τερπιδεῷ μητρὶ τῇ ἀπὸ Δορίσκου³ διαφθορῆς γενομένης μηνὶ πέμπτῳ διδύμων ἐκ πτώματος,⁴ τοῦ μὲν ἑτέρου αὐτίκα ὡς ἐν χιτῶνί τινι ἀπηλλάγη, τοῦ δὲ ἑτέρου ἢ πρότερον ἢ ὕστερον τεσσαράκοντα ἡμέρησιν ἀπηλλάγη. ὕστερον δὲ ἔλαβεν ἐν γαστρὶ. ἔτει⁵ δὲ ἐνάτῳ ὀδύναι δειναὶ κατὰ γαστέρα ἐπὶ πολὺν χρόνον· ἤρχοντο ἔστι μὲν ὅτε⁶ ἐκ τοῦ τραχήλου καὶ ράχιος καθίσταντο δὲ ἐς ὑπογάστριον καὶ βουβῶνας·⁷ ἔστι δ'

¹ συμπαρείπετο M ² λήμψιν M

³ Δωρίσκου M ⁴ πώματος M

⁵ ἔτι M ⁶ ὅτι M

⁷ R: βουβῶνες MV

94. Theotimus' wife, in a semitertian, had nausea and vomiting; shivering at the time the fever began, and thirst. As time went on, and even at its beginning, the fever was extraordinary. When she drank melicrat and vomited, her shivering and nausea stopped. And later the solution from pomegranate skin.

95. Diopeithes' sister in a semitertian had terrible heartburn at its onset, and it continued all day. And head pain. So did other women about the time of the Pleiades' setting. Such symptoms were rarer for the men.^a

96. Apomotus' wife, in a semitertian, at Arcturus' rising, terrible heartburn at the onset, and vomiting, and at the same time hysteric suffocation was obvious, and pains into the back around the spine. But when the pain was there the heartburn stopped.

97. Terpides' mother, who was from Doriscus, had an abortion of twins after a fall in the fifth month. She was immediately delivered of one that was in a sort of cloak, and of the other earlier or later by forty days. But she later conceived a child. But nine years later she had terrible pains in the belly for a long time. They sometimes started from the neck and spine and settled in the lower belly and

^a Cf. *Epid.* 5.89.

ὅτε ἐκ γούνατος τοῦ δεξιοῦ καθίσταντο δὲ ἐς τωυτό· καὶ ὅτε μὲν κατὰ τὴν γαστέρα αἱ ὀδύναι εἶεν ἐμετεωρίζετο ἢ κοιλίῃ· ὅτε δὲ ἐπαύσατο, ξυνέπιπτεν ἢ¹ καρδιαλγίῃ· πνιγμοὶ οὐκ ἐνῆσαν· ψύξις δὲ τοῦ σώματος ὥς ὕδατι κειμένῳ κατὰ τὸν χρόνον ἡνίκα ἢ ὀδύνη ἐγίνετο. ὑπέστρεφε δι' ὅλου τὰ ἀλγήματα ἢ ἡπιώτερα τῶν κατ' ἀρχάς. σκόροδα, σίλφιον, τὰ δριμέα ξύμπαντα οὐ ξυνέφερον, οὐδὲ τὰ γλυκέα, οὐδὲ τὰ ὀξέα, οὐδὲ οἱ λευκοὶ οἶνοι· οἱ μέλανες δὲ καὶ λουτρὰ ὀλιγάκις. ἀρχομένη καὶ ἔμετοι δεινοὶ ἐπεγίνοντο, καὶ τῶν σιτίων ἀποκλείσεις περὶ τὰς ὀδύνας. καὶ τὰ γυναικεῖα οὐκ ἐφαίνετο.

95. Τῇ Κλεομένεος, περὶ ζεφύρου πνοάς, ἐκ ναυσίης καὶ κόπου² πλευροῦ ἀριστεροῦ ὀδύνη ἐκ τραχήλου ἀρξαμένη καὶ τοῦ ὤμου· πυρετὸς καὶ φρίκη καὶ ἰδρώς. ἤρξατο δὲ ὁ πυρετός· οὐκ ἔληγεν, ἀλλ' ἐπέτεινε, καὶ ἢ ὀδύνη δεινὴ, βῆξ, ἀπόχρεμψις ὕφαιμος, ὠχρή, πολλή· γλῶσσα λευκή· διαχωρήματα μέτρια, ὑγρά· οὖρα χολώδεα. τετάρτῃ ἐς νύκτα τὰ γυναικεῖα ἦλθε πολλά· καὶ ἔληξεν ἢ τε βῆξ καὶ ἢ ἀπόχρεμψις καὶ ἢ ὀδύνη, καὶ ἢ θέρμη λεπτή.

99. Τῇ Ἐπιχάρμου πρὸ τόκου δυσεντερίῃ, πόνος, ὑποχωρήματα ὕφαιμα, μυξώδεα· τεκοῦσα³ παραχρῆμα ὑγιής.

¹ ἢ om. M

² πόνου· corr. to κόπου V

³ τεκούση MV (cf. Epid. 5.90)

groin, sometimes from the right knee and settled in the same area. When the pains were in the belly, the intestines were elevated, and when it stopped heartburn came on. There was no choking. There was a chilling of her body, as for a person lying in water, during the time when she had the pain. The pains recurred totally or were more mild than those at the beginning. Garlic, silphium, acrid substances did not help, nor did the sweet nor the acid, nor did white wine. But the red wines and baths helped occasionally. At the beginning there were terrible vomits and exclusion of food at the time of the pains. And the menses did not appear.

98. Cleomenes' wife, when the zephyrs began to blow, after nausea and fatigue had a pain in her left thorax. It began from the neck and shoulder. There was fever and chills and sweat. The fever came first. It did not cease, but intensified. The pain was dreadful. Cough; matter brought up, bloody and yellow, in large quantity. Tongue white. Excrement moderate, watery. Urine bilious. On the fourth day towards night her menstrual flow came in great quantity. And the cough, and the expectoration, and the pain ceased, and the fever was mild.

99. Epicharmus' wife before delivery had dysentery, fatigue, mucous, bloody feces with phlegm. When she had given birth she was suddenly healthy.^a

^a Cf. *Epid.* 5.90.

454 100. Τῇ Πολεμάρχου ἐν ἀρθριτικοῖσιν¹ ἰσχύου
 ἄλγῃμα ἐξαίφνης | γυναικείων οὐ γενομένων. τὸ ἐν τῷ
 σεύτλῳ πιούση ἔσχετο ἡ φωνὴ νύκτα καὶ ἐς ἡμέρης
 μέσον·² ἤκουε³ δὲ καὶ ἐφρόνει, καὶ τῇ χειρὶ ἐσήμαινεν
 ἀμφὶ τὸ ἰσχίον εἶναι τὸ ἄλγῃμα.

101. Τῇ Κλεινίου ἀδελφῇ, τῇ ἀφηλικεστέρῃ, ἔμε-
 τος, ὃ τι προσδέξαιτο, τεσσαρεσκαίδεκα ἡμέρας, ἄνευ
 πυρετοῦ αἵματωδέων· καὶ ἐρευγμοί· καὶ ξυνεστραμμέ-
 νον ἐχώρει πρὸς καρδίην πνίγμα. καστόριον, σέσελι
 πάντα⁴ ἔπαυσε, καὶ τὸ ἀπὸ τῆς σίδης· ἀπέστη δὲ
 ἄλγῃμα μέτριον ἐς κενεῶνα. βολβοῦ χυλός, καὶ οἶνος
 γαλακτώδης αὐστηρός, καὶ ἄρτοι ὥς ἐλάχιστοι ξὺν
 ἐλαίῳ.

102. Τῇ Πausανίου κούρῃ μύκητα ὠμὸν φαγούση
 ἄση, πνιγμός, ὀδύνη γαστρός. μελίκρητον θερμὸν
 πίνειν καὶ ἐμείν ξυνήνεγκε, καὶ λουτρὸν θερμόν· ἐν τῷ
 λουτρῷ ἐξήμεσε τὸν μύκητα, καὶ ἐπεὶ λήξειν⁵ ἔμελλεν
 ἐξιδρῶσεν.⁶

103. Ἐπιχάρμῳ, περὶ Πληϊάδων δύσιν, ὦμου ὀδύνη
 καὶ βάρος δεινὸν ἐς βραχίονα, ἄση. ἔμετοι συχνοί, ὕδρο-
 ποσίη.

104. Τῷ Εὐφρονος παιδὶ ἐξανθήματα, οἷα ἀπὸ
 κωνώπων. |

¹ ἀρθρητικοῖς M

² μέσον ἡμέρης M

³ ἤκουσε M

⁴ πάντας MV: corr. recc.

⁵ ἐπεὶ λήξειν] ἐπιλήξειν MV: corr. recc.

⁶ καὶ ἐξιδρῶσεν V

100. Polemarchus' wife, in an arthritic condition, had a sudden pain in the hip joint at the time her menses failed to appear. When she had drunk the decoction in beet juice, her voice was checked during the night and up to midday. But she could hear, and her mind was clear; she indicated with her hand that the pain was around the hip joint.^a

101. Cleinias' youthful sister vomited a bloody vomit for fourteen days, whatever she ate or drank. There was no fever. Belching, and with contractions a suffocation went to the heart. Castorium, seseli stopped all symptoms, and juice from pomegranate rind. The pain shifted, in moderate form, to her flanks. Onion juice, and acrid wine with milk, and minute amounts of bread with olive oil.

102. Pausanias' young daughter, when she ate a raw mushroom, had nausea, choking, pain in the stomach. Drinking warm melicrat and vomiting helped, and warm bathing. In the bath she vomited the mushroom and when she was about to recover she sweated.

103. Epicharmus, about the setting of the Pleiades, had pain in the shoulder and terrible heaviness into the arm, nausea. Frequent vomits, drinking water.^b

104. Euphron's son had eruptions like gnat bites.^c

^a Cf. *Epid.* 5.91.

^b Cf. *Epid.* 5.92.

^c Cf. *Epid.* 5.93.

105. Μετὰ Ζέφυρον αὐχμοὶ ἐγένοντο μέχρις ἰσημερίας¹ φθινοπωρινῆς. ὑπὸ κύνα δεινὰ πνίγεα καὶ πνεύματα θερμά, καὶ πυρετοὶ ἰδρώδεις, καὶ πάλιν εὐθύς ἐπεθέρμαινον· φύματα παρ' οὓς συχνόισιν ἐγένετο· τῇ γραίῃ τῇ βηχικῇ² περὶ ἐνάτην· τῷ μειρακίῳ τῷ σπληνώδει τῷ τῆς παιδίσκης, κοιλίης ὑγρανθείσης, περὶ τὸν αὐτὸν χρόνον· Κτησιφῶντι ὑπ' ἀρκτοῦρον σχεδὸν περὶ τὰς ἑπτὰ· τῷ παιδί μουνον ἐπωθοῦντο.³ Ἐρατύλλου ἀπεμωλύνθη παρὰ ἀμφοτέρα. ἀνιδρώτεις,⁴ γλῶσσαν ὑπὸ ξηρότητος ψελλοί. οἱ ὀρνιθίαί⁵ ἔπνευσαν πολλοὶ καὶ ψυχροί, καὶ χιόνες ἐξ εὐδίων ἔστιν ὅτε ἐγένοντο· καὶ μετὰ ἡμέρην ἰσημερίην νότια διαμίσγοντα βορείοισιν, ὕδατα συχνά· ἐπεδήμησαν βῆχες, μᾶλλον⁶ δὲ παιδίοισι· παρὰ τὰ⁷ ὦτα πολλοῖσιν οἷα τοῖσι σατύροισιν· ὅτε δὲ χειμῶν ὁ⁸ πρὸ τούτου τοῦ χρόνου σφόδρα χειμερινὸς ἐγένετο καὶ χιόνι καὶ ὄμβροισι βορείοισιν.

106. Τῷ Τιμώνακτος παιδίῳ ὡς διμηνιαίῳ ἐξανθήματα ἐν σκέλεσι, καὶ ἐν ἰσχίοισι, ὀσφύϊ, ὑπογαστρίῳ, καὶ οἰδήματα σφόδρα ἐνερευθῇ.⁹ καταστάντων δὲ τούτων σπασμοὶ καὶ ἐπιληπτικὰ ἐπεγίνοντο ἄνευ πυρετῶν ἡμέρας πολλάς, καὶ ἐτελεύτησεν.

¹ Lind.: ἡμέρης mss.

² Βεσσιακῇ conj. Foës ex Gal. Gloss. s.v.

³ ἐπωθητο (sic) M

⁴ ἀνιδρώτεις MV: -σιες recc.

⁵ Foës: ὀρθίαί MV

⁶ μάλιστα cit. Gal. Comm. in Epid. 6

⁷ τὰ παρὰ τὰ cit. Gal.

⁸ om. V

⁹ ἐνευρέθη M

105. After Zephyrus there were droughts until the fall equinox. At the Dogstar there were bad heat waves and hot winds, and there were fevers with sweats which immediately became again hot. Many people got swellings by the ear. The old woman who had the cough, towards the ninth day, the youth with the swollen spleen (son of the serving girl), whose bowels liquified, around the same time. Ctesiphon at about Arcturus' rising, around seven days. They pushed outward only in the slave. Those of Eratyllus went down on both sides. Patients were without sweat, lisping from dryness of the tongue. The bird-winds blew strong and cold, and there was snow at times out of calm skies. And after the equinox there was southerly weather mixed with northerly, much rain. Coughs were epidemic, especially in children. Swellings by the ears in many people, as in satyriasis. There had been very stormy periods earlier in the winter, with snow and rain from the north.^a

106. The infant of Timonax at two months had eruptions on the legs and at the hips, on the lower back, the area under the stomach. The swellings became quite red. When they went down he had convulsions and seizures without fever for many days, and he died.

^a Cf. *Epid.* 5.94.

458 107. Τῷ τοῦ Πολεμάρχου ξυνέβη μὲν τῷ ἔμπροσθεν χρόνῳ ἐμ|πυωθῆναί τε καὶ ἀποχρέμψασθαι· ὕστερον δὲ θέρμαι, καὶ ὑδρωπιώδης τε ἦν, καὶ ἐπίσπληνος, καὶ ἀσθματώδης πρὸς αἶπος¹ εἴ ποτε ἴοι,² καὶ ἀδύνατος, καὶ διψώδης, καὶ ἀπόσιτος ἐπιεικῶς ἔστιν ὅτε, καὶ βηχία ξηρὰ ἐπὶ πολὺν χρόνον οὕτως ἐγίνετο· ὑπεφέρετο, καὶ εἰ μὴ τι εὐλυτος γίνοιτο κοιλὴ κάτω, πλήρης ἐγένετο ἄνω, καὶ πνίγμα καὶ ἄσθμα ἐγένετο μᾶλλον. τέλος³ δὲ κατάρροος, καὶ ἀπόχρεμψις ἐπικατῆλθε, καὶ βήξ, καὶ ἀπόχρεμψις, παχέα καὶ ὠχρὰ πῦα· καὶ πυρετὸς σφοδρὸς· καὶ ἐδόκει λῆξαι, καὶ ἡ⁴ βήξ πρηϋτέρη, καὶ ἡ ἀπόχρεμψις καθαρή. ὑπέστρεψε ὀξὺς πυρετός, πνεῦμα πυκνὸν ἦν, ἐτελεύτησε. προσερρίγωσε πόδας, καὶ κατεψύχθη· μετὰ ταῦτα πνεῦμα μᾶλλον ἐγκατελήφθη· ἡ⁵ οὔρησις ἔστη· τὰ ἄκρα κατεψύχθη· ἔμφρων ἐτελεύτησε τριταῖος ἀπὸ τῆς ὑποστροφῆς.

108. Τῷ τοῦ Θυνοῦ σφόδρα ἐν πυρετῷ καυσώδει ἐλιμοκτονήθη· ὑποχώρησις συχνὴ χολῆς ἐγένετο μετὰ ἀψυχίης καὶ ἰδρωτός πολλοῦ· κατεψύχθη σφόδρα· ἄφωνος⁶ ἦν ἡμέρην ὅλην καὶ νύκτα· ἐγχεόμενος χυλὸν πτισάνης, κατείχετο, ἐφρόνει εὐπνοος ἦν.

109. Τῷ Ἐπιχάρμου ξυνέβη ἐκ περιόδου καὶ ποτοῦ ἀπεψίη. τῇ ὕστεραίῃ πρωτὶ ἄσης γενομένης, πίων ὕδωρ, ὄξος, ἄλας, ἐξήμεσε φλέγμα· μετὰ δέ, ρίγος ἔλαβεν· ἐλούσατο πυρεταίνων· τὸ στῆθος ἤλγει. τῇ

¹ ἔπος MV: corr. recce.² ἴη V³ τέλος M⁴ ἡ om. M⁵ ἡ om. V⁶ καὶ ἄφωνος M

107. Polemarchus' son had previously had empyema and expectoration. He later had fever and was hydropic, had swelling of the spleen and asthma; if he tried to climb a hill he could not; he suffered thirst and sometimes rejected food. For considerable periods he had dry coughs in this way. He would relapse, and if his bowels did not break loose below he became overfull above and the asthma and suffocation came on more. Finally he had a catarrh and expectoration, and a cough. And the expectoration was thick, yellow, purulent matter. Violent fever. It seemed to abate and the cough was milder and the expectoration clean. Acute fever recurred, his breathing was rapid, he died. He had cold feet and was chilled. After that his breath was even more constricted. The urine was stopped. His extremities cold. He died conscious on the third day after the relapse.

108. Thynus' son, in a burning fever, took no food or drink. He passed large amount of bilious excrement, with faintness and much sweat. He was severely chilled. He was voiceless a whole day and night. He was administered strained barley broth, and kept it down. He regained his senses, breathing became normal.

109. After walking about and drinking, Epicharmus' son got indigestion. The following day in the morning he was nauseous. After drinking water, vinegar, and salt, he vomited phlegm. Afterwards shivering seized him. He bathed while feverish. His chest was painful. First thing

τρίτῃ εὐθὺ πρῶτῃ, κῶμα ὀλίγον χρόνον ἐπεῖχε, καὶ ὑπε-
λήρει, καὶ πυρετὸς ὀξύς· βαρέως ἔφερε τὴν νοῦσον. τῇ
τετάρτῃ ἄγρυπνος· ἀπέθανεν. |

460

110. Ἀρίστωνι δακτύλου ποδὸς ἠλκωμένου¹ ξὺν
πυρετῷ ἀσάφεια· τὸ γαγγραινώδες ἀνέδραμεν ἄχρι
πρὸς γόνυ· ἀπώλετο· ἦν δὲ μέλαν, ὑπόξηρον, δυσῶδες.

111. Ὁ τὸ καρκίνωμα τὸ² ἐν τῇ φάρυγγι καυθεὶς
ὕγιης ἐγένετο ὑφ' ἡμέων.

112. Πολύφαντος ἐν Ἀβδήροισι κεφαλὴν ὠδυνᾶτο
ἐν πυρετῷ³ σφόδρα· οὔρα λεπτά, πολλά· ὑποστάσεις
δασεαὶ καὶ ἀνατεταραγμέναι· οὐ παυομένου⁴ δὲ τοῦ
ἀλγήματος τῆς κεφαλῆς πταρμικὸν προσετέθη ἐόντι
δεκαταίῳ. μετὰ δὲ ἐς τράχηλον ὀδύνη ἰσχυρή· οὔρον
ἦλθεν ἐρυθρόν, ἀνατεταραγμένον, οἶον ὑποζυγίου·
παρέκρουσε τρόπον φρενιτικόν· ἀπέθανεν σπασμοῖσιν
ἰσχυροῖσιν. παραπλησίως δὲ καὶ ἡ Εὐαλκίδου οἰκέτις
ἐν Θάσῳ,⁵ ἥ πολὺν χρόνον τὰ δασέα ἐχώρει οὔρα⁶ καὶ
κεφαλαλγίαι ἐνήσαν· φρενιτικὴ γενομένη ἀπέθανεν
σπασμοῖσιν ἰσχυροῖσι· πάνυ γὰρ τὰ δασέα οὔρα καὶ
ἀνατετραμμένα σημεῖον ἀκριβὲς κεφαλαλγίης καὶ
σπασμῶν καὶ θανάτου. ὁ δὲ Ἀλικαρνασσεὺς ὁ ἐν τῇ
Ξανθίππου οἰκίῃ καταλύων οὓς ἐν χειμῶνι ὠδυνᾶτο καὶ
κεφαλὴν οὐ μετρίως· ἦν περὶ ἕτεα πεντήκοντα· φλέβα
ἐτμήθη κατὰ Μνησίμαχον· ἐβλάβη ἡ κεφαλὴ κενω-
θεῖσα καὶ ψυχθεῖσα, οὐ γὰρ ἐξεπύησε· φρενιτικὸς⁷ ἐγέν-
ετο, ἀπέθανεν· οὔρα καὶ τούτῳ δασέα.

¹ εἰλκομένου (sic) M² τῷ M³ V writes ἐν πυρετῷ twice⁴ πατομένου M

in the morning on the third day a coma came on for a brief time and he was delirious and there was acute fever. He had great distress from the disease. On the fourth day, sleepless. He died.

110. Ariston, with a lesion on his toe, had fever and mental confusion. Gangrene ran up to his knee. He died. It was black, rather dry, foul-smelling.

111. The one whose cancer in the pharynx was cauterized was cured by me.

112. Polyphantus, in Abdera, had pain in the head with severe fever. Urine thin, lots of it, deposits shaggy and disordered. When the pain in his head did not stop, a sternutatory was applied on the tenth day. Afterwards he had a severe pain into the neck. He produced urine that was red, turbid, like a mule's. His mind was unsound in a phrenitic manner. He died with powerful convulsions. Similarly the maidservant of Eualeides in Thasos, whose urine was shaggy for a long time and who had headaches. She became phrenitic and died with powerful convulsions. For, indeed, urine which is shaggy and turbid is a precise sign of headache and convulsion and death. And the man from Halicarnassus who lodged in Xanthippus' house had ear pain in the winter and headache to an extreme degree. He was about fifty years old. He had a vein cut by Mnesimachus. His head was harmed by the emptying and the chilling, since he was not purulent. He became phrenitic, died. His urine, too, was shaggy.

⁵ ἐν Θάσῳ] ἔνθα M

⁶ οὔρα ἐχώρει M

⁷ ἐν φρενιτικός M

462

113. Ἐν Καρδίῃ τῷ Μητροδώρου παιδίῳ ἐξ ὀδόντων ὀδύνη | σφακελισμὸς σιηγόνος, καὶ οὐλῶν¹ ὑπερσάρκωσις δεινὴ· μετρίως ἐξεπύησεν· ἐξέπεσον οἱ γόμφιοι ἢ ἡ σιηγών.

114. Ἀναξήνωρ ἐν Ἀβδήροισιν ἦν μὲν σπληνώδης καὶ κακόχρους· ξυνέβη δὲ αὐτῷ οἰδήματος γενομένου περὶ μηρὸν τὸν ἀριστερὸν ἐξαπίνης τοῦτο ἀφανισθῆναι· οὐ πολλῇσι δὲ ὕστερον ἡμέρησιν ἐγενήθη αὐτῷ κατὰ τὸν σπλῆνα, οἷον ἐπινυκτὶς ἐξ ἀρχῆς, ἔτι² οἶδημα καὶ ἐρύθημα³ σκληρόν· μετὰ δὲ ἡμέρην τετάρτην πυρετὸς ἐγένετο καυσώδης, καὶ ἐπελιδνώθη πάντα κύκλῳ καὶ σαπρά. ἐδόκει ἄμεινον· ἀπέθανεν· ὑπεκαθάρθη δὲ πρότερον καὶ κατενόει.

115. Κλόνηγος ἐν Ἀβδήροισιν ἦν μὲν νεφριτικός· οὔρει δὲ αἷμα κατὰ σμικρὸν πολὺ χαλεπῶς· ἠνώχλει δὲ καὶ κοιλίῃ ἐντερικῇ. τούτῳ πρῶτῃ μὲν ἐδίδοτο γάλα αἷγειον καὶ ὕδατος πέμπτη μερίς, ἀνεξεσμένον, τὸ πᾶν κοτύλας τρεῖς, ἐσπέρην δὲ ἄρτος ἑξοπτos, ὄψα.⁴ σευτλα ἢ σίκυος, οἶνος μέλας λεπτός· ἐδίδοτο δὲ καὶ σίκυος πέπων· οὕτω δὲ διαιτωμένῳ καὶ ἡ κοιλίῃ ξυνέστη, καὶ τὰ οὖρα καθαρὰ ἐφοίτα· ἐγαλακτοπότησε δὲ ἕως τὰ οὖρα ἀποκατέστη.⁵

116. Γυναικὶ ἐν Ἀβδήροισι καρκίνωμα ἐγένετο περὶ τὸ στῆθος· ἦν δὲ τοιοῦτο· διὰ τῆς θηλῆς ἰχώρ ὕφαιμος ἔρρει· ἐπιληφθείσης δὲ τῆς ῥύσιος ἀπέθανεν.

¹ οὐράων MV (cf. Epid. 5.100)

² Smith: ἔτ' MV: ἔτι δὲ recce.

³ ὀλίσθημα V

⁴ ὄσα V

⁵ ἀπεκατέστη M

EPIDEMICS 7

113. In Cardia, Metrodorus' son had pain from the teeth, mortification of the jaw, and dreadful overgrowth of flesh on the gums. He was moderately purulent. His molars collapsed, or else his jawbone.^a

114. Anaxenor, in Abdera, had spleen problems and bad color. And it occurred that it suddenly disappeared after a swelling had developed around his left thigh. But not many days later he developed also about the spleen, like an *epinyktis*^b at first, swelling and hard redness. After the fourth day a burning fever developed; it all became livid in a wide circle and rotten. He seemed to get better; died. But he was purged beforehand and was aware.

115. Clonegus, in Abdera, had a kidney disease. He urinated much blood, painfully, little by little. In addition a dysenteric bowel troubled him. He was given, early in the morning, goat's milk and a fifth part of water, boiled, to a total of three cotyls^c in all. And in the evening roasted bread, a main dish, beets or cucumber, thin red wine. And he was given ripe cucumber. When he kept this regimen his intestines stabilized, and the urine became pure. But he did drink milk until the urine became restored.

116. A woman in Abdera had a cancer on the chest. It went this way: bloody serum flowed out through the nipple. When the flow was interrupted, she died.^d

^a Cf. *Epid.* 5.100.

^b An *epinyktis* is a pustule that is most distressful at night.

^c Ca. three cups.

^d Cf. *Epid.* 5.101.

117. Τῷ Δεινίου παιδίῳ ἐν Ἀβδήροισι μετρίως ὀμφαλὸν τμηθέντι συρίγγιον κατελείφθη καὶ ποτε καὶ ἔλμις δι' αὐτοῦ¹ διήλθεν ἄδρά· καὶ ἔφη, ὅτε πυρέξειε χολώδεα ὅτι καὶ αὐτὰ ταύτη διήει. προσεπεπτώκει τούτῳ τὸ ἔντερον πρὸς τῷ συριγγίῳ, καὶ διεβέβρωτο ὥς τὸ συρίγγιον, καὶ ἐπανερρήγνυτο, καὶ βηχία ἐκώλυε διαμένειν.

118. Τῷ παιδίῳ τῷ Πύθωνος, ἐν Πέλλῃ, πυρετὸς αὐτίκα ἤρξατο πολὺς, καὶ καταφορὴ πολλή μετὰ ἀφω-
νίης· ὕπνοι ἐγένοντο, καὶ κοιλίη σκληρὴ παρὰ πάντα τὸν χρόνον. προστιθεμένου δὲ τοῦ ἐκ τῆς χολῆς πολλὰ διεχώρει καὶ αὐτίκα ἐνεδίδου· ταχὺ δὲ πάλιν ἡ κοιλίη ἐπήρето καὶ ὁ πυρετὸς παρωξύνετο, καὶ ἡ καταφορὴ² διὰ τῶν αὐτῶν. τῆς δ' αὐτῆς ἀγωγῆς ἐούσης ἐδόθη τι τῶν σὺν κνήκῳ, καὶ σικύου, καὶ μηκωνίου· χολώδεα κατέρρηξε. καὶ αὐτίκα τὸ κῶμα ἐπέπαυτο, καὶ ὁ πυρε-
τὸς ἐπεπρήνυτο,³ καὶ τὰ ὅλα ἐκουφίσθη. ἐκρίθη τεσσα-
ρεσκαϊδεκαταῖος.

119. Εὐδημος σπλῆνα ἐπόνει ἰσχυρῶς· προσετάσ-
σετο ὑπὸ τῶν ἡτρῶν ἐσθίειν πολλὰ, πίνειν οἶνον μὴ ὀλίγον λευκόν, περιπατεῖν συχνά· οὐ μετέβαλεν.⁴
ἐφλεβοτομήθη.⁵ σιτία καὶ ποτὰ πεφεισμένως.⁶ περί-
πατοι ἐκ προσαγωγῆς· οἶνος μέλας λεπτὸς· ὑγιάνθη.⁷

¹ διωτοῦ V: δι' ἑωυτοῦ M: corr. Li.

² καταφρόνη M ³ ἐπρηνετο V

⁴ μετέβαλλεν V ⁵ ἐφλοτομήθη V

⁶ πεφισμένως M

⁷ καὶ ὑγιάνθη V

117. Deinias' child in Abdera: when a small incision was made at his navel a small fistula was left behind. Once a full-sized worm came through it. And he said that whenever he was feverish actual bilious material came out by it. The intestine had fallen into this fistula and it was eroded like the fistula. And it was fissured. And coughing kept it from staying still.

118. In Python's child, in Pella, there suddenly commenced a great fever, great lethargy, with loss of speech. Sleep came on and his intestine was hard the whole time. But when the suppository made from bile was applied, there was a large bowel movement, and immediately the disease improved. But soon his belly was elevated again and the fever intensified and the lethargy in the same way. When the same evacuation had been accomplished, he was given a medicine with cardamum, cucumber, and opium. The bilious matter broke loose, the coma was gone immediately, the fever had become mild, and he was relieved in all respects. He had a crisis on the fourteenth day.

119. Eudemus had severe pain in the spleen. He was told by the physicians to eat much, drink plenty of light wine, walk much. There was no change. He was bled from a vein. Food and drink sparingly. Walks increasing. Light red wine. He recovered.

120. Φιλιστίδι¹ τῇ Ἡρακλείδου γυναικὶ ἤρξατο πυρετὸς ὀξύς, ἔρευθος προσώπου, ἐξ οὐδεμιῆς προφάσιος· ὀλίγον δ' ὕστερον τῆς ἡμέρης ἐρρίγωσεν· οὐκ ἀναθερμανθείσης σπασμὸς ἐγένετο ἐν τοῖσι δακτύλοισι τῶν ποδῶν καὶ τῶν χειρῶν· σμικρὸν δὲ μετὰ ταῦτα ἐπεθερμάνθη, οὔρησε τροφιῶδεα, νεφελῶδεα, διεσπασμένα· νύκτα ἐκοιμήθη. δευτέρῃ ἐπερρίγωσεν ἡμέρῃ, σμικρῷ μᾶλλον ἐθερμάνθη· καὶ τὸ ἔρευθος ἦσσον, καὶ οἱ σπασμοὶ ἐγένοντο μετριώτεροι· οὔρα διὰ τῶν αὐτῶν· νύκτα ἐκοιμήθη, σμικρὰ διαγρυπνήσασα,² οὐδεμιῆς δυσφορίας ἐούσης.³ τριταίῃ οὔρησεν εὐχροώτερα, σμικρὰ ξυνεστηκότα·⁴ τὴν δ' αὐτὴν ὥρην ἐπερρίγωσε·⁵ πυρετὸς ὀξύς· ἰδρῶς ἐς νύκτα | δι' ὅλου· ὧψέ δὲ τῆς ἡμέρης χρῶμα ἀνετράπη ἐς τὸν ἱκτερώδεα τρόπον· νύκτα ὕπνωσε δι' ὅλου. τεταρταίῃ αἷμα ἐκ τοῦ ἀριστεροῦ ἐρρύη καλῶς, καὶ γυναικεῖα σμικρὰ ἐπεφάνη ἐν τάξει· πάλιν δὲ τὴν αὐτὴν ὥρην τὸ πυρέτιον παρωξύνθη· οὔρα τροφιῶδεα σμικρά· κοιλίῃ δέ, φύσει μὲν σκληρῇ, πολὺ δέ τι μᾶλλον ξυνεστήκει, καὶ οὐδὲν διήκει εἰ μὴ βάλανον πρόσθοιτο· νύκτα ὕπνωσεν. πεμπταίῃ πυρέτιον⁶ πρηύτερον, καὶ πρὸς τὴν ἐσπέρην δι' ὅλου ἴδρου· καὶ γυναικεῖων χώρησις· καὶ νύκτα ὕπνωσεν. ἑκταίῃ οὔρησεν ἀθρόον πολὺ τροφιῶδες, σμικρὴν ὑπόστασιν ἔχον ὁμόχροον· περὶ δὲ μέσον ἡμέρης, σμικρὰ ἐρρίγωσεν, ὑπεθερμάνθη, ἴδρωσε δι' ὅλου· νύκτα ἐκοιμήθη. ἑβδομαίῃ σμικρὰ ἐπεθερμάνθη, εὐφόρως

¹ Φιλιστίδῃ MV: corr. Asul.

² διαγρυπνευσα M: διαγρυπνεύσασα V: corr. rece.

120. Philistis, the wife of Heraclides, began to have acute fever, redness of face, from no clear cause. Shortly afterwards she had shivering in the daytime. When she was without fever, a spasm developed in her toes and fingers, and shortly after that she became feverish. She produced urine that was full of congealed matter, cloudy, separated. She slept the night. On the second day she had shivering; her fever increased a little. Her redness was less and her spasms became more mild. Urine of the same kind. At night she slept, having lain awake briefly; there was no discomfort. On the third day she produced urine of better color, small suspended particles. At the same hour she had chills. Acute fever. Sweat towards night on the whole body. Late in the day her skin color changed toward the jaundiced type. At night she slept straight through. On the fourth day blood from the left nostril flowed freely and slight menstrual flow appeared on time. Again at the same hour the fever became acute. Small amount of urine with congealed matter. Her bowels, by nature obdurate, became much more compacted and nothing passed unless a suppository was applied. She slept at night. On the fifth day the fever was milder and towards evening she had sweat all over. And flow of menses. And she slept at night. On the sixth day she produced, in a flood, much urine with congealed matter, with a small sediment of uniform color. About midday, she had slight shivering, she became warm, sweat all over. She slept the night. On the seventh day she was slightly feverish, but

³ ἐνεούσης M

⁴ ὑφ'εστηκότα M

⁵ ὑπερρίγωσε M

⁶ πυρέτιον] τό τε πῦρ αἴτιον M

ἤνεγκεν· ἴδρωσε δι' ὅλου· οὐρα εὐχροα· ἐκρίθη πάντα.

121. Τύχων ἐν τῇ πολιορκίῃ τῇ περὶ Δάτον ἐπλήγη καταπέλτῃ ἐς τὸ στῆθος, καὶ μετ' ὀλίγον γέλως¹ ἦν περὶ αὐτὸν θορυβώδης· ἐδόκει δέ μοι ὁ ἰητρὸς ἐξαιρῶν² τὸ ξύλον ἐγκαταλιπεῖν τὸ σίδηρον κατὰ τὸ διάφραγμα. ἀλγέοντος δὲ αὐτοῦ, περὶ τὴν ἐσπέρην ἔκλυσέ τε καὶ ἐφαρμάκευσε κάτω· νύκτα διήγαγε τὴν πρώτην δυσφόρως, ἅμα δὲ τῇ ἡμέρῃ ἐδόκει καὶ τῷ ἰητρῷ καὶ τοῖσιν ἄλλοισι βέλτιον ἔχειν· ἦν γὰρ ἡσυχάως. πρόρρησις, ὅτι σπασμοῦ γενομένου οὐ βραδέως ἀπολεῖται. ἐς τὴν ἐπιούσαν νύκτα δύσφορος, ἄγρυπνος, ἐπὶ γαστέρα τὰ πολλὰ κείμενος. τρίτῃ, πρῶτ' ἐσπᾶτο· περὶ μέσον ἡμέρης ἐτελεύτησεν.

468

122. Εὐνούχος ἐκ κυνηγεσίης καὶ διαδρομῆς ὕδραγωγὸς γίνεται ὁ παρὰ τὴν Ἑλεαλκέος κρήνην. Ὁ περὶ τὰ ἕξ ἔτεα ἔσχευεν | ἵππουρίν τε καὶ βουβῶνα κατ'³ ἴξιν καὶ κέδματα. Ὁ τὸν αἰῶνα φθινήσας ἑβδομαῖος ἀπέθανεν. Πυοποιούντων ἄπεπτον ἄλμυρά μετὰ μέλιτος. Πορνείῃ ἄχρωμος⁴ δυσεντερικοῖσιν ἄκος.

¹ καταπέλτῃ . . . γέλως | καταπέλτην καὶ μετ' ὀλίγον ἐς τὸ στῆθος καὶ μετ' ὀλίγον γέλως M

² Smith: ἐξαίρων mss.

³ καὶ MV: corr. M. Rosenbaum

⁴ ἄχρωμος V

⁴ The end of *Epid.* 7, like the ends of a number of Hippocratic works, is a collection of chaff probably gathered in the process of its transmission. The meaning of many things in these last sections is unclear. The subject matter of chs. 121–124 may well be later in date than the rest of the work. In ch. 122, *hippouris* ("docked

comfortable. She sweated all over. Urine of good color. Total crisis.

121.^a Tychon, at the siege of Datum, was struck in the chest by a catapult, and shortly later there was around him raucous laughter. The physician who removed the wood seemed to me to leave the iron in at the diaphragm. He was in pain. Towards evening he administered a clyster and a purgative drug below. He passed the first night in distress, but at daybreak he seemed to the physician and the others to be better, since he was quiet. The prediction was that convulsions would be followed by death soon after. Towards the subsequent night, the patient was distressed, sleepless, lying on his belly for the most part. On the third day early he had convulsions. Towards midday he died.^b

122. The water-carrier by the spring of Elealceus became a eunuch from hunting and running. The boy of about six years had *hippouris*, and glandular swelling in the groin on the same side, and *kedmata*. The one with life-long consumption died in the seventh year. For people producing unconcocted pus, give salt water and honey. Unrestrained lechery is a cure for dysentery.

horse's tail") is an unknown complaint, *kedmata* is also dubious but may be an arthritic complaint. Lechery may cure dysentery because it was thought to be drying to the system (cf. *Epid.* 7.69 above). The allusive ch. 123 I take to be about problems of puberty.

^b Cf. *Epid.* 5.95.

123. Τῇ Λεωνίδεω θυγατρὶ ἡ φύσις ὀρμήσασα ἀπε-
στράφη, ¹ ἀποστραφεῖσα, ἐμυκτήρισεν· ² μυκτηρίσασα
διηλλάγη· ὁ ἱητρὸς οὐ ξυνείδεν· ἡ παῖς ἀπέθανεν.

124. Ὁ Φιλοτίμου παῖς ἔφηβος ἦλθε πρὸς ἐμὲ
εὐρών ³ κρανίον ὀστέον ⁴ ἔρημον ἱητρικῆς ἐς ἰηχίνα, τὰ
κρύφιμα οὐχ ὀρών ἐστῶτα.

¹ ἀπετράφη V

² ἐμυκτήριζε corr. to -ισε M


³ εὐρόν M

⁴ ὀστέων V

EPIDEMICS 7

123. In the case of Leonidas' daughter, her nature, rushing forward, was repulsed, and, repulsed, she bled from the nose. Having bled from the nose she was relieved. But the doctor did not understand. The girl died.

124. Philotimus' son, when in military training, came to me for healing when he found the bone of his skull bare of medical treatment because he had not seen the hidden things established.



INDEX

(g) = geographical location; see map, pp. 16–17

- Abdera (g), 129, 149, 215, 289, 405, 407, 409
 abortion, 23, 31, 35, 49, 95, 97, 113, 115, 119, 163, 191, 345, 373, 395; miscarriage, 219
 abscess, 31, 37, 101, 111, 129, 285, 325. *See also* apostasis
 Acanthius, 109
 Acanthus (g), 191, 373
 Achelous (wife of), 95
 Adamantus, 285
 Aenesidemus, 171
 Aenea (g), 195
 Aenus (g), 73, 143, 251, 337
 Aeschylus (son of), 199, 367
 Agasis (wife of), 247
 Aglaoteles or Agleuteles (son of), 199, 367
 Agrianus, 303
 Alcibiades, 33
 Alcippus, 151
 Aleman, 367
 Aleuas, 29
 Amphilochus (village of), 139, 141
 Amphiphrades (son of), 321
 Amynteus (son of), 145
 anasarca, 307
 Anaxenor, 407
 Andreas, 347
 Andreus, 155
 Andronicus, 65
 Androthales, 205, 387
 Anechetus (son of), 351
 Antandrus, 187
 anthrax, 19
 Antigenes, 59, 247; wife of, 37, 113
 Antilochus, 29
 Antimachus (wife of), 169
 Antiphanes (son of), 333
 Antiphilus, 93
 Apamas, 35
 Apellaeus, 173
 Apemantus, 125; wife of, 115; wife of brother of, 115; sister of, 123
 Apomotus (wife of), 395
 apostasis, 9, 25, 57, 61, 121, 123, 127, 135, 143, 189, 221, 227, 229, 237, 245, 247, 249, 377
 Arcesilaus, 237, 241
 Archelaus, 37
 Arcturus, 297, 343, 395, 401
 Aristaeus (brother of wife of), 33
 Aristees, 139
 Aristeus (servant of), 131
 Aristion, 185
 Aristippus, 215, 335
 Aristocrates, 349
 Aristodemus, 95
 Ariston, 405
 Aristophon (daughter of), 115
 aromatic herbs, 369
 arrow, 335
 Asandrus, 361

INDEX

- Aspasius (wife of), 199, 369
 asthma, 37, 87, 113, 129, 249, 333,
 357, 403
 Athenades, 107, 187
 Athens (g), 159
 Attic cotyls, 301
 atticum, 143
 Atticus, 101
 Audellus, 337
 Autonomos, 179
 autumn, 223, 311. *See also* fall

 Baloea, 323
 barbarian, 183
 barley, 161, 199, 369
 barley bread, 135
 barley broth, 153, 295, 303, 305,
 347
 barley cake, 79, 175
 barley gruel, 83, 171, 237, 299, 303,
 311
 barley meal, 31, 369, 379
 barley water, 313
 beet broth, 303
 Bias, 201
 Billus, 213
 Bion, 41, 325
 bird-winds, 401
 black bile, 61, 105, 153, 173, 185,
 257, 259, 261, 287
 blindness, 77, 99, 361
 Boulagoreus (village of), 131
 boxer, 201
 bronzesmith (wife of), 127
 butcher, 191, 373

 Caenias (son of), 303
 Calligenes, 371
 Callimedon (son of), 199, 369
 cancer, 87, 215, 405, 407
 Capito, 7, 12, 39, 243, 261
 cardamum, 409

 Cardia (g), 215, 407
 cardialgia, 19, 211
 carpenter, 125
 castorium, 199, 369, 399
 catalepsy, 115
 catapult, 213
 catastasis, 3, 7
 causus (caustic fever), 19, 45, 93,
 99
 Cecrops, 117
 Chaerion, 265
 Chalcedonian (g), 95
 Chares, 363
 Charion, 31
 Charon, 135
 Chartades, 307, 313
 chilblains, 193, 375
 cholera, 159, 201, 379
 Cleinias (sister of), 399
 Cleisthenes (son of), 289
 Cleochus, 345, 353
 Cleocydes, 293
 Cleogeniscus, 367
 Cleomenes, son of, 191, 373; wife
 of, 397
 Cleotimus, 361
 Clonegus, 407
 clyster, 335, 337, 379, 413; acrid,
 335; bran husk, 367; soft, 203,
 293; seawater, 367; wax-based
 salve, 75; wild cucumber, 367
 Comes (wife of), 117
 Conon, 209, 391
 consumption, 275, 277, 289, 355,
 413
 coriander, 85, 89
 Corinth (g), 135
 coryzas, 235, 237
 Cos (g), 10, 12; sister of man from,
 41
 cotyls, 301, 407
 coughing epidemic, 269

INDEX

- Crannon (g), 19, 103, 133, 221, 237
 crisis, 19, 21, 23, 31, 33, 41, 47, 51,
 53, 55, 57, 59, 61, 93, 95, 97, 99,
 101, 105, 109, 111, 113, 115,
 117, 119, 121, 123, 125, 131,
 135, 137, 139, 141, 143, 147,
 149, 151, 223, 229, 237, 245,
 247, 269, 271, 293, 409, 413
 Critias, 151
 Ctesicrates, 303
 Ctesiphon, 325, 401
 cucumber, 201, 261, 379, 407. *See*
 also wild cucumber
 cumin, 83, 85, 89, 297
 cupping glass, 87, 111, 159
 cyathos, 301
 cyceon, 263
 Cydes, 381
 Cydis (son of), 303
 cynancus, 41, 45. *See also* quinsy
 Cyniscus, 147, 277
 Cyrene, 181
- Damnagoras, 237, 241
 Damon (son of), 205, 341
 Datum (g), 213, 413
 deafness, 367
 Deinias, child of, 287, 409
 Deinon, 343
 delirium, 41, 47, 65, 75, 77, 93, 103,
 105, 109, 123, 139, 149, 155,
 165, 185, 205, 207, 217, 225,
 245, 265, 289, 297, 303, 305,
 313, 315, 325, 329–333, 361,
 383, 387, 391, 405
 Delos (g), 195, 337
 Demaenete, 39
 Demaratus (wife of), 147
 Demarchus, 199, 367
 Democles, 207, 389
 Demosthenes, 3
 Dexippus, 31, 265
- Diopeithes (sister of), 211, 395
 Dioscurides, 12
 Dogstar, 201, 211, 293, 309, 401
 Doriscus (g), 395
 dropsy (and hydropsy), 29, 75, 77,
 79, 87, 159, 201, 217, 325, 371,
 403
 drugs, 31, 51, 77, 153, 155, 157,
 159, 167, 171, 173, 177, 183,
 191, 201, 205, 213, 241, 293,
 311, 341, 355, 373, 393, 413
 Dyschytas, 337
 dysentery, 65, 89, 133, 135, 181,
 211, 299, 397, 413
 Dyseris, 177
 Dyslytas, 213
- Echecrates, 361
 edema, 133, 145
 Egyptian alum, 199, 369
 Egyptian nitre, 85, 89
 eighth month child, 25, 35, 65, 345
 elaterion = wild cucumber, q.v.
 Elealceus (spring), 413
 Elis (g), 153
 Empedotime, 53
 empiricism, 6, 9, 241
 empyema, 235, 285, 323, 403. *See*
 also purulence
 enema 167, 185, 195, 213, 215, 379.
 See also clyster
 epialoi, 109
 Epicharmus, 211, 399; wife of, 211,
 397; son of, 403
 epidemic cough, 363
 epilepsy, 77, 83, 173, 263, 289, 351
 epinyktis, 407
 equinox, 93, 95, 269, 401
 Eratolaus (son of), 299
 Eratyllus, 401
 Erotian, 83, 209

INDEX

- erysipelas (red eruptions), 53, 65, 283
- Etesian winds, 45
- Ethiopian cumin, 309
- Eualcides, 405
- Eubius, 183
- Euboea (g), 183
- Eudemus, 171, 409
- Euergetes (son of), 213
- Euergus, 339
- Eumelus, 175
- Eumenes (wife of), 105
- eunuch, 413
- eunuch-like, 135
- Euphanor (son of), 211
- Euphron (son of), 399
- Eupolemus, 157
- Eurydamas, 155
- Eutychides, 205, 371
- Euxenes (wife of), 355
- Exarmodus, 339

- fall, 19, 21, 95, 97, 105, 211, 277, 299, 349, 389, 401
- fenugreek, 199, 369
- fever: continuous, 33, 57, 109, 153, 167, 223, 295, 297; quartan, 61, 101, 263, 267, 349; semitertian, 211, 347, 395; summer, 47, 343; tertian, 109, 229
- fistula, 177, 245, 287, 303, 349, 409
- fomentations, 165, 191, 193, 311, 329, 377
- fracture, 95
- frankincense, 37, 79
- fuller, 195, 377, 379

- Galen, 1, 2, 5, 6, 7, 9, 12, 27, 28, 39, 51, 55, 61, 63, 65, 81, 83, 85, 89, 101, 209, 227, 243, 245, 251, 253, 259, 261, 279, 283, 285, 287
- De diff. resp.*, 55
- Hippocratic Glossary, 209
- Theriac to Piso*, 51
- Pseudo-Galenic *De causa affectionum*, 61
- gangrene, 135, 203, 341, 405
- gardener (wife of), 153
- garlic, 79, 249, 263, 285, 359, 397
- glands, 33, 43, 47, 53, 97, 137, 187, 195, 245, 273, 359, 379, 413
- glaucoma, 127
- Gorgias (wife of), 161
- Gorgippus (wife of), 291
- Griffinfox, 287
- gypsum, 81

- Halicarnassus (g), 405
- Harpalides, 307, 311
- Harpalus, son of, 203; son of freedwoman of, 341
- Hegesipolis, 205, 363; son of, 359
- Hegesippus, 135, 267
- Hegesistratius, 121
- Hegetorides, 359
- Hekason, 181
- hellebore, 39, 81, 153, 161, 205, 207, 221, 259, 351, 353, 371, 387, 389
- hemorrhoids, 117, 151, 171, 245, 259
- Heracleia, 35
- Heraclides, 39, 131; wife of, 411
- Heragoras, 27
- Hermophilus (son of), 185
- Hermoptolemus, 321; wife of, 315
- Herodicus, 243
- Heroon, 233
- Hesiod, 277
- Hieron, 41
- Hippias (sister of), 359
- Hippocrates, *Aphorisms*, 35, 39, 65, 79, 81, 87, 91, 239, 245, 277

INDEX

- De Crisibus*, 77
- Decorum*, 251
- In the Surgery, 137
- Nature of Women, 241
- Prognostic*, 83
- Hippokomus, 167
- Hippolochus, 127, 129
- Hipponax (wife of), 131
- Hipposthenes, 165
- Hippostratus (wife of), 61
- Hippothous, 283
- hippouris, 413
- Histiaeus (daughter of), 145
- honey, 59, 89, 175, 201, 309, 313, 353, 379, 413
- humors, 29, 73, 137, 225, 247, 259, 267
- hydromel, 311
- hysteria, 369
- ileus, 89
- Isagoras (son of), 339
- jaundice, 29, 95, 97, 117, 155, 233, 323, 411
- javelin, 337
- kalliphyllon, 365
- kedmata, 259, 413
- Larissa (g), 161, 163, 165, 167, 169, 171, 173, 175, 177
- Leambius, 135
- leatherworker (wife of), 37
- lentils, 193, 261, 379; lentil broth, 161; lentil soup, 353, 375
- Leocydes, 93, 111
- Leogeniscus, 199
- Leonidas (daughter of), 415
- Leophorbides, 327
- lepra, leprosy, 25, 81, 159, 169, 245
- leucophlegmatic, 29, 101
- Licynus, 133
- lientery, 39, 117
- Linia, 143
- linozostis, 303, 305, 347, 349, 365, 391
- Lower Mosades, 139, 141
- Lower Sosilis, 127
- Lycie, 39
- Lycinus, 267
- Lycon, 159
- Macedonian, 195, 337
- Maeandrias (wife of), 99
- Malia (g), 177
- manna, 353
- market supervisor, 117
- mason, 109
- masseur, 311
- Megareus (son of), 113
- melancholy, 4, 75, 81, 209, 223, 267, 285, 289, 391
- melicrat, 193, 199, 205, 289, 295, 367, 369, 375, 387, 395, 399. Cf. honey
- Melisander, 199, 369
- Melos (g), 159
- Menander, 119
- menstruation, 33, 37, 49, 61, 63, 65, 87, 117, 121, 129, 133, 153, 161, 163, 211, 221, 279, 291, 397, 399, 411
- Meton, 393
- Metrodorus (son of), 215, 407
- Metron, 325
- Metrophantus, 99
- milk (for therapy), 77, 79, 85, 87, 89, 135, 193, 201, 263, 299, 301, 303, 351, 359, 371, 375, 379, 383, 399, 407; cow's, 301, 351; ass's, 301, 303, 351, 353; goat's, 303, 407
- millet, 29, 261

INDEX

- Minos (wife of), 135
- Mnesianax, 349
- Mnesimachus, 405
- Moschus, 33, 111
- muttatos, 89
- Myriochaune, 31
- Myris, 145
- myrrh, 79, 127

- Nanno, 291
- narcissus, 91
- Nature, 9, 49, 83, 151, 225, 255
- Neapolis, 215
- Neopolis, 335
- Nerius (daughter of), 191
- Nicanor, 207, 387
- Nichomachus (house of), 37
- Nicippus, 151
- Nicolaus, son of, 209, 391; wife of, 345
- Nicostratus, 35, 125; wife of, 103
- Nicoxenus, 377
- night blindness, 145, 269, 271
- nightmare fevers, 109
- nosebleed, 25, 27, 47, 55, 75, 83, 101, 111, 147, 207, 229, 241, 247, 265, 415

- oak gall, 89, 241
- Oeniadae (g), 155, 157, 159
- oil of bitter almonds, 199
- ointment, burnt styptic, 249; from vinegar, 347
- olive oil, 31, 153, 199, 201, 367, 369, 399
- Olympiades (wife of), 345
- Olympiodorus (daughter of), 131
- Olynthus (g), 217, 325, 377, 359
- Omilus, 179, 181
- onion, 285, 379, 399
- Onisantides, 377
- ophthalmia, 85, 273, 285, 349

- opisthotonos, 189, 203, 205, 341
- opium, 409
- oregano, 193, 375
- orthopnea, 307
- oxymel, 313

- Palamedes (son of), 167
- Palladius, 12
- paralysis, 43, 45, 49, 269, 271, 339
- Parmeniscus, 209, 359; child of, 199, 367
- Pausanias (daughter of), 399
- Peisistratus, 355
- Pella (g), 409
- pepper, 135, 199, 267, 369
- Perinthus (g), 21, 45, 59, 113, 233, 277
- peripneumonia, 149, 155, 165, 207, 217, 245, 321, 323, 327, 387
- peritoneum, 29
- phaegedaina, *see* ulceration
- Phanias, children of, 213, 339
- Phanodicus, 93
- Pharsalus, 285
- Pherae (g), 163
- Phile (son of), 213
- Philia, 339
- Philis (son of), 95
- Philistis, 411
- Philotimus (son of), 415
- phlebotomy, 39, 61, 73, 77, 85, 87, 151, 159, 197, 205, 207, 225, 273, 351, 387, 389
- Phoenix, 155, 207, 389
- phrenitis, 141, 191, 359, 373, 377, 405
- phthisis, 277. *See also* consumption
- Pittacus, 29
- Plato, 3, 6, 243
- Pleiades, 45, 49, 93, 99, 101, 105, 109, 111, 113, 211, 321, 327, 345, 347, 393, 395, 399


INDEX

- pleuritis, 155, 245, 247
- Plinius, 265
- Pneumonia, 269, 271, 307, 325
- podagra, 61
- Polemarchus, daughter of, 53; wife of, 197, 211, 335, 357, 399; son of, 403
- Polychares, 29, 349
- Polycrates, 201, 293, 297; wife of, 309
- Polymedes, 285
- Polyphantus, 405
- pomegranate, 31, 297, 395, 399
- pork, 201, 237, 249, 367, 379
- Poseidocreon, 339
- Posidonia, 273
- Posidonius, 323
- Potamon (son of), 119
- Prodromus (wife of), 325
- purulence, 51, 95, 99, 135, 137, 139, 143, 145, 159, 175, 177, 181, 187, 199, 215, 267, 287, 309, 323, 333, 355, 365, 367, 403, 405, 407
- purslane, 285 (= wartweed, q.v.)
- Pytheas (wife of), 289
- Pythocles, 193, 375
- Pythodorus, 295; wife of, 111
- Python, child of, 409
- quinsy, 197, 217, 227, 269, 271, 311, 325, 335
- regimen (= way of life), 27, 51, 63, 253, 279, 287, 359, 407
- Rhinon, 341
- rockfish, 301, 367
- ropemaker, 93
- rose oil, 369
- Rufus of Ephesus, 7
- rust of bronze, 87
- saffron, 79
- Salamis (g), 183
- salesman, 321
- satyriasis, 401
- Satyrus, 287
- Scamandrus, 165
- Scelebreus (son of), 135
- Scomphus, 155
- Scopas, 57
- seps, 277
- sepsis, 31. *See also* purulence
- Serapis, 31
- sesame, 371
- seseli, 399
- shivering, 47, 49, 51, 53, 57, 61, 87, 95, 99, 101, 105, 109, 111, 115, 121, 131, 139, 143, 147, 167, 173, 177, 179, 209, 221, 223, 229, 239, 241, 259, 303, 319, 323, 325, 327, 347, 349, 355, 357, 361, 367, 381, 383, 391, 395, 403, 411
- shoemaker, 109, 111, 187, 361
- shopkeeper, 111
- silphium, 371, 397
- Simon, 231
- Simus (wife of), 191, 217, 355, 373
- slave, 93, 109, 123, 145, 183, 185, 271, 339, 401
- sodium carbonate, 143
- spodium, 79
- spring, 21, 45, 145, 277
- stammering, 75, 81, 85, 87
- stone, 33, 177, 337
- strangury, 37, 87, 325, 369
- Stymarges, wife of, 31; servant of, 73
- summer, 19, 35, 45, 47, 95, 131, 179, 261, 267, 283, 309, 321, 323, 325, 357, 377, 381
- superfetation, 161–63
- Symmachus, 183

INDEX

- Syros (g), 377
- teeth, 10, 25, 29, 81, 97, 107, 121,
143, 145, 147, 187, 193, 199,
203, 207, 209, 215, 217, 219,
245, 267, 273, 283, 297, 311,
325, 341, 353, 369, 375, 389, 407
- Telephanes, 203, 341
- Tenedos (g), 113
- terebinth (terminth), 245
- terebinths (pustules), 33
- Terpides (mother of), 395
- terror of the flute girl, 387
- tetanus, 189, 341. *See also*
opisthotonos
- Thasos (g), 10, 287, 291, 405
- Theocles, 327
- Theodorus, wife of, 327; child of,
339
- Theophorbus (son of), 169
- Theotimus (wife of), 395
- Thersander (wife of), 99
- Thessalion, 333
- Thestor, 99
- Thrinon, 205
- Thynus (son of), 403
- Timenes, niece of, 25, 123, 233; son
of, 117; sister of, 119
- Timochares, 201, 373
- Timochareus, 209, 391
- Timocrates, 153
- Timonax (infant of), 401
- trembling, 73, 107, 115, 121, 139,
145, 149, 165, 181, 191, 319,
331, 377
- trephination, 101, 167, 179, 181,
275, 339
- Tychon, 213, 413
- typhomania, 101
- ulceration, 25, 33, 41, 79, 81, 87,
93, 107, 127, 135, 161, 169, 171,
185, 273, 285, 319, 353
- urine (as symptom), 25, 41, 47, 57,
59, 97, 103, 105, 113, 115, 119,
125, 129, 145, 147, 169, 205,
221, 229, 233, 239, 247, 255,
257, 259, 265, 289, 297, 315,
329, 331, 343, 345, 347, 349,
363, 365, 371, 377, 379, 381,
385, 387, 391, 393, 397, 403,
405, 407, 411, 413
- varicose veins, 25, 75, 81, 227
- vetch, 73, 103, 113, 165, 251, 363,
379
- vinegar, 59, 193, 263, 347, 377, 403
- wartweed, 57 (= purslane, q.v.)
- water-carrier, 413
- white root, 241
- wife of the gardener, 153
- wild (squirting) cucumber, 183,
261, 367, 409
- winter, 95, 97, 113, 117, 145, 191,
197, 201, 205, 207, 209, 231,
269, 277, 283, 303, 315, 327,
333, 335, 349, 351, 355, 359,
363, 373, 381, 391, 401, 405
- wool carder, 133
- worms, 19, 99, 105, 149, 223, 227,
273, 409
- wrestling master, 289
- Xanthippus, 405
- Xenarchus, 275
- Zephyr, 211, 397, 411
- Zoilus, 51, 115





OCT 26 1995

